

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Aames	AS-24-GF-2	2851DH	DH2851DC	16	AS-24-GF-2	GF401	B,D	3K	0
Aames	AS-24-GF-2	2851DH	DH1851DC	25	AS-24-SF-2	SF201	B	3K	0
Aames	AS-24-GF-2	1151	B110LP, B401	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	1400	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	1451	B401B	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	1451	B401B	16	AS-24-SF-2, AS-24-SF-4	GF201	B, D	3K	0
Aames	AS-24-GF-2	1851DH	DH1851DC	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	1851DH	DH1851DC	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	1851DH	DH1851DC	25	AS-24-SF-2, AS-24-SF-4	GF201	B, D	3K	0
Aames	AS-24-GF-2	2151(T)	B110LP, B401	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	5151	B110LP, B401	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	2451	B401B	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	2100S	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	2100TS	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	2400TH	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	2451TH	B401B	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	0
Aames	AS-24-GF-2	2W-B	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	1
Aames	AS-24-GF-2	2WT-B	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	1
Aames	AS-24-GF-2	D2	N/A	25	AS-24-SF-2, AS-24-SF-4	SF201/401	B	3K	1, 2
Aames	AS-24-GF-2	2851DH	DH2851DC	25	AS-24-SF-4	SF401	B	3K	0
Aames	AS-24-SF-2	1151	B110LP, B401	16	AS-24-SF-2	GF201	B, D	3K / N/A	0
Aames	AS-24-SF-2	1451	B401B	16	AS-24-SF-2	GF201	B, D	3K / N/A	0
Aames	AS-24-SF-2	2151(T)	B110LP, B401	16	AS-24-SF-2	GF201	B, D	3K / N/A	0
Aames	AS-24-SF-2	5151	B110LP, B401	16	AS-24-SF-2	GF201	B, D	3K / N/A	0
Aames	AS-24-SF-2	D2	N/A	16	AS-24-SF-2	GF201	B, D	3K / N/A	0
ADT	Focus 200 plus	1151	B110LP, B401	16	N/A	A	B	2K	0
ADT	Focus 200 plus	1400	N/A	20	N/A	A	B	2K	0
ADT	Focus 200 plus	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus 200 plus	5151	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus 200 plus	2100S	N/A	20	N/A	A	B	2K	0
ADT	Focus 200 plus	2100TS	N/A	20	N/A	A	B	2K	0
ADT	Focus 200 plus	2W-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200 plus	2WT-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200 plus	D2	N/A	20	N/A	A	B	2K	0
ADT	Focus 200 plus	DH100LP	N/A	16	N/A	A	B	2K	0
ADT	Focus 200 plus	DH100P	N/A	16	N/A	A	B	2K	0
ADT	Focus 200P	1151	B110LP, B401	16	N/A	A	B	2K	0
ADT	Focus 200P	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus 200P	5151	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus 200P	2100AT	N/A	20	N/A	A	B	2K	0
ADT	Focus 200P	2100S	N/A	20	N/A	A	B	2K	0
ADT	Focus 200P	2100TS	N/A	20	N/A	A	B	2K	0
ADT	Focus 200P	2W-B	N/A	20	N/A	A	B	2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ADT	Focus 200P	2WTA-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200P	2WT-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200P	D2	N/A	20	N/A	A	B	2K	0
ADT	Focus 200PA	1151	B110LP, B401	16	N/A	A	B	2K	0
ADT	Focus 200PA	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus 200PA	5151	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus 200PA	2100AT	N/A	20	N/A	A	B	2K	0
ADT	Focus 200PA	2100S	N/A	20	N/A	A	B	2K	0
ADT	Focus 200PA	2100TS	N/A	20	N/A	A	B	2K	0
ADT	Focus 200PA	2W-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200PA	2WTA-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200PA	2WT-B	N/A	20	N/A	A	B	2K	1
ADT	Focus 200PA	D2	N/A	20	N/A	A	B	2K	0
ADT	Focus Cadet	1151	B110LP, B401	16	N/A	A	B	2K	0
ADT	Focus Cadet	1400	N/A	20	N/A	A	B	2K	0
ADT	Focus Cadet	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus Cadet	5151	B110LP, B401	20	N/A	A	B	2K	0
ADT	Focus Cadet	2100AT	N/A	20	N/A	A	B	2K	0
ADT	Focus Cadet	2100S	N/A	20	N/A	A	B	2K	0
ADT	Focus Cadet	2100TS	N/A	20	N/A	A	B	2K	0
ADT	Focus Cadet	2W-B	N/A	20	N/A	A	B	2K	1
ADT	Focus Cadet	2WTA-B	N/A	20	N/A	A	B	2K	1
ADT	Focus Cadet	2WT-B	N/A	20	N/A	A	B	2K	1
ADT	Focus Cadet	D2	N/A	20	N/A	A	B	2K	0
ADT	Focus Cadet	DH100LP	N/A	16	N/A	A	B	2K	0
ADT	Focus Cadet	DH100P	N/A	16	N/A	A	B	2K	0
ADT	Focus Cadet	EDH100LP	N/A	16	N/A	A	B	2K	0
ADT	M302MADT	2W-B	N/A	20	M302MADT	A	B, D*	3.9K / N/A	1
ADT	M302MADT	2WTA-B	N/A	5	M302MADT	A	B, D*	3.9K / N/A	1
ADT	M302MADT	2WT-B	N/A	20	M302MADT	A	B, D*	3.9K / N/A	1
ADT	M302MADT	2151(T)	B110LP, B401	20	M302MADT	A	B, D	3.9K / N/A	1
ADT	M302MADT	5151	B110LP, B401	20	M302MADT	A	B, D	3.9K / N/A	1
ADT	M302MADT	D2	N/A	20	M302MADT	A	B, D	3.9K, N/A	1, 2
ADT	Safewatch Pro 2000	1151	B110LP, B401	16	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	1451	B401, B401B	16	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	5151	B110LP, B401	20	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2400	N/A	16	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2451	B401, B401B	16	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2100S	N/A	20	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2100TS	N/A	20	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2400TH	N/A	16	N/A	A	B	2K	0
ADT	Safewatch Pro 2000	2451TH	B401, B401B	16	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ADT	Safewatch Pro 2000	2W-B	N/A	20	N/A	A	B	2K	1
ADT	Safewatch Pro 2000	2WTA-B	N/A	20	N/A	A	B	2K	1
ADT	Safewatch Pro 2000	2WT-B	N/A	20	N/A	A	B	2K	1
ADT	Safewatch Pro 2000	D2	N/A	20	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	1151	B110LP, B401	16	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	1451	B401, B401B	16	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	5151	B110LP, B401	20	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2400	N/A	16	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2451	B401, B401B	16	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2100S	N/A	20	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2100TS	N/A	20	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2400TH	N/A	16	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2451TH	B401, B401B	16	N/A	A	B	2K	0
ADT	Safewatch Pro 3000	2W-B	N/A	20	N/A	A	B	2K	1
ADT	Safewatch Pro 3000	2WTA-B	N/A	20	N/A	A	B	2K	1
ADT	Safewatch Pro 3000	2WT-B	N/A	20	N/A	A	B	2K	1
ADT	Safewatch Pro 3000	D2	N/A	20	N/A	A	B	2K	0
ADT	Unimode 10	1151	B110LP, B401	13	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	1151	B116LP, B406B	1	CAC-10F	A	B, D	4.7K / N/A	0
ADT	Unimode 10	2151(T)	B110LP, B401	16	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	5151	B110LP, B401	16	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	2151(T)	B116LP, B406B	1	CAC-10F	A	B, D	4.7K / N/A	0
ADT	Unimode 10	5151	B116LP, B406B	1	CAC-10F	A	B, D	4.7K / N/A	0
ADT	Unimode 10	2100AT	N/A	16	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	2100S	N/A	16	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	2100TR	N/A	1	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	2100TS	N/A	16	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	2W-B	N/A	16	CAC-10F	N/A	B, D*	4.7K / N/A	1
ADT	Unimode 10	2WTA-B	N/A	20	CAC-10F	A	B, D*	4.7K / N/A	1
ADT	Unimode 10	2WT-B	N/A	16	CAC-10F	N/A	B, D*	4.7K / N/A	1
ADT	Unimode 10	2WTR-B	N/A	1	CAC-10F	A	B, D*	4.7K / N/A	1
ADT	Unimode 10	D2	N/A	16	CAC-10F	N/A	B, D	4.7K / N/A	0
ADT	Unimode 10	DH100LP	N/A	13	CAC-10F	A	B, D	4.7K / N/A	0
ADT	Unimode 10	DH100P	N/A	13	CAC-10F	A	B, D	4.7K / N/A	0
ADT	Unimode 10UD	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 10UD	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 10UD	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 10UD	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 10UD	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
ADT	Unimode 10UD	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
ADT	Unimode 10UD	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
ADT	Unimode 200	2WTA-B	N/A	20	AMM-4S	A	B, D*	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ADT	Unimode 200	2WTA-B	N/A	20	CZ-6	A	B, D*	3.9K	1
ADT	Unimode 200	2WTA-B	N/A	20	FZM-1	A	B, D*	3.9K	1, 2
ADT	Unimode 200	1100	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	1100	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	1151	B110LP, B401	20	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	1151	B110LP, B401	20	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	1151	B116LP, B406B	1	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	1151	B116LP, B406B	1	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2151(T)	B110LP, B401	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	5151	B110LP, B401	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	D2	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2151(T)	B116LP, B406B	1	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	5151	B116LP, B406B	1	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2451	DH400	20	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2451	DH400	20	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100B	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100B	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100D	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100D	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100S	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100S	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100T	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100T	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100TB	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100TB	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100TD	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100TD	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2100TS	N/A	24	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2100TS	N/A	24	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	2W-B	N/A	24	M302	A	B, D*	3.9K / N/A	1
ADT	Unimode 200	2W-B	N/A	24	M302	A	N/A	3.9K / N/A	1
ADT	Unimode 200	2WTA-B	N/A	20	M302	A	B, D*	3.9K	1
ADT	Unimode 200	2WT-B	N/A	24	M302	A	B, D*	3.9K / N/A	1
ADT	Unimode 200	2WT-B	N/A	24	M302	A	N/A	3.9K / N/A	1
ADT	Unimode 200	DH100LP	N/A	20	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	DH100LP	N/A	20	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	DH100P	N/A	20	M302	A	N/A	3.9K / N/A	0
ADT	Unimode 200	DH100P	N/A	20	M302	A	B, D	3.9K / N/A	0
ADT	Unimode 200	2WTA-B	N/A	20	M50M	A	B, D*	3.9K	1
ADT	Unimode 200	2WTA-B	N/A	20	MMF-302	A	B, D*	3.9K	1, 2
ADT	Unimode 200	2WTA-B	N/A	20	MMI-6S	A	B, D*	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ADT	Unimode 200	2WTA-B	N/A	20	XP6-MA	A	B, D*	3.9K	1, 2
ADT	Unimode 4 -16 / II	1151	B110LP, B401	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	1151	B116LP, B406B	1	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	1400	N/A	25	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	1451	B401, B401B	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	1451	B116LP, B406B	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2151(T)	B110LP, B401	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	5151	B110LP, B401	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	D2	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2400	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2451	B401, B401B	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2451	B116LP, B406B	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2451	DH400	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	1451DH	DH400	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2100S	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2100TS	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2400AIT	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2400AT	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2400TH	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2451TH	B401, B401B	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2451TH	B116LP, B406B	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	2W-B	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D*	4.7K / N/A	1
ADT	Unimode 4 -16 / II	2WT-B	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D*	4.7K / N/A	1
ADT	Unimode 4 -16 / II	DH100LP	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 4 -16 / II	DH100P	N/A	20	IZ4-8, IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2WTA-B	N/A	20	CAC-5F	A	B, D*	4.7K	1
ADT	Unimode 5	2WTR-B	N/A	1	CAC-5F	A	B, D*	4.7K	1
ADT	Unimode 5	1100	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1151	B110LP, B401	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1151	B116LP, B406B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1400	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1451	B401B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1451	B116LP, B406B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2151(T)	B110LP, B401	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	5151	B110LP, B401	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2151(T)	B116LP, B406B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	5151	B116LP, B406B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2400	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2451	B401B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2451	B116LP, B406B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2451	DH400	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1451DH	DH400	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ADT	Unimode 5	2100B	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100D	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100S	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100T	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100TB	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100TD	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2100TS	N/A	20	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2300T	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2400AIT	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2400AT	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2400TH	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2451TH	B401B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2451TH	B116LP, B406B	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	2W-B	N/A	20	IZM-8	w/wo IZE	B, D*	4.7K / N/A	1
ADT	Unimode 5	2WT-B	N/A	20	IZM-8	w/wo IZE	B, D*	4.7K / N/A	1
ADT	Unimode 5	DH100LP	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	DH100P	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	1151	B110LP, B401	13	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	1151	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
ADT	Unimode 5	2151(T)	B110LP, B401	13	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	5151	B110LP, B401	13	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	2151(T)	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
ADT	Unimode 5	5151	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
ADT	Unimode 5	2100AT	N/A	16	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	2100S	N/A	16	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	2100TR	N/A	1	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	2100TS	N/A	16	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5	2W-B	N/A	16	N/A	N/A	B, D*	4.7K / N/A	1
ADT	Unimode 5	2WT-B	N/A	16	N/A	N/A	B, D*	4.7K / N/A	1
ADT	Unimode 5	D2	N/A	16	IZM-8	w/wo IZE	B, D	4.7K / N/A	0
ADT	Unimode 5	D2	N/A	13	N/A	N/A	B, D	4.7K / N/A	0
ADT	Unimode 5UD	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 5UD	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
ADT	Unimode 5UD	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
ADT	Unimode 5UD	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
ADT	Unimode 5UD	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 5UD	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
ADT	Unimode 5UD	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Alarm Industries	AI9821	1231	N/A	16	AI9830-R2	1	B	1.8K	0
Alarm Industries	AI9821	1231B	N/A	16	AI9830-R2	1	B	1.8K	0
Amerex	SR-X	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-X	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Amerex	SR-X	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Amerex	SR-X	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-X	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-X	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-X	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Amerex	SR-XE	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-XE	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Amerex	SR-XE	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Amerex	SR-XE	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-XE	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-XE	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Amerex	SR-XE	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Ansul	AutoPulse 542D	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542D	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542D	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542D	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542D	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542D	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542D	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Ansul	AutoPulse 542DE	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542DE	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542DE	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542DE	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542DE	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542DE	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542DE	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Ansul	AutoPulse 542R	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542R	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542R	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542R	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542R	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542R	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542R	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Ansul	AutoPulse 542RE	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542RE	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542RE	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Ansul	AutoPulse 542RE	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542RE	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542RE	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Ansul	AutoPulse 542RE	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Aritech	Discovery 5000/Z2060	1100	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	1151	B110LP, B401	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	1151	B116LP, B406B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Aritech	Discovery 5000/Z2060	2151(T)	B110LP, B401	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	5151	B110LP, B401	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	D2	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2151(T)	B116LP, B406B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	5151	B116LP, B406B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2400	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	5451	B401, B401B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	5151	B401, B401B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	5451	B116LP, B406B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100B	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100D	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100S	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100T	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100TB	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100TD	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2100TS	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2300B	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2300T	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2300TB	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2400TH	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	2W-B	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	1
Aritech	Discovery 5000/Z2060	2WT-B	N/A	6	D5000A, Z2000A	N/A	B	CR85Z	1
Aritech	Discovery 5000/Z2060	4451HT	B401, B401B	6	D5000A, Z2000A	N/A	B	CR85Z	0
Aritech	Discovery 5000/Z2060	4451HT	B116LP, B406B	6	D5000A, Z2000A	N/A	B	CR85Z	0
AUTH	AFC 100	1151	B110LP, B401	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	1151	B116LP, B406B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	1400	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	1451	B401B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	1451	B116LP, B406B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2151(T)	B110LP, B401	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	5151	B110LP, B401	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	D2	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2151(T)	B116LP, B406B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	5151	B116LP, B406B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2400	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2451	B401B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2451	B116LP, B406B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2100S	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2100TS	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2400AIT	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2400AT	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2400TH	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2451TH	B401B	25	PCB 160, PCB 175	25, 26	B	2.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
AUTH	AFC 100	2451TH	B116LP, B406B	25	PCB 160, PCB 175	25, 26	B	2.7K	0
AUTH	AFC 100	2W-B	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	1
AUTH	AFC 100	2WT-B	N/A	25	PCB 160, PCB 175	25, 26	B	2.7K	1
AUTH	AFC 100	1151	B110LP, B401	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	1151	B116LP, B406B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	1400	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	1451	B401B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	1451	B116LP, B406B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2151(T)	B110LP, B401	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	5151	B110LP, B401	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	D2	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2151(T)	B116LP, B406B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	5151	B116LP, B406B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2400	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2451	B401B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2451	B116LP, B406B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2100S	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2100TS	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2400AIT	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2400AT	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2400TH	N/A	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2451TH	B401B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2451TH	B116LP, B406B	25	PCB 173	27	D	N/A	0
AUTH	AFC 100	2W-B	N/A	25	PCB 173	27	D*	N/A	1
AUTH	AFC 100	2WT-B	N/A	25	PCB 173	27	D*	N/A	1
AUTH	AFC 400	1400	N/A	25	SMD-2	24	B, D	2.7K / N/A	0
AUTH	AFC 400C	1400	N/A	25	SMD-2	24	B, D	2.7K / N/A	0
Autocall	AL-1500	2451	DH400	16	5130-074-21	01A	D	4280-771	0
Autocall	AL-1500	1451DH	DH400	16	5130-074-21	01A	D	4280-771	0
Autocall	AL-1500	2451	DH400	25	5130-106-10	01A	B	4280-701	0
Autocall	AL-1500	1451DH	DH400	25	5130-106-10	01A	B	4280-701	0
Autocall	AL-1500	2451	DH400	25	5200-432	01A	D	4280-701	0
Autocall	AL-1500	1451DH	DH400	25	5200-432	01A	D	4280-701	0
Autocall	AL-1500	2451	DH400	25	5200-433	01A	B	4280-701	0
Autocall	AL-1500	1451DH	DH400	25	5200-433	01A	B	4280-701	0
Autocall	AP-400	2451	DH400	16	5130-074-21	01A	D	4280-771	0
Autocall	AP-400	1451DH	DH400	16	5130-074-21	01A	D	4280-771	0
Autocall	AP-400	2451	DH400	25	5130-106-10	01A	B	4280-701	0
Autocall	AP-400	1451DH	DH400	25	5130-106-10	01A	B	4280-701	0
Autocall	AP-400	2451	DH400	25	5200-432	01A	D	4280-701	0
Autocall	AP-400	1451DH	DH400	25	5200-432	01A	D	4280-701	0
Autocall	AP-400	2451	DH400	25	5200-433	01A	B	4280-701	0
Autocall	AP-400	1451DH	DH400	25	5200-433	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Autocommand - II	1100	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	1151	B110LP, B401	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	1451	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	5151	B110LP, B401	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	D2	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2451	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2451	DH400	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	1451DH	DH400	16	5130-074-21	01A	D	4280-771	0
Autocall	Autocommand - II	2100B	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100D	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100S	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100T	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100TB	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100TD	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2100TS	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2451TH	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	2W-B	N/A	20	5130-074-21	01A	D*	N/A	1
Autocall	Autocommand - II	2WT-B	N/A	20	5130-074-21	01A	D*	N/A	1
Autocall	Autocommand - II	DH100LP	N/A	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	DH100P	N/A	16	5130-074-21	01A	D	N/A	0
Autocall	Autocommand - II	1100	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	1151	B110LP, B401	25	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	1451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	5151	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	D2	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100B	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100D	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100S	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100T	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100TB	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100TD	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2100TS	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2451TH	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	2W-B	N/A	30	5130-106-10	01A	B	4280-701	1
Autocall	Autocommand - II	2WT-B	N/A	30	5130-106-10	01A	B	4280-701	1
Autocall	Autocommand - II	DH100LP	N/A	25	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	DH100P	N/A	25	5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	1100	N/A	30	5130-432, 5200-432	01A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Autocommand - II	2100	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100B	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100D	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100S	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100T	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100TB	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100TD	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2100TS	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	30	5130-432, 5200-432	01A	D	N/A	1
Autocall	Autocommand - II	5151	B110LP, B401	30	5130-432, 5200-432	01A	D	N/A	1
Autocall	Autocommand - II	D2	N/A	30	5130-432, 5200-432	01A	D	N/A	1
Autocall	Autocommand - II	2W-B	N/A	30	5130-432, 5200-432	01A	D*	N/A	1
Autocall	Autocommand - II	2WT-B	N/A	30	5130-432, 5200-432	01A	D*	N/A	1
Autocall	Autocommand - II	1151	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	1451	B401B	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	5151	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	D2	N/A	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2451	B401B	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	2451	DH400	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	1451DH	DH400	25	5200-432	01A	D	4280-701	0
Autocall	Autocommand - II	2451TH	B401B	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	DH100LP	N/A	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	DH100P	N/A	25	5200-432	01A	D	N/A	0
Autocall	Autocommand - II	1100	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	1151	B110LP, B401	25	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	1451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	5151	B110LP, B401	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	D2	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100B	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100D	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100S	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100T	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100TB	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100TD	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2100TS	N/A	30	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2451TH	B401B	25	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	2W-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	Autocommand - II	2WT-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	Autocommand - II	DH100LP	N/A	25	5200-433	01A	B	4280-701	0
Autocall	Autocommand - II	DH100P	N/A	25	5200-433	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Autocommand - II	2451	DH400	25	5200-433, 5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	1451DH	DH400	25	5200-433, 5130-106-10	01A	B	4280-701	0
Autocall	Autocommand - II	1100	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	1151	B110LP, B401	10	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	1451	B401B	10	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	5151	B110LP, B401	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	D2	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2451	B401B	10	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2451	DH400	10	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100B	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100D	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100S	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100T	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100TB	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100TD	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2100TS	N/A	12	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	2W-B	N/A	12	5200-521	01A	B	4280-767	1
Autocall	Autocommand - II	2WT-B	N/A	12	5200-521	01A	B	4280-767	1
Autocall	Autocommand - II	DH100LP	N/A	10	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	DH100P	N/A	10	5200-521	01A	B	4280-767	0
Autocall	Autocommand - II	1100	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	1151	B110LP, B401	16	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	1451	B401B	16	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2151(T)	B110LP, B401	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	5151	B110LP, B401	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	D2	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2451	B401B	16	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2451	DH400	16	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100B	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100D	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100S	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100T	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100TB	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100TD	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2100TS	N/A	20	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2451TH	B401B	16	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	2W-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	Autocommand - II	2WT-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	Autocommand - II	DH100LP	N/A	16	5200-522	01A	B	4280-771	0
Autocall	Autocommand - II	DH100P	N/A	16	5200-522	01A	B	4280-771	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Autopulse 1000	1451	B401BR-750	45	SZB1	N/A	B	68710	0
Autocall	Autopulse 1000	2451	B401BR-750	45	SZB1	N/A	B	68710	0
Autocall	Autopulse 2000	1451	B401BR-750	45	M6B1	N/A	B	68710	0
Autocall	Autopulse 2000	2451	B401BR-750	45	M6B1	N/A	B	68710	0
Autocall	Autopulse 2000	1451	B401BR-750	45	M6D1	N/A	D	N/A	0
Autocall	Autopulse 2000	2451	B401BR-750	45	M6D1	N/A	D	N/A	0
Autocall	Autopulse 3000	1451	B401BR-750	45	M6B1	N/A	B	70061	0
Autocall	Autopulse 3000	2451	B401BR-750	45	M6B1	N/A	B	70061	0
Autocall	Autopulse 3000	1451	B401BR-750	45	M6D1	N/A	D	N/A	0
Autocall	Autopulse 3000	2451	B401BR-750	45	M6D1	N/A	D	N/A	0
Autocall	Autopulse 4000	1451	B401BR-750	45	M20B1	N/A	B	70061	0
Autocall	Autopulse 4000	2451	B401BR-750	45	M20B1	N/A	B	70061	0
Autocall	Autopulse 4000	1451	B401BR-750	45	M20D1	N/A	D	N/A	0
Autocall	Autopulse 4000	2451	B401BR-750	45	M20D1	N/A	D	N/A	0
Autocall	CD-NA	1100	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	1151	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	1451	B401B	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	2151(T)	B110LP, B401	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	5151	B110LP, B401	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	D2	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	2451	B401B	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	2451	DH400	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	2100D	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	2100S	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	2100TD	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	2100TS	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-NA	2451TH	B401B	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	2W-B	N/A	30	5200-432	01A	D*	N/A	1
Autocall	CD-NA	2WT-B	N/A	30	5200-432	01A	D*	N/A	1
Autocall	CD-NA	DH100LP	N/A	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	DH100P	N/A	25	5200-432	01A	D	N/A	0
Autocall	CD-NA	1100	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	1151	B110LP, B401	25	5200-433	01A	B	4280-701	0
Autocall	CD-NA	1451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2151(T)	B110LP, B401	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	5151	B110LP, B401	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	D2	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2451	DH400	25	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2100D	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2100S	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2100TD	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2100TS	N/A	30	5200-433	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	CD-NA	2451TH	B401B	25	5200-433	01A	B	4280-701	0
Autocall	CD-NA	2W-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	CD-NA	2WT-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	CD-NA	DH100LP	N/A	25	5200-433	01A	B	4280-701	0
Autocall	CD-NA	DH100P	N/A	25	5200-433	01A	B	4280-701	0
Autocall	CD-TXA	1100	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-TXA	2100D	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-TXA	2100S	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-TXA	2100TD	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-TXA	2100TS	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-TXA	2W-B	N/A	20	5130-074-21	01A	B	4280-701	1
Autocall	CD-TXA	2151(T)	B110LP, B401	20	5130-074-21	01A	B	4280-701	
Autocall	CD-TXA	5151	B110LP, B401	20	5130-074-21	01A	B	4280-701	
Autocall	CD-TXA	D2	N/A	20	5130-074-21	01A	B	4280-701	1
Autocall	CD-TXA	2WT-B	N/A	20	5130-074-21	01A	B	4280-701	1
Autocall	CD-TXA	1100	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-TXA	2100D	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-TXA	2100S	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-TXA	2100TD	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-TXA	2100TS	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-TXA	2W-B	N/A	30	5130-106-10	01A	D*	N/A	1
Autocall	CD-TXA	2151(T)	B110LP, B401	30	5130-106-10	01A	D	N/A	
Autocall	CD-TXA	5151	B110LP, B401	30	5130-106-10	01A	D	N/A	
Autocall	CD-TXA	D2	N/A	30	5130-106-10	01A	D	N/A	1
Autocall	CD-TXA	2WT-B	N/A	30	5130-106-10	01A	D*	N/A	1
Autocall	CD-TXA	1100	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-TXA	2100D	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-TXA	2100S	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-TXA	2100TD	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-TXA	2100TS	N/A	30	5200-432	01A	D	N/A	0
Autocall	CD-TXA	2W-B	N/A	30	5200-432	01A	D*	N/A	1
Autocall	CD-TXA	2151(T)	B110LP, B401	30	5200-432	01A	D	N/A	
Autocall	CD-TXA	5151	B110LP, B401	30	5200-432	01A	D	N/A	
Autocall	CD-TXA	D2	N/A	30	5200-432	01A	D	N/A	1
Autocall	CD-TXA	2WT-B	N/A	30	5200-432	01A	D*	N/A	1
Autocall	CD-TXA	1100	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-TXA	2100D	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-TXA	2100S	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-TXA	2100TD	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-TXA	2100TS	N/A	30	5200-433	01A	B	4280-701	0
Autocall	CD-TXA	2W-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	CD-TXA	2151(T)	B110LP, B401	30	5200-433	01A	B	4280-701	
Autocall	CD-TXA	5151	B110LP, B401	30	5200-433	01A	B	4280-701	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	CD-TXA	D2	N/A	30	5200-433	01A	B	4280-701	
Autocall	CD-TXA	2WT-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	CD-TXA	1100	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-TXA	2100D	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-TXA	2100S	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-TXA	2100TD	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-TXA	2100TS	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-TXA	2W-B	N/A	12	5200-521	01A	B	4280-767	1
Autocall	CD-TXA	2151(T)	B110LP, B401	12	5200-521	01A	B	4280-767	
Autocall	CD-TXA	5151	B110LP, B401	12	5200-521	01A	B	4280-767	
Autocall	CD-TXA	D2	N/A	12	5200-521	01A	B	4280-767	1
Autocall	CD-TXA	2WT-B	N/A	12	5200-521	01A	B	4280-767	1
Autocall	CD-TXA	1100	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-TXA	2100D	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-TXA	2100S	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-TXA	2100TD	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-TXA	2100TS	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-TXA	2W-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	CD-TXA	2151(T)	B110LP, B401	20	5200-522	01A	B	4280-771	
Autocall	CD-TXA	5151	B110LP, B401	20	5200-522	01A	B	4280-771	
Autocall	CD-TXA	D2	N/A	20	5200-522	01A	B	4280-771	1
Autocall	CD-TXA	2WT-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	CD-XA	1100	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-XA	1151	B110LP, B401	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	1451	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	2151(T)	B110LP, B401	20	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	5151	B110LP, B401	20	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	D2	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	2451	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	2451	DH400	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	2100D	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-XA	2100S	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-XA	2100TD	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-XA	2100TS	N/A	20	5130-074-21	01A	B	4280-701	0
Autocall	CD-XA	2451TH	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	2W-B	N/A	20	5130-074-21	01A	B	4280-701	1
Autocall	CD-XA	2WT-B	N/A	20	5130-074-21	01A	B	4280-701	1
Autocall	CD-XA	DH100LP	N/A	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	DH100P	N/A	16	5130-074-21	01A	D	N/A	0
Autocall	CD-XA	1100	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-XA	1151	B110LP, B401	25	5130-106-10	01A	B	4280-701	0
Autocall	CD-XA	1451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	CD-XA	2151(T)	B110LP, B401	30	5130-106-10	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	CD-XA	5151	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	CD-XA	D2	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	CD-XA	2451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	CD-XA	2100D	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-XA	2100S	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-XA	2100TD	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-XA	2100TS	N/A	30	5130-106-10	01A	D	N/A	0
Autocall	CD-XA	2451TH	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	CD-XA	2W-B	N/A	30	5130-106-10	01A	D*	N/A	1
Autocall	CD-XA	2WT-B	N/A	30	5130-106-10	01A	D*	N/A	1
Autocall	CD-XA	1151	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	1451	B401B	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	2151(T)	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	5151	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	D2	N/A	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	2451	B401B	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	2451	DH400	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	2451TH	B401B	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	DH100LP	N/A	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	DH100P	N/A	25	5200-432	01A	D	N/A	0
Autocall	CD-XA	1151	B110LP, B401	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	1451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	2151(T)	B110LP, B401	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	5151	B110LP, B401	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	D2	N/A	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	2451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	2451	DH400	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	2451TH	B401B	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	DH100LP	N/A	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	DH100P	N/A	25	5200-433	01A	B	4280-701	0
Autocall	CD-XA	1100	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	1151	B110LP, B401	10	5200-521	01A	B	4280-767	0
Autocall	CD-XA	1451	B401B	10	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2151(T)	B110LP, B401	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	5151	B110LP, B401	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	D2	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2451	B401B	10	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2451	DH400	10	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2100D	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2100S	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2100TD	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2100TS	N/A	12	5200-521	01A	B	4280-767	0
Autocall	CD-XA	2451TH	B401B	10	5200-521	01A	B	4280-767	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	CD-XA	2W-B	N/A	12	5200-521	01A	B	4280-767	1
Autocall	CD-XA	2WT-B	N/A	12	5200-521	01A	B	4280-767	1
Autocall	CD-XA	DH100LP	N/A	10	5200-521	01A	B	4280-767	0
Autocall	CD-XA	DH100P	N/A	10	5200-521	01A	B	4280-767	0
Autocall	CD-XA	1100	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	1151	B110LP, B401	16	5200-522	01A	B	4280-771	0
Autocall	CD-XA	1451	B401B	16	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2151(T)	B110LP, B401	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	5151	B110LP, B401	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	D2	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2451	B401B	16	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2451	DH400	16	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2100D	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2100S	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2100TD	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2100TS	N/A	20	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2451TH	B401B	16	5200-522	01A	B	4280-771	0
Autocall	CD-XA	2W-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	CD-XA	2WT-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	CD-XA	DH100LP	N/A	16	5200-522	01A	B	4280-771	0
Autocall	CD-XA	DH100P	N/A	16	5200-522	01A	B	4280-771	0
Autocall	Firequest 100-12	1151	B110LP, B401	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	1400	N/A	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	1451	B401, B401B	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2151(T)	B110LP, B401	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	5151	B110LP, B401	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2400	N/A	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2451	B401, B401B	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2451	DH400	6	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2100S	N/A	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2100TS	N/A	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2300B	N/A	6	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2300T	N/A	6	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2300TB	N/A	6	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2400TH	N/A	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2451TH	B401, B401B	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	2W-B	N/A	4	N/A	10112A	B	3.9K	1
Autocall	Firequest 100-12	2WT-B	N/A	4	N/A	10112A	B	3.9K	1
Autocall	Firequest 100-12	D2	N/A	4	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	DH100LP	N/A	6	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-12	DH100P	N/A	6	N/A	10112A	B	3.9K	0
Autocall	Firequest 100-24	1151	B110LP, B401	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	1151	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 100-24	1400	N/A	25/30	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	1451	B401, B401B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	1451	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2151(T)	B110LP, B401	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	5151	B110LP, B401	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	D2	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2151(T)	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	5151	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2400	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2451	B401, B401B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2451	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2451	DH400	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2100S	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2100TS	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2300B	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2300T	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2300TB	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2400TH	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2451TH	B401, B401B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2451TH	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	2W-B	N/A	25	N/A	10124A	B, D*	3.9K / N/A	1
Autocall	Firequest 100-24	2WT-B	N/A	25	N/A	10124A	B, D*	3.9K / N/A	1
Autocall	Firequest 100-24	DH100LP	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 100-24	DH100P	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1100	N/A	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	1151	B110LP, B401	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	1151	B116LP, B406B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	1400	N/A	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	1451	B401, B401B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	1451	B116LP, B406B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2151(T)	B110LP, B401	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	5151	B110LP, B401	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	D2	N/A	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	5151	B116LP, B406B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2400	N/A	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2451	B401, B401B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2451	B116LP, B406B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2451	DH400	18	2ZX	200A	D	3.9K	0
Autocall	Firequest 200	1451DH	DH400	18	2ZX	200A	D	3.9K	0
Autocall	Firequest 200	2100D	N/A	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2100S	N/A	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2100TD	N/A	22	2ZX	200A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 200	2100TS	N/A	22	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2300B	N/A	18	2ZX	200A	B, D	3.9K	0
Autocall	Firequest 200	2300T	N/A	18	2ZX	200A	B, D	3.9K	0
Autocall	Firequest 200	2300TB	N/A	18	2ZX	200A	B, D	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2451TH	B401, B401B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	2W-B	N/A	22	2ZX	200A	D*	N/A	1
Autocall	Firequest 200	2WT-B	N/A	22	2ZX	200A	D*	N/A	1
Autocall	Firequest 200	DH100LP	N/A	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	DH100P	N/A	18	2ZX	200A	D	N/A	0
Autocall	Firequest 200	1100	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1151	B110LP, B401	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1151	B116LP, B406B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1400	N/A	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1451	B401, B401B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1451	B116LP, B406B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2151(T)	B110LP, B401	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	5151	B110LP, B401	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	D2	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	5151	B116LP, B406B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2400	N/A	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2451	B401, B401B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2451	B116LP, B406B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2451	DH400	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1451DH	DH400	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2100D	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2100S	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2100TD	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2100TS	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2451TH	B401, B401B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2W-B	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	1
Autocall	Firequest 200	2WT-B	N/A	22	2ZX, 4ZX, 4ZXD	200A	B	3.9K	1
Autocall	Firequest 200	DH100LP	N/A	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	DH100P	N/A	18	2ZX, 4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2300B	N/A	18	4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2300T	N/A	18	4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	2300TB	N/A	18	4ZX, 4ZXD	200A	B	3.9K	0
Autocall	Firequest 200	1100	N/A	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B110LP, B401	18	AVM	200A-1	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 200	1151	B116LP, B406B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	1400	N/A	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B401, B401B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B116LP, B406B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B110LP, B401	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B110LP, B401	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	D2	N/A	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B116LP, B406B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2400	N/A	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B401, B401B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B116LP, B406B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	DH400	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451DH	DH400	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100D	N/A	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100S	N/A	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TD	N/A	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TS	N/A	22	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2400TH	N/A	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B401, B401B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	2W-B	N/A	22	AVM	200A-1	B, D*	3.9K / N/A	1
Autocall	Firequest 200	2WT-B	N/A	22	AVM	200A-1	B, D*	3.9K / N/A	1
Autocall	Firequest 200	DH100LP	N/A	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	DH100P	N/A	18	AVM	200A-1	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B110LP, B401	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1151	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1400	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1451	B401, B401B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1451	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2151(T)	B110LP, B401	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	5151	B110LP, B401	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	D2	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	5151	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2400	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451	B401, B401B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451	DH400	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2100S	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2100TS	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451TH	B401, B401B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 200	2451TH	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2W-B	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 200	2WT-B	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 200	DH100LP	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	DH100P	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1100	N/A	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B110LP, B401	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B116LP, B406B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	1400	N/A	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B401, B401B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B116LP, B406B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B110LP, B401	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B110LP, B401	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	D2	N/A	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B116LP, B406B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2400	N/A	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B401, B401B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B116LP, B406B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	DH400	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100D	N/A	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100S	N/A	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TD	N/A	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TS	N/A	22	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2300B	N/A	18	COM CNTRL Rev U	200X	B	3.9K	0
Autocall	Firequest 200	2300T	N/A	18	COM CNTRL Rev U	200X	B	3.9K	0
Autocall	Firequest 200	2300TB	N/A	18	COM CNTRL Rev U	200X	B	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B401, B401B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	2W-B	N/A	22	COM CNTRL Rev U	200X	B, D*	3.9K / N/A	1
Autocall	Firequest 200	2WT-B	N/A	22	COM CNTRL Rev U	200X	B, D*	3.9K / N/A	1
Autocall	Firequest 200	DH100LP	N/A	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	DH100P	N/A	18	COM CNTRL Rev U	200X	B, D	3.9K / N/A	0
Autocall	Firequest 200	1100	N/A	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1151	B110LP, B401	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1151	B116LP, B406B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1400	N/A	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1451	B401, B401B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1451	B116LP, B406B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2151(T)	B110LP, B401	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	5151	B110LP, B401	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	D2	N/A	22	COM CNTRL Rev W	200A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	5151	B116LP, B406B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2400	N/A	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2451	B401, B401B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2451	B116LP, B406B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2451	DH400	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1451DH	DH400	18	COM CNTRL Rev W	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451DH	DH400	18	COM CNTRL Rev W	200A	D	3.9K	0
Autocall	Firequest 200	2100D	N/A	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2100S	N/A	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2100TD	N/A	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2100TS	N/A	22	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2300B	N/A	18	COM CNTRL Rev W	200X	B, D	3.9K	0
Autocall	Firequest 200	2300T	N/A	18	COM CNTRL Rev W	200X	B, D	3.9K	0
Autocall	Firequest 200	2300TB	N/A	18	COM CNTRL Rev W	200X	B, D	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2451TH	B401, B401B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	2W-B	N/A	22	COM CNTRL Rev W	200A	B	3.9K	1
Autocall	Firequest 200	2WT-B	N/A	22	COM CNTRL Rev W	200A	B	3.9K	1
Autocall	Firequest 200	DH100LP	N/A	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	DH100P	N/A	18	COM CNTRL Rev W	200A	B	3.9K	0
Autocall	Firequest 200	1100	N/A	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B110LP, B401	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B116LP, B406B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1400	N/A	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B401, B401B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B116LP, B406B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B110LP, B401	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B110LP, B401	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	D2	N/A	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B116LP, B406B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2400	N/A	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B401, B401B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B116LP, B406B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	DH400	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451DH	DH400	18	MASTER HALON	200A	B	3.9K	0
Autocall	Firequest 200	2100D	N/A	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100S	N/A	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TD	N/A	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TS	N/A	22	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2300B	N/A	18	MASTER HALON	200A	B, D	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 200	2300T	N/A	18	MASTER HALON	200A	B, D	3.9K	0
Autocall	Firequest 200	2300TB	N/A	18	MASTER HALON	200A	B, D	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B401, B401B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2W-B	N/A	22	MASTER HALON	200A	B, D*	3.9K / N/A	1
Autocall	Firequest 200	2WT-B	N/A	22	MASTER HALON	200A	B, D*	3.9K / N/A	1
Autocall	Firequest 200	DH100LP	N/A	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	DH100P	N/A	18	MASTER HALON	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1100	N/A	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B110LP, B401	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B116LP, B406B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1400	N/A	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B401, B401B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1451	B116LP, B406B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B110LP, B401	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B110LP, B401	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	D2	N/A	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2151(T)	B116LP, B406B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	5151	B116LP, B406B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2400	N/A	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B401, B401B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	B116LP, B406B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451	DH400	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100D	N/A	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100S	N/A	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TD	N/A	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2100TS	N/A	30	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2400TH	N/A	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B401, B401B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2451TH	B116LP, B406B	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	2W-B	N/A	30	VSD	200A	B, D*	3.9K / N/A	1
Autocall	Firequest 200	2WT-B	N/A	30	VSD	200A	B, D*	3.9K / N/A	1
Autocall	Firequest 200	DH100LP	N/A	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	DH100P	N/A	25	VSD	200A	B, D	3.9K / N/A	0
Autocall	Firequest 200	1151	B110LP, B401	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1151	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1400	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1451	B401, B401B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	1451	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2151(T)	B110LP, B401	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	5151	B110LP, B401	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	D2	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 200	2151(T)	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	5151	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2400	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451	B401, B401B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451	DH400	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2100S	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2100TS	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2400TH	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451TH	B401, B401B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2451TH	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	2W-B	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 200	2WT-B	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 200	DH100LP	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 200	DH100P	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1151	B110LP, B401	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1151	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1400	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1451	B401, B401B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1451	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2151(T)	B110LP, B401	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	5151	B110LP, B401	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	D2	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2151(T)	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	5151	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2400	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451	B401, B401B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451	DH400	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2100S	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2100TS	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2400TH	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451TH	B401, B401B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451TH	B116LP, B406B	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2W-B	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 300	2WT-B	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 300	DH100P	N/A	18	CFB w/DIB, ZIB w/DIB, CFB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1151	B110LP, B401	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1151	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1400	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1451	B401, B401B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	1451	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2151(T)	B110LP, B401	18	ZIB/DIB w/ AVA	F2	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	Firequest 300	5151	B110LP, B401	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	D2	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2151(T)	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	5151	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2400	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451	B401, B401B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451	DH400	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2100S	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2100TS	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2400TH	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451TH	B401, B401B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2451TH	B116LP, B406B	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	2W-B	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 300	2WT-B	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	1
Autocall	Firequest 300	DH100LP	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	Firequest 300	DH100P	N/A	18	ZIB/DIB w/ AVA	F2	B	3.9K	0
Autocall	K-101-12	1151	B110LP, B401	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	1400	N/A	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	1451	B401, B401B	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2151(T)	B110LP, B401	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	5151	B110LP, B401	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	D2	N/A	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2400	N/A	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2451	B401, B401B	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2451	DH400	6	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2100S	N/A	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2100TS	N/A	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2300B	N/A	6	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2300T	N/A	6	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2300TB	N/A	6	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2400TH	N/A	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2451TH	B401, B401B	6-Apr	N/A	10112A	B	3.9K	0
Autocall	K-101-12	2W-B	N/A	6-Apr	N/A	10112A	B	3.9K	1
Autocall	K-101-12	2WT-B	N/A	6-Apr	N/A	10112A	B	3.9K	1
Autocall	K-101-12	DH100LP	N/A	6	N/A	10112A	B	3.9K	0
Autocall	K-101-12	DH100P	N/A	6	N/A	10112A	B	3.9K	0
Autocall	K-101-24	1151	B110LP, B401	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	1151	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	1400	N/A	30	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	1451	B401, B401B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	1451	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2151(T)	B110LP, B401	25	N/A	10124A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	K-101-24	5151	B110LP, B401	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	D2	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2151(T)	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	5151	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2400	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2451	B401, B401B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2451	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2451	DH400	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	1451DH	DH400	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2100S	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2100TS	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2300B	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2300T	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2300TB	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2400TH	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2451TH	B401, B401B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2451TH	B116LP, B406B	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	2W-B	N/A	25	N/A	10124A	B, D*	3.9K / N/A	1
Autocall	K-101-24	2WT-B	N/A	25	N/A	10124A	B, D*	3.9K / N/A	1
Autocall	K-101-24	DH100LP	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	K-101-24	DH100P	N/A	25	N/A	10124A	B, D	3.9K / N/A	0
Autocall	KDR-1000	2451	DH400	25	AIZ, AIZ-2	1000A	D	N/A	0
Autocall	KDR-1000	2300B	N/A	25	AIZ, AIZ-2	1000A	D	N/A	0
Autocall	KDR-1000	2300T	N/A	25	AIZ, AIZ-2	1000A	D	N/A	0
Autocall	KDR-1000	2300TB	N/A	25	AIZ, AIZ-2	1000A	D	N/A	0
Autocall	KDR-1000	1100	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	1100	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	1151	B110LP, B401	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	1151	B110LP, B401	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	1400	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	1400	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	1451	B401, B401B	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	1451	B401, B401B	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2151(T)	B110LP, B401	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	5151	B110LP, B401	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	D2	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2151(T)	B110LP, B401	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	5151	B110LP, B401	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	D2	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2400	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2400	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2451	B401, B401B	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2451	B401, B401B	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	KDR-1000	1451DH	DH400	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2100D	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2100D	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2100S	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2100S	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2100TD	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2100TD	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2100TS	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2100TS	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2400TH	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2400TH	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2451TH	B401, B401B	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2451TH	B401, B401B	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2W-B	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	1
Autocall	KDR-1000	2W-B	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D*	N/A	1
Autocall	KDR-1000	2WT-B	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	1
Autocall	KDR-1000	2WT-B	N/A	30	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D*	N/A	1
Autocall	KDR-1000	DH100LP	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	DH100LP	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	DH100P	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	DH100P	N/A	25	AIZ, AIZ-2, BIZ-1, BIZ-2, BIZ-5	1000A	D	N/A	0
Autocall	KDR-1000	2451	DH400	25	BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	1451DH	DH400	25	BIZ-1, BIZ-2, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2300B	N/A	25	BIZ-1, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2300T	N/A	25	BIZ-1, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	2300TB	N/A	25	BIZ-1, BIZ-5	1000A	B	3.9K	0
Autocall	KDR-1000	1100	N/A	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	1151	B110LP, B401	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	1151	B116LP, B406B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	1400	N/A	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	1451	B401, B401B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	1451	B116LP, B406B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2151(T)	B110LP, B401	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	5151	B110LP, B401	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	D2	N/A	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2151(T)	B116LP, B406B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	5151	B116LP, B406B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2400	N/A	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2451	B401, B401B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2451	B116LP, B406B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2451	DH400	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	1451DH	DH400	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2100D	N/A	30	DZM, MIZP	1000B / C	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	KDR-1000	2100S	N/A	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2100TD	N/A	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2100TS	N/A	30	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2400TH	N/A	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2451TH	B401, B401B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2451TH	B116LP, B406B	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	2W-B	N/A	30	DZM, MIZP	1000B / C	B	3.9K	1
Autocall	KDR-1000	2WT-B	N/A	30	DZM, MIZP	1000B / C	B	3.9K	1
Autocall	KDR-1000	DH100LP	N/A	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	KDR-1000	DH100P	N/A	25	DZM, MIZP	1000B / C	B	3.9K	0
Autocall	MD2K	1100	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	1151	B110LP, B401	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	1451	B401B	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2151(T)	B110LP, B401	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	5151	B110LP, B401	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	D2	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2451	B401B	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	1451DH	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2100D	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2100S	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2100TD	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2100TS	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2451TH	B401B	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	2W-B	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	1
Autocall	MD2K	2WT-B	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	1
Autocall	MD2K	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MD2K	1100	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	1451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2151(T)	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	5151	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	D2	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	1451DH	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2100D	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2100S	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2100TD	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2100TS	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2451TH	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	2W-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	MD2K	2WT-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Autocall	MD2K	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MD2K	1100	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MD2K	1451DH	DH400	25	5130-406-10	01A	B	4280-701	0
Autocall	MD2K	2100D	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MD2K	2100S	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MD2K	2100TD	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MD2K	2100TS	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MD2K	2151(T)	B110LP, B401	30	5130-406-10	01A	B	4280-701	1
Autocall	MD2K	5151	B110LP, B401	30	5130-406-10	01A	B	4280-701	1
Autocall	MD2K	2W-B	N/A	30	5130-406-10	01A	B	4280-701	1
Autocall	MD2K	2WT-B	N/A	30	5130-406-10	01A	B	4280-701	1
Autocall	MDK	1100	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	1151	B110LP, B401	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	1451	B401B	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2151(T)	B110LP, B401	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	5151	B110LP, B401	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	D2	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2451	B401B	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	1451DH	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2100D	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2100S	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2100TD	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2100TS	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2451TH	B401B	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	2W-B	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	1
Autocall	MDK	2WT-B	N/A	30	5130-044-02, 5130-044-03	01A	B	4280-701	1
Autocall	MDK	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Autocall	MDK	1100	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	1451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2151(T)	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	5151	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	D2	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	1451DH	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2100D	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2100S	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2100TD	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	MDK	2100TS	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2451TH	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	2W-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Autocall	MDK	2WT-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Autocall	MDK	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Autocall	MDK	1151	B110LP, B401	25	5130-106-10	01A	B	4280-701	0
Autocall	MDK	1451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MDK	2151(T)	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	MDK	5151	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	MDK	D2	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MDK	2451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MDK	2451TH	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MDK	1100	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MDK	1451DH	DH400	25	5130-406-10	01A	B	4280-701	0
Autocall	MDK	2100D	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MDK	2100S	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MDK	2100TD	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MDK	2100TS	N/A	30	5130-406-10	01A	B	4280-701	0
Autocall	MDK	2W-B	N/A	30	5130-406-10	01A	B	4280-701	1
Autocall	MDK	2WT-B	N/A	30	5130-406-10	01A	B	4280-701	1
Autocall	MERLIN	1100	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	1151	B110LP, B401	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	1451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2151(T)	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	5151	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	D2	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2451	DH400	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2100D	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2100S	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2100TD	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2100TS	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2451TH	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	2W-B	N/A	30	5130-106-10	01A	B	4280-701	1
Autocall	MERLIN	2WT-B	N/A	30	5130-106-10	01A	B	4280-701	1
Autocall	MERLIN	DH100LP	N/A	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	DH100P	N/A	25	5130-106-10	01A	B	4280-701	0
Autocall	MERLIN	1100	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	MERLIN	2100D	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	MERLIN	2100S	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	MERLIN	2100TD	N/A	30	5130-432, 5200-432	01A	D	N/A	0
Autocall	MERLIN	2100TS	N/A	30	5130-432, 5200-432	01A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	MERLIN	2151(T)	B110LP, B401	30	5130-432, 5200-432	01A	D*	N/A	1
Autocall	MERLIN	5151	B110LP, B401	30	5130-432, 5200-432	01A	D*	N/A	1
Autocall	MERLIN	2W-B	N/A	30	5130-432, 5200-432	01A	D*	N/A	1
Autocall	MERLIN	2WT-B	N/A	30	5130-432, 5200-432	01A	D*	N/A	1
Autocall	MERLIN	1151	B110LP, B401	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	1451	B401B	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	2151(T)	B110LP, B401	30	5200-432	01A	D	N/A	0
Autocall	MERLIN	5151	B110LP, B401	30	5200-432	01A	D	N/A	0
Autocall	MERLIN	D2	N/A	30	5200-432	01A	D	N/A	0
Autocall	MERLIN	2451	B401B	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	2451	DH400	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	1451DH	DH400	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	2451TH	B401B	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	DH100LP	N/A	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	DH100P	N/A	25	5200-432	01A	D	N/A	0
Autocall	MERLIN	1100	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	1151	B110LP, B401	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	1451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2151(T)	B110LP, B401	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	5151	B110LP, B401	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	D2	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2451	B401B	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2451	DH400	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	1451DH	DH400	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2100D	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2100S	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2100TD	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2100TS	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2451TH	B401B	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	2W-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	MERLIN	2WT-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	MERLIN	DH100LP	N/A	25	5200-433	01A	B	4280-701	0
Autocall	MERLIN	DH100P	N/A	25	5200-433	01A	B	4280-701	0
Autocall	MP-400	1100	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	1151	B110LP, B401	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	1451	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2151(T)	B110LP, B401	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	5151	B110LP, B401	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	D2	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2451	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2451	DH400	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	1451DH	DH400	16	5130-074-21	01A	D	4280-771	0
Autocall	MP-400	2100D	N/A	20	5130-074-21	01A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	MP-400	2100S	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2100TD	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2100TS	N/A	20	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2451TH	B401B	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	2W-B	N/A	20	5130-074-21	01A	D*	N/A	1
Autocall	MP-400	2WT-B	N/A	20	5130-074-21	01A	D*	N/A	1
Autocall	MP-400	DH100LP	N/A	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	DH100P	N/A	16	5130-074-21	01A	D	N/A	0
Autocall	MP-400	1100	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	1151	B110LP, B401	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	1451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2151(T)	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	5151	B110LP, B401	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	D2	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2451	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2451	DH400	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2100D	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2100S	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2100TD	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2100TS	N/A	30	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2451TH	B401B	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	2W-B	N/A	30	5130-106-10	01A	B	4280-701	1
Autocall	MP-400	2WT-B	N/A	30	5130-106-10	01A	B	4280-701	1
Autocall	MP-400	DH100LP	N/A	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	DH100P	N/A	25	5130-106-10	01A	B	4280-701	0
Autocall	MP-400	1100	N/A	20	5200-432	01A	D	N/A	0
Autocall	MP-400	2451	DH400	25	5200-432	01A	D	N/A	0
Autocall	MP-400	1451DH	DH400	25	5200-432	01A	D	4280-701	0
Autocall	MP-400	2100D	N/A	20	5200-432	01A	D	N/A	0
Autocall	MP-400	2100S	N/A	20	5200-432	01A	D	N/A	0
Autocall	MP-400	2100TD	N/A	20	5200-432	01A	D	N/A	0
Autocall	MP-400	2100TS	N/A	20	5200-432	01A	D	N/A	0
Autocall	MP-400	2151(T)	B110LP, B401	20	5200-432	01A	D*	N/A	1
Autocall	MP-400	5151	B110LP, B401	20	5200-432	01A	D*	N/A	1
Autocall	MP-400	2W-B	N/A	20	5200-432	01A	D*	N/A	1
Autocall	MP-400	2WT-B	N/A	20	5200-432	01A	D*	N/A	1
Autocall	MP-400	DH100LP	N/A	25	5200-432	01A	D	N/A	0
Autocall	MP-400	DH100P	N/A	25	5200-432	01A	D	N/A	0
Autocall	MP-400	1100	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MP-400	2451	DH400	25	5200-433	01A	B	4280-701	0
Autocall	MP-400	1451DH	DH400	25	5200-433	01A	B	4280-701	0
Autocall	MP-400	2100D	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MP-400	2100S	N/A	30	5200-433	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	MP-400	2100TD	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MP-400	2100TS	N/A	30	5200-433	01A	B	4280-701	0
Autocall	MP-400	2151(T)	B110LP, B401	30	5200-433	01A	B	4280-701	1
Autocall	MP-400	5151	B110LP, B401	30	5200-433	01A	B	4280-701	1
Autocall	MP-400	2W-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	MP-400	2WT-B	N/A	30	5200-433	01A	B	4280-701	1
Autocall	MP-400	DH100LP	N/A	25	5200-433	01A	B	4280-701	0
Autocall	MP-400	DH100P	N/A	25	5200-433	01A	B	4280-701	0
Autocall	MP-400	1100	N/A	12	5200-521	01A	B	4280-767	0
Autocall	MP-400	1151	B110LP, B401	10	5200-521	01A	B	4280-767	0
Autocall	MP-400	1451	B401B	10	5200-521	01A	B	4280-767	0
Autocall	MP-400	2151(T)	B110LP, B401	20	5200-521	01A	B	4280-767	0
Autocall	MP-400	D2	N/A	20	5200-521	01A	B	4280-767	0
Autocall	MP-400	2451	B401B	10	5200-521	01A	B	4280-767	0
Autocall	MP-400	2100D	N/A	12	5200-521	01A	B	4280-767	0
Autocall	MP-400	2100S	N/A	12	5200-521	01A	B	4280-767	0
Autocall	MP-400	2100TD	N/A	12	5200-521	01A	B	4280-767	0
Autocall	MP-400	2100TS	N/A	12	5200-521	01A	B	4280-767	0
Autocall	MP-400	2451TH	B401B	10	5200-521	01A	B	4280-767	0
Autocall	MP-400	2W-B	N/A	20	5200-521	01A	B	4280-767	1
Autocall	MP-400	2WT-B	N/A	20	5200-521	01A	B	4280-767	1
Autocall	MP-400	1100	N/A	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	1151	B110LP, B401	16	5200-522	01A	B	4280-771	0
Autocall	MP-400	1451	B401B	16	5200-522	01A	B	4280-771	0
Autocall	MP-400	2151(T)	B110LP, B401	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	5151	B110LP, B401	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	D2	N/A	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	2451	B401B	16	5200-522	01A	B	4280-771	0
Autocall	MP-400	2100D	N/A	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	2100S	N/A	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	2100TD	N/A	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	2100TS	N/A	20	5200-522	01A	B	4280-771	0
Autocall	MP-400	2451TH	B401B	16	5200-522	01A	B	4280-771	0
Autocall	MP-400	2W-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	MP-400	2WT-B	N/A	20	5200-522	01A	B	4280-771	1
Autocall	Multizone 6P/20M	1451	B401BR-750	45	M6B1, M20B1	N/A	B	70061	0
Autocall	Multizone 6P/20M	2451	B401BR-750	45	M6B1, M20B1	N/A	B	70061	0
Autocall	Multizone 6P/20M	1451	B401BR-750	45	M6D1, M20D1	N/A	D	N/A	0
Autocall	Multizone 6P/20M	2451	B401BR-750	45	M6D1, M20D1	N/A	D	N/A	0
Autocall	Multizone 6P/20P	1451	B401BR-750	45	M6B1, M20B1	N/A	B	70061	0
Autocall	Multizone 6P/20P	2451	B401BR-750	45	M6B1, M20B1	N/A	B	70061	0
Autocall	Multizone 6P/20P	1451	B401BR-750	45	M6D1, M20D1	N/A	D	N/A	0
Autocall	Multizone 6P/20P	2451	B401BR-750	45	M6D1, M20D1	N/A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Autocall	TFX-500	1151	B110LP, B401	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	1151	B116LP, B406B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	1400	NA	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	1451	B401, B401B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	1451	B116LP, B406B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2151(T)	B110LP, B401	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	5151	B110LP, B401	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	D2	N/A	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2151(T)	B116LP, B406B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	5151	B116LP, B406B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2400	NA	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2451	B401, B401B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2451	B116LP, B406B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2451	DH400	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2100S	NA	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2100TS	NA	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2400AT	NA	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2400TH	NA	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2451TH	B401, B401B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2451TH	B116LP, B406B	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	2W-B	N/A	20	IXA-500DM	500A	B	946549	1
Autocall	TFX-500	2WT-B	N/A	20	IXA-500DM	500A	B	946549	1
Autocall	TFX-500	DH100LP	N/A	20	IXA-500DM	500A	B	946549	0
Autocall	TFX-500	DH100P	N/A	20	IXA-500DM	500A	B	946549	0
BOSCH/RADIONICS	D2012	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	2300T, 2300B	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	2300T, 2300B	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2012U	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2112	5451	B110LP, B401	10	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	5451	B401B	10	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	2151(T)	B401B	10	ZONE 1	A	A	1.8K	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D2112	5151	B401B	10	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	1100	N/A	12	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	1151	B110LP, B401	10	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	2100	N/A	12	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	2100T	N/A	12	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	2151(T)	B110LP, B401	12	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	5151	B110LP, B401	12	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	2151(T)	B110LP, B401	10	ZONE 1	221201	A	1.8K	
BOSCH/RADIONICS	D2112	5151	B110LP, B401	10	ZONE 1	221201	A	1.8K	
BOSCH/RADIONICS	D2112	D2	N/A	12	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	D2	N/A	10	ZONE 1	221201	A	1.8K	
BOSCH/RADIONICS	D2112	4451HT	B110LP, B401	10	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	4451HT	B401B	10	ZONE 1	A	A	1.8K	
BOSCH/RADIONICS	D2112	2451	DH400	10	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2100B	N/A	12	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2100D	N/A	12	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2100S	N/A	12	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2100TB	N/A	12	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2100TD	N/A	12	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2100TS	N/A	12	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	2W-B	N/A	12	ZONE 1	A	A	1.8K	1
BOSCH/RADIONICS	D2112	2WT-B	N/A	12	ZONE 1	A	A	1.8K	1
BOSCH/RADIONICS	D2112	DH100LP	N/A	10	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2112	DH100P	N/A	10	ZONE 1	A	A	1.8K	0
BOSCH/RADIONICS	D2212	1400	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	2400/2400TH	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	1451	B401B	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	2451, 2451TH	B401B	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	1151,2151(T)	B110LP, B401	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	D2	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	2300T, 2300B	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212	5151	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	2451	DH400	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	2100S	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	2100TS	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	2300B	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	2451TH	B401B	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	2W-B	N/A	10	ZONE 1	221201	A	2K	1
BOSCH/RADIONICS	D2212	2WT-B	N/A	10	ZONE 1	221201	A	2K	1
BOSCH/RADIONICS	D2212	DH100LP	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212	DH100P	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	1400	NA	10	1	B	A	15-03130	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D2212B	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	2300T, 2300B	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212B	1151	B110LP, B401	10	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	1151	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	D2	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	2151(T)	B110LP, B401	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	5151	B110LP, B401	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	2151(T)	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	5151	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	2100S	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	2100TS	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	DH100LP	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	DH100P	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2212B	2100,2100TS	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2212B	2W-B,2WT-B	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2212B	DH100P	N/A	66	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2212B	1400	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212B	2400/2400TH	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212B	1451	B401B	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212B	2451, 2451TH	B401B	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212B	2300T, 2300B	N/A	10	ZONE 1	221201	A	2K	
BOSCH/RADIONICS	D2212B	1151	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2151(T)	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	5151	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	D2	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2451	B401B	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2451	DH400	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2100S	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2100TS	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2300B	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2400TH	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2451TH	B401B	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	2W-B	N/A	10	ZONE 1	221201	A	2K	1
BOSCH/RADIONICS	D2212B	2WT-B	N/A	10	ZONE 1	221201	A	2K	1
BOSCH/RADIONICS	D2212B	DH100LP	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212B	DH100P	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2212BE	2300T, 2300B	NA	10	1	B	A	-15	
BOSCH/RADIONICS	D2212BE	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212BE	2400/2400TH	NA	10	1	B	A	15-03130	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D2212BE	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212BE	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212BE	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212BE	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2212BE	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	2300T, 2300B	n/a	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	2300T, 2300B	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412U	2100,2100TS	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2412U	DH100P	N/A	66	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2412U	2151(T)	B116LP, B406B	1	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2412U	5151	B116LP, B406B	1	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2412U	1151	B110LP, B401	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	1151	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	2151(T)	B110LP, B401	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	5151	B110LP, B401	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	D2	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	2100S	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	2100TS	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	2W-B	N/A	80	N/A	POINT1	A	2K	1
BOSCH/RADIONICS	D2412U	2WT-B	N/A	80	N/A	POINT1	A	2K	1
BOSCH/RADIONICS	D2412U	DH100LP	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412U	DH100P	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2412UE	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412UE	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412UE	2300T, 2300B	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412UE	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412UE	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412UE	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2412UE	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D2412UE	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1400	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	2400/2400TH	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1451	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	2451, 2451TH	B401B	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1151,2151(T)	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	5151	B110LP, B401	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	D2	N/A	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	2300T, 2300B	NA	10	1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1151	B110LP, B401	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	1151	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	2151(T)	B110LP, B401	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	5151	B110LP, B401	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	D2	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	2151(T)	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	2100S	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	2100TS	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	2W-B	N/A	80	N/A	POINT1	A	2K	1
BOSCH/RADIONICS	D2812	2WT-B	N/A	80	N/A	POINT1	A	2K	1
BOSCH/RADIONICS	D2812	DH100LP	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	DH100P	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812	2100,2100TS	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812	DH100P	N/A	66	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812	2151(T)	B116LP, B406B	1	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812	5151	B116LP, B406B	1	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812	1400	NA	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	2300T, 2300B	n/a	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	2400/2400TH	NA	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1151,2151(T)	B110LP, B401	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	5151	B110LP, B401	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	D2	N/A	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	2451, 2451TH	B401B	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1451	NA	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812	1151	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	1400	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	1451	B401B	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2151(T)	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	5151	B110LP, B401	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	D2	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2400	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2451	B401B	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2451	DH400	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2100S	N/A	10	ZONE 1	221201	A	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D2812	2100TS	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2300B	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2300T	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2400TH	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2451TH	B401B	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	2W-B	N/A	10	ZONE 1	221201	A	2K	1
BOSCH/RADIONICS	D2812	2WT-B	N/A	10	ZONE 1	221201	A	2K	1
BOSCH/RADIONICS	D2812	DH100LP	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812	DH100P	N/A	10	ZONE 1	221201	A	2K	0
BOSCH/RADIONICS	D2812U	2100,2100TS	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	2W-B,2WT-B	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	DH100P	N/A	66	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	2151(T)	B116LP, B406B	1	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	5151	B116LP, B406B	1	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	D2	N/A	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	2151(T)	B110LP, B401	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	5151	B110LP, B401	80	N/A	POINT1	A	2K	
BOSCH/RADIONICS	D2812U	1151	B110LP, B401	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812U	1151	B116LP, B406B	1	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812U	2100S	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812U	2100TS	N/A	80	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812U	2W-B	N/A	80	N/A	POINT1	A	2K	1
BOSCH/RADIONICS	D2812U	2WT-B	N/A	80	N/A	POINT1	A	2K	1
BOSCH/RADIONICS	D2812U	DH100LP	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812U	DH100P	N/A	66	N/A	POINT1	A	2K	0
BOSCH/RADIONICS	D2812U	1400	NA	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	2300T, 2300B	N/A	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	2400/2400TH	NA	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	1151,2151(T)	B110LP, B401	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	5151	B110LP, B401	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	D2	N/A	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	2451, 2451TH	B401B	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D2812U	1451	NA	10	ZONE 1	B	A	15-03130	
BOSCH/RADIONICS	D4112	2451	B110LP, B401	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2451TH	B401B	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	1851DH	DH1851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2851DH	DH1851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	1851DH	DH2851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2851DH	DH2851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2451TH	B110LP, B401	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2451	B401B	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	1400	N/A	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2400	N/A	10	N/A	B	D	N/A	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D4112	2400TH	N/A	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	1451	B110LP, B401	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	1451	B401, B401B	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	1100	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	1151	B110LP, B401	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2151(T)	B110LP, B401	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	5151	B110LP, B401	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2451	DH400	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2100D	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2100S	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2100TD	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2100TS	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	2W-B	N/A	12	N/A	B	D*	N/A	1
BOSCH/RADIONICS	D4112	2WT-B	N/A	12	N/A	B	D*	N/A	1
BOSCH/RADIONICS	D4112	D2	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	DH100LP	N/A	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	DH100P	N/A	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D4112	1100	N/A	12	N/A	B	D	N/A	
BOSCH/RADIONICS	D4112	2100,2100T	N/A	12	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1100	N/A	12	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2100,2100T	N/A	12	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1400	N/A	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2400	N/A	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2400TH	N/A	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1451	B110LP, B401	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1451	B401B	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2451	B110LP, B401	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2451TH	B401B	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2451	B401B	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2451TH	B110LP, B401	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1851DH	DH1851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2851DH	DH1851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1851DH	DH2851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	2851DH	DH2851DC	10	N/A	B	D	N/A	
BOSCH/RADIONICS	D6112	1100	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	1151	B110LP, B401	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	2151(T)	B110LP, B401	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	5151	B110LP, B401	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	2451	DH400	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	2100D	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	2100S	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	2100TD	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	2100TS	N/A	12	N/A	B	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D6112	2W-B	N/A	12	N/A	B	D*	N/A	1
BOSCH/RADIONICS	D6112	2WT-B	N/A	12	N/A	B	D*	N/A	1
BOSCH/RADIONICS	D6112	D2	N/A	12	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	DH100LP	N/A	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D6112	DH100P	N/A	10	N/A	B	D	N/A	0
BOSCH/RADIONICS	D7022	2W-B,2WT-B	N/A	25	24V	A	B	2.2K	
BOSCH/RADIONICS	D7022	2151(T)	B110LP, B401	25	24V	A	B	2.2K	
BOSCH/RADIONICS	D7022	5151	B110LP, B401	25	24V	A	B	2.2K	
BOSCH/RADIONICS	D7022	D2	N/A	25	24V	A	B	2.2K	
BOSCH/RADIONICS	D7022	2WTA-B	N/A	1	24V	A	B	2.2K	
BOSCH/RADIONICS	D7022	2WTR-B	N/A	1	24V	A	B	2.2K	
BOSCH/RADIONICS	D7022	2WTA-B	N/A	25	24V	A	B	2.2K	1
BOSCH/RADIONICS	D7022	2WT-B	N/A	25	24V	A	B	2.2K	1
BOSCH/RADIONICS	D7024	2100S,2100TS	NA	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	D2	N/A	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2151(T)	B110LP, B401	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	5151	B110LP, B401	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	1100	NA	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	1151	B110LP, B401	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	1451	B401B	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2100	NA	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2400	NA	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2451	B401B	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2100T	NA	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2400TH	NA	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	2451TH	B401B	20	BUILT IN	A	B	2.2K	
BOSCH/RADIONICS	D7024	1151	B110LP, B401	16	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	D7024	2100AT	N/A	20	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	D7024	2100S	N/A	20	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	D7024	2100TR	N/A	1	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	D7024	2100TS	N/A	20	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	D7024	2W-B	N/A	20	BUILT-IN	A	B	2.2K	1
BOSCH/RADIONICS	D7024	2WT-B	N/A	20	BUILT-IN	A	B	2.2K	1
BOSCH/RADIONICS	D7024	1100	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	1151	B110LP, B401	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	1451	B401B	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2100	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2100T	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2151(T)	B110LP, B401	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	5151	B110LP, B401	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	D2	N/A	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2400	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2400TH	NA	20	D7014/DS9411	B	D	NA	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D7024	2451	B401B	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2451TH	B401B	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	D7024	2WTA-B	N/A	1	D7034	A	B	2.2K	
BOSCH/RADIONICS	D7024	2WTR-B	N/A	1	D7034	A	B	2.2K	
BOSCH/RADIONICS	D7024	2W-B,2WT-B	N/A	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	D7024	2WTA-B	N/A	20	D7034	A	B	2.2K	1
BOSCH/RADIONICS	D7024	2WT-B	N/A	20	D7034	A	B	2.2K	1
BOSCH/RADIONICS	D7024	2100S,2100TS	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2100TR	N/A	16	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2100AT	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2W-B,2WT-B	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	5151	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	D2	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2WTR-B	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2WTR-B	N/A	1	N/A	A	B	2.2K	
BOSCH/RADIONICS	D7024	2WTA-B	N/A	20	N/A	A	B	2.2K	1
BOSCH/RADIONICS	D7112	2451, 2451TH	DH400	10	ZONE 2	N/A	A	D104E	
BOSCH/RADIONICS	D7112	1400	N/A	10	ZONE 2	N/A	A	D104E	
BOSCH/RADIONICS	D7112	2400/2400TH	N/A	10	ZONE 2	N/A	A	D104E	
BOSCH/RADIONICS	D7112	2100,2100T	N/A	12	ZONE 2	MDL NO	A	D104E	
BOSCH/RADIONICS	D7112	2400	N/A	10	ZONE 2	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2451	DH400	10	ZONE 2	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2400TH	N/A	10	ZONE 2	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	DH100LP	N/A	10	ZONE 2	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	DH100P	N/A	10	ZONE 2	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	1100	N/A	12	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	1151	B110LP, B401	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	1151	B116LP, B406B	1	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2151(T)	B110LP, B401	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	5151	B110LP, B401	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2151(T)	B116LP, B406B	1	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	5151	B116LP, B406B	1	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	D2	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100B	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100D	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100S	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100T	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100TB	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100TD	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2100TS	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	0
BOSCH/RADIONICS	D7112	2W-B	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D7112	2WT-B	N/A	10	ZONE 2, D125, D125B	MDL NO	A	D104E	1
BOSCH/RADIONICS	D7212	2100AT	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7212	2100TR	N/A	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7212	2WTA-B	N/A	40	D125B	MDL NO	B	1.8K	1
BOSCH/RADIONICS	D7212	2WTR-B	N/A	1	D125B	D125B	A	1.8K	1
BOSCH/RADIONICS	D7212	2100TR,2100AT	N/A	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7212	2WTR-B	N/A	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7212	2WTR-B	N/A	1	D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	1451	B401B	10	OBW/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2451	DH400	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2400/2400TH	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	1451DH	DH400	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	1400	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2300T	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	1400	NA	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2300T	NA	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	1451	B401B	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2451	DH400	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2451, 2451TH	B401B	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2400/2400TH	NA	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	1451DH	DH400	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7212	2451, 2451TH	B401B	10	ONW/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2100TR,2100AT	N/A	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	2WTR-B	N/A	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	2WTR-B	N/A	1	D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1151	B110LP, B401	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	1151	B116LP, B406B	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2151(T)	B110LP, B401	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	5151	B110LP, B401	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	D2	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2151(T)	B116LP, B406B	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	5151	B116LP, B406B	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2100AT	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2100S	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2100TR	N/A	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2100TS	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	2W-B	N/A	40	D125B	MDL NO	A	1.8K	1
BOSCH/RADIONICS	D7412	2WTA-B	N/A	40	D125B	MDL NO	B	1.8K	1
BOSCH/RADIONICS	D7412	2WT-B	N/A	40	D125B	MDL NO	A	1.8K	1
BOSCH/RADIONICS	D7412	2WTR-B	N/A	1	D125B	D125B	A	1.8K	1
BOSCH/RADIONICS	D7412	DH100LP	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D7412	1151,2151(T)	B116LP, B406B	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	5151	B116LP, B406B	1	D125B	D125B	A	1.8K	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D7412	2100S,2100TS	N/A	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	1151,2151(T)	B110LP, B401	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	5151	B110LP, B401	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	D2	N/A	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D7412	DH100LP	N/A	40	D125B	ZONE #	A	1.8K	
BOSCH/RADIONICS	D7412	2451, 2451TH	B401B	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2400/2400TH	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1451DH	DH400	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1400	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2300T	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2451	DH400	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1451	B401B	10	OBW/D125B12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2300T	NA	40	ONBOARD W/125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1451	B401B	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2451	DH400	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2451, 2451TH	B401B	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	2400/2400TH	NA	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1451DH	DH400	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D7412	1400	NA	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D8112	1851DH	DH1851DC	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	2851DH	DH1851DC	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	1851DH	DH2851DC	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	2851DH	DH2851DC	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	1400	N/A	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	2400	N/A	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	2400TH	N/A	10	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	2100,2100T	N/A	12	D125	A	D	N/A	
BOSCH/RADIONICS	D8112	1451	B401, B401B	10	D125	A	D	N/A	0
BOSCH/RADIONICS	D8112	2451	B401, B401B	10	D125	A	D	N/A	0
BOSCH/RADIONICS	D8112	2451	DH400	10	D125	A	D	N/A	0
BOSCH/RADIONICS	D8112	2451TH	B401, B401B	10	D125	A	D	N/A	0
BOSCH/RADIONICS	D8112	DH100LP	N/A	10	D125	A	D	N/A	0
BOSCH/RADIONICS	D8112	DH100P	N/A	10	D125	A	D	N/A	0
BOSCH/RADIONICS	D8112	1100	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	1151	B110LP, B401	10	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	1151	B116LP, B406B	1	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2151(T)	B110LP, B401	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	5151	B110LP, B401	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	D2	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2151(T)	B116LP, B406B	1	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	5151	B116LP, B406B	1	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2451	DH400	10	D125, D125B	MDL NO	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D8112	2100B	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100D	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100S	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100T	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100TB	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100TD	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2100TS	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	2W-B	N/A	12	D125, D125B	MDL NO	D*	N/A	1
BOSCH/RADIONICS	D8112	2WT-B	N/A	12	D125, D125B	MDL NO	D*	N/A	1
BOSCH/RADIONICS	D8112	DH100LP	N/A	10	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D8112	DH100P	N/A	10	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	1100	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	1151	B110LP, B401	10	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	1151	B116LP, B406B	1	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2151(T)	B110LP, B401	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	5151	B110LP, B401	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	D2	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2151(T)	B116LP, B406B	1	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	5151	B116LP, B406B	1	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100B	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100D	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100S	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100T	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100TB	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100TD	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2100TS	N/A	12	D125, D125B	MDL NO	D	N/A	0
BOSCH/RADIONICS	D9112	2W-B	N/A	12	D125, D125B	MDL NO	D*	N/A	1
BOSCH/RADIONICS	D9112	2WT-B	N/A	12	D125, D125B	MDL NO	D*	N/A	1
BOSCH/RADIONICS	D9112	DH100LP	N/A	10	D125, D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9112	DH100P	N/A	10	D125, D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9112	2100AT	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9112	2100TR	N/A	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9112	2WTA-B	N/A	40	D125B	MDL NO	B	1.8K	1
BOSCH/RADIONICS	D9112	2WTR-B	N/A	1	D125B	D125B	A	1.8K	1
BOSCH/RADIONICS	D9112	2WTR-B	N/A	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9112	2WTR-B	N/A	1	D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	1451	B401B	40	OBW/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2400/2400TH	NA	40	OBW/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2300T	NA	40	OBW/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2300T	NA	10	OBW/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	1451	B401B	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2451	DH400	10	OBW/D125B 12VDC	MDL NO	A	1.8K	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D9112	2451, 2451TH	B401B	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2400/2400TH	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	1451DH	DH400	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	1400	NA	10	OBW/D125B 12VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2451	DH400	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	2451, 2451TH	B401B	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	1451DH	DH400	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9112	1400	NA	40	OBW/D125B 24VDC	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1151,2151(T)	B116LP, B406B	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	5151	B116LP, B406B	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	2100S,2100TS	N/A	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	1151,2151(T)	B110LP, B401	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	5151	B110LP, B401	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	D2	N/A	40	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	DH100LP	N/A	40	D125B	ZONE #	A	1.8K	
BOSCH/RADIONICS	D9412	2WTR-B	N/A	1	D125B	D125B	A	1.8K	
BOSCH/RADIONICS	D9412	2WTR-B	N/A	1	D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1151	B110LP, B401	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	1151	B116LP, B406B	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2151(T)	B110LP, B401	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	5151	B110LP, B401	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	D2	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2151(T)	B116LP, B406B	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	5151	B116LP, B406B	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2100AT	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2100S	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2100TR	N/A	1	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2100TS	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2W-B	N/A	40	D125B	MDL NO	A	1.8K	1
BOSCH/RADIONICS	D9412	2WTA-B	N/A	40	D125B	MDL NO	B	1.8K	1
BOSCH/RADIONICS	D9412	2WT-B	N/A	40	D125B	MDL NO	A	1.8K	1
BOSCH/RADIONICS	D9412	2WTR-B	N/A	1	D125B	D125B	A	1.8K	1
BOSCH/RADIONICS	D9412	DH100LP	N/A	40	D125B	MDL NO	A	1.8K	0
BOSCH/RADIONICS	D9412	2400/2400TH	NA	10	ONBOARD W/125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1451	B401B	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	2451	DH400	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	2451, 2451TH	B401B	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	2400/2400TH	NA	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1451DH	DH400	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1400	NA	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	2300T	NA	40	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1451	B401B	10	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	2451	DH400	10	ONBOARD W/D125B	MDL NO	A	1.8K	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	D9412	2451, 2451TH	B401B	10	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1451DH	DH400	10	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	1400	NA	10	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	D9412	2300T	NA	10	ONBOARD W/D125B	MDL NO	A	1.8K	
BOSCH/RADIONICS	DS7080i	D2	N/A	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080i	2151(T)	B110LP, B401	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080i	5151	B110LP, B401	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080i	2W-B,2WT-B	N/A	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080iP32	2151(T)	B110LP, B401	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080iP32	5151	B110LP, B401	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080iP32	D2	N/A	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7080iP32	2W-B,2WT-B	N/A	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS7100	1400	N/A	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2300T, B OR TB	N/A	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2400	N/A	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2400TH	N/A	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	1451	B110LP, B401	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	1451	B401B	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	1451DH	DH400	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2451TH	B110LP, B401	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2451TH	B401B	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2451	B110LP, B401	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2451	B401B	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7100	2451	DH400	20	DS7110	B1	B,D	2.2K	
BOSCH/RADIONICS	DS7400	1400	N/A	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	1451DH	DH400	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2300T	N/A	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2400	N/A	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2400TH	N/A	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2451	B110LP, B401	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2451	B401B	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2451	DH400	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2451TH	B110LP, B401	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	2451TH	B401B	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	1451	B110LP, B401	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS7400	1451	B401B	20	DS7433	C	B	2.21K	
BOSCH/RADIONICS	DS9400	D2	N/A	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2151(T)	B110LP, B401	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	5151	B110LP, B401	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	1100	NA	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	1151	B110LP, B401	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	1451	B401B	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2100	NA	20	BUILT-IN	A	B	2.2K	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	DS9400	2400	NA	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2451	B401B	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2100T	NA	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2400TH	NA	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2451TH	B401B	20	BUILT-IN	A	B	2.2K	
BOSCH/RADIONICS	DS9400	1151	B110LP, B401	16	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	DS9400	2100AT	N/A	20	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	DS9400	2100S	N/A	20	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	DS9400	2100TR	N/A	1	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	DS9400	2100TS	N/A	20	BUILT-IN	A	B	2.2K	0
BOSCH/RADIONICS	DS9400	2W-B	N/A	20	BUILT-IN	A	B	2.2K	1
BOSCH/RADIONICS	DS9400	2WT-B	N/A	20	BUILT-IN	A	B	2.2K	1
BOSCH/RADIONICS	DS9400	1100	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	1151	B110LP, B401	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	1451	B401B	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2100	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2100T	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2151(T)	B110LP, B401	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	5151	B110LP, B401	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	D2	N/A	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2400	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2400TH	NA	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2451	B401B	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2451TH	B401B	20	D7014/DS9411	B	D	NA	
BOSCH/RADIONICS	DS9400	2WTA-B	N/A	20	N/A	A	B	2.2K	1
BOSCH/RADIONICS	DS9400	2100S,2100TS	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2100TR	N/A	16	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2100AT	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400	5151	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400	D2	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400	2W-B,2WT-B	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2W-B,2WT-B	N/A	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2151(T)	B110LP, B401	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	5151	B110LP, B401	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	D2	N/A	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2WTA-B	N/A	1	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2WTR-B	N/A	1	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2WTR-B	N/A	1	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	1151	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2100S,2100TS	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2100AT	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2100TR	N/A	1	N/A	A	B	2.2K	

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
BOSCH/RADIONICS	DS9400i	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	5151	B110LP, B401	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	D2	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2W-B,2WT-B	N/A	20	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2WTA-B	N/A	1	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400i	2WTR-B	N/A	1	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	2W-B,2WT-B	N/A	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	2151(T)	B110LP, B401	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	5151	B110LP, B401	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	D2	N/A	20	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	2WTA-B	N/A	1	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	2WTR-B	N/A	1	D7034	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	2WTA-B	N/A	1	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9400M	2WTR-B	N/A	1	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9422	2151(T)	B110LP, B401	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9422	5151	B110LP, B401	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9422	D2	N/A	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	DS9422	2W-B,2WT-B	N/A	25	N/A	A	B	2.2K	
BOSCH/RADIONICS	RFM1776	1151	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	1151	B116LP, B406B	1	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	1400	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	1451	B401, B401B	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	1451	B116LP, B406B	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2151(T)	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	5151	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	D2	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2151(T)	B116LP, B406B	1	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	5151	B116LP, B406B	1	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2400	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2451	B401, B401B	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2451	B116LP, B406B	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2451	DH400	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2100S	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2100TS	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2400TH	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2451TH	B401, B401B	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2451TH	B116LP, B406B	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	2W-B	N/A	12	N/A	1	B, D*	4.7K / N/A	1
BOSCH/RADIONICS	RFM1776	2WT-B	N/A	12	N/A	1	B, D*	4.7K / N/A	1
BOSCH/RADIONICS	RFM1776	DH100LP	N/A	12	N/A	1	B, D	4.7K / N/A	0
BOSCH/RADIONICS	RFM1776	DH100P	N/A	12	N/A	1	B, D	4.7K / N/A	0
C and K Systems	System 2316	1100	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	1151	B110LP, B401	12	N/A	N/A	B	9.X.2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
C and K Systems	System 2316	1151	B116LP, B406B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2151(T)	B110LP, B401	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	5151	B110LP, B401	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	D2	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2451	DH400	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	5451	B401, B401B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	5451	B116LP, B406B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100B	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100D	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100S	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100T	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100TB	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100TD	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2100TS	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	2W-B	N/A	15	N/A	N/A	B	9.X.2.2K	1
C and K Systems	System 2316	2WT-B	N/A	15	N/A	N/A	B	9.X.2.2K	1
C and K Systems	System 2316	4451HT	B401, B401B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	4451HT	B116LP, B406B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	DH100LP	N/A	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 2316	DH100P	N/A	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	1100	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	1151	B110LP, B401	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	1151	B116LP, B406B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2151(T)	B110LP, B401	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	5151	B110LP, B401	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	D2	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2451	DH400	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	5451	B401, B401B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	5451	B116LP, B406B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100B	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100D	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100S	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100T	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100TB	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100TD	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2100TS	N/A	15	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	2W-B	N/A	15	N/A	N/A	B	9.X.2.2K	1
C and K Systems	System 238	2WT-B	N/A	15	N/A	N/A	B	9.X.2.2K	1
C and K Systems	System 238	4451HT	B401, B401B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	4451HT	B116LP, B406B	12	N/A	N/A	B	9.X.2.2K	0
C and K Systems	System 238	DH100LP	N/A	12	N/A	N/A	B	9.X.2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
C and K Systems	System 238	DH100P	N/A	12	N/A	N/A	B	9.X.2.2K	0
Caddx	NX6	1151	B110LP, B401	20	N/A	3800-1	B	EOL68	0
Caddx	NX6	1151	B110LP, B401	20	N/A	3800-1	D	N/A	0
Caddx	NX6	2151(T)	B110LP, B401	20	N/A	3800-1	B	EOL68	0
Caddx	NX6	5151	B110LP, B401	20	N/A	3800-1	B	EOL68	0
Caddx	NX6	D2	N/A	20	N/A	3800-1	B	EOL68	0
Caddx	NX6	2151(T)	B110LP, B401	20	N/A	3800-1	D	N/A	0
Caddx	NX6	5151	B110LP, B401	20	N/A	3800-1	D	N/A	0
Caddx	NX6	D2	N/A	20	N/A	3800-1	D	N/A	0
Caddx	NX6	2100S	N/A	20	N/A	3800-1	B	EOL68	0
Caddx	NX6	2100S	N/A	20	N/A	3800-1	D	N/A	0
Caddx	NX6	2100TS	N/A	20	N/A	3800-1	B	EOL68	0
Caddx	NX6	2100TS	N/A	20	N/A	3800-1	D	N/A	0
Caddx	NX6	2W-B	N/A	20	N/A	3800-1	B	EOL68	1
Caddx	NX6	2W-B	N/A	20	N/A	3800-1	D*	N/A	1
Caddx	NX6	2WT-B	N/A	20	N/A	3800-1	B	EOL68	1
Caddx	NX6	2WT-B	N/A	20	N/A	3800-1	D*	N/A	1
Caddx	NX8	1151	B110LP, B401	20	N/A	3800-1	B	EOL68	0
Caddx	NX8	1151	B110LP, B401	20	N/A	3800-1	D	N/A	0
Caddx	NX8	2151(T)	B110LP, B401	20	N/A	3800-1	B	EOL68	0
Caddx	NX8	5151	B110LP, B401	20	N/A	3800-1	B	EOL68	0
Caddx	NX8	D2	N/A	20	N/A	3800-1	B	EOL68	0
Caddx	NX8	2151(T)	B110LP, B401	20	N/A	3800-1	D	N/A	0
Caddx	NX8	5151	B110LP, B401	20	N/A	3800-1	D	N/A	0
Caddx	NX8	D2	N/A	20	N/A	3800-1	D	N/A	0
Caddx	NX8	2100S	N/A	20	N/A	3800-1	B	EOL68	0
Caddx	NX8	2100S	N/A	20	N/A	3800-1	D	N/A	0
Caddx	NX8	2100TS	N/A	20	N/A	3800-1	B	EOL68	0
Caddx	NX8	2100TS	N/A	20	N/A	3800-1	D	N/A	0
Caddx	NX8	2W-B	N/A	20	N/A	3800-1	B	EOL68	1
Caddx	NX8	2W-B	N/A	20	N/A	3800-1	D*	N/A	1
Caddx	NX8	2WT-B	N/A	20	N/A	3800-1	B	EOL68	1
Caddx	NX8	2WT-B	N/A	20	N/A	3800-1	D*	N/A	1
Cerberus/Pyro	CP-2HR	1100	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	1151	B110LP, B401	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	1151	B116LP, B406B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	2100	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2151(T)	B110LP, B401	30	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	5151	B110LP, B401	30	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	D2	N/A	30	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	2151(T)	B116LP, B406B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	5151	B116LP, B406B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	2451	DH400	25	N/A	MDL NO	A, B, D	1.78K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Cerberus/Pyro	CP-2HR	5451	B401, B401B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	5451	B116LP, B406B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	2100B	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2100D	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2100S	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2100T	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2100TB	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2100TD	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2100TS	N/A	30	N/A	MDL NO	A, B, C	1.78K	0
Cerberus/Pyro	CP-2HR	2151(T)	B110LP, B401	30	N/A	MDL NO	A, B, C	1.78K	1
Cerberus/Pyro	CP-2HR	5151	B110LP, B401	30	N/A	MDL NO	A, B, C	1.78K	1
Cerberus/Pyro	CP-2HR	D2	N/A	30	N/A	MDL NO	A, B, C	1.78K	1
Cerberus/Pyro	CP-2HR	2W-B	N/A	30	N/A	MDL NO	A, B, C	1.78K	1
Cerberus/Pyro	CP-2HR	2WT-B	N/A	30	N/A	MDL NO	A, B, C	1.78K	1
Cerberus/Pyro	CP-2HR	4451HT	B401, B401B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	4451HT	B116LP, B406B	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	DH100LP	N/A	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-2HR	DH100P	N/A	25	N/A	MDL NO	A, B, D	1.78K	0
Cerberus/Pyro	CP-35	1100	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100B	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100D	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100S	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100T	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100TB	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100TD	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100TS	N/A	30	N/A	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2151(T)	B110LP, B401	30	N/A	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	5151	B110LP, B401	30	N/A	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	D2	N/A	30	N/A	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	2W-B	N/A	30	N/A	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	2WT-B	N/A	30	N/A	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	1100	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	1100	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100B	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100B	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100D	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100D	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100S	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100S	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100T	N/A	30	ZB-35	MDL NO	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Cerberus/Pyro	CP-35	2100T	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100TB	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100TB	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100TD	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100TD	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2100TS	N/A	30	ZB-35	MDL NO	B	2K	0
Cerberus/Pyro	CP-35	2100TS	N/A	30	ZB-35	MDL NO	D	N/A	0
Cerberus/Pyro	CP-35	2151(T)	B110LP, B401	30	ZB-35	MDL NO	B	2K	1
Cerberus/Pyro	CP-35	5151	B110LP, B401	30	ZB-35	MDL NO	B	2K	1
Cerberus/Pyro	CP-35	D2	N/A	30	ZB-35	MDL NO	B	2K	1
Cerberus/Pyro	CP-35	2W-B	N/A	30	ZB-35	MDL NO	B	2K	1
Cerberus/Pyro	CP-35	2W-B	N/A	30	ZB-35	MDL NO	D*	N/A	1
Cerberus/Pyro	CP-35	2WT-B	N/A	30	ZB-35	MDL NO	B	2K	1
Cerberus/Pyro	CP-35	2WT-B	N/A	30	ZB-35	MDL NO	D*	N/A	1
Cerberus/Pyro	CP-35	1151	B110LP, B401	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	1151	B116LP, B406B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	2151(T)	B110LP, B401	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	5151	B110LP, B401	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	D2	N/A	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	2151(T)	B116LP, B406B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	5151	B116LP, B406B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	2451	DH400	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	5451	B401, B401B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	5151	B401, B401B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	5451	B116LP, B406B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	4451HT	B401, B401B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	4451HT	B116LP, B406B	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	DH100LP	N/A	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	DH100P	N/A	25	ZU-35(DS), ZU-35(TS), N/A	MDL NO	A, B, D	EL-30	0
Cerberus/Pyro	CP-35	1100	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100B	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100D	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100S	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100T	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100TB	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100TD	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2100TS	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	0
Cerberus/Pyro	CP-35	2151(T)	B110LP, B401	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	5151	B110LP, B401	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	D2	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	2W-B	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	1
Cerberus/Pyro	CP-35	2WT-B	N/A	30	ZU-35, 35DS, 35TS	MDL NO	A, B, C	EL-30	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Cerberus/Pyro	CP-400	1151	B110LP, B401	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	1151	B116LP, B406B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	2151(T)	B110LP, B401	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	5151	B110LP, B401	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	D2	N/A	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	2151(T)	B116LP, B406B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	2451	DH400	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	5451	B401, B401B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	5151	B401, B401B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	5451	B116LP, B406B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	5151	B116LP, B406B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	4451HT	B401, B401B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	4451HT	B116LP, B406B	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	DH100LP	N/A	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	DH100P	N/A	25	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-400	1100	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	1151	B110LP, B401	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	1151	B116LP, B406B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2151(T)	B110LP, B401	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	5151	B110LP, B401	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	D2	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2151(T)	B116LP, B406B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2451	DH400	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	5451	B401, B401B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	5451	B116LP, B406B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	5151	B116LP, B406B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100B	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100D	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100S	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100T	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100TB	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100TD	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2100TS	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	2W-B	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	1
Cerberus/Pyro	CP-400	2WT-B	N/A	30	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	1
Cerberus/Pyro	CP-400	4451HT	B401, B401B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	4451HT	B116LP, B406B	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	DH100LP	N/A	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-400	DH100P	N/A	25	ZUZNE-404, ZUZNE-404S, N/A	MDL NO	B	3.3K	0
Cerberus/Pyro	CP-800	1100	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100B	N/A	30	405A	MDL NO	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Cerberus/Pyro	CP-800	2100D	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100S	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100T	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100TB	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100TD	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2100TS	N/A	30	405A	MDL NO	D	N/A	0
Cerberus/Pyro	CP-800	2W-B	N/A	30	405A	MDL NO	D*	N/A	1
Cerberus/Pyro	CP-800	2WT-B	N/A	30	405A	MDL NO	D*	N/A	1
Cerberus/Pyro	CP-800	D2	N/A	30	405A	MDL NO	D	N/A	1
Cerberus/Pyro	CP-800	2151(T)	B110LP, B401	30	405A	MDL NO	D	N/A	1
Cerberus/Pyro	CP-800	5151	B110LP, B401	30	405A	MDL NO	D	N/A	1
Cerberus/Pyro	IXL	1100	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	1151	B110LP, B401	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	1151	B116LP, B406B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2151(T)	B110LP, B401	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	5151	B110LP, B401	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	D2	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2151(T)	B116LP, B406B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2451	DH400	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	5451	B401, B401B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	5151	B401, B401B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	5451	B116LP, B406B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100B	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100D	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100S	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100T	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100TB	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100TD	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2100TS	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	2W-B	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	1
Cerberus/Pyro	IXL	2WT-B	N/A	7	CZI-H2S	P/N-02,-03	B	4.7K	1
Cerberus/Pyro	IXL	4451HT	B401, B401B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	4451HT	B116LP, B406B	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	DH100LP	N/A	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	DH100P	N/A	6	CZI-H2S	P/N-02,-03	B	4.7K	0
Cerberus/Pyro	IXL	1100	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	1151	B110LP, B401	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	1151	B116LP, B406B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2151(T)	B110LP, B401	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	5151	B110LP, B401	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	5151	B401, B401B	7	CZI-H4S	P/N-01	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Cerberus/Pyro	IXL	D2	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2151(T)	B116LP, B406B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2451	DH400	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	5451	B401, B401B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	5451	B116LP, B406B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	5151	B116LP, B406B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100B	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100D	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100S	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100T	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100TB	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100TD	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2100TS	N/A	7	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	2W-B	N/A	7	CZI-H4S	P/N-01	D*	N/A	1
Cerberus/Pyro	IXL	2WT-B	N/A	7	CZI-H4S	P/N-01	D*	N/A	1
Cerberus/Pyro	IXL	4451HT	B401, B401B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	4451HT	B116LP, B406B	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	DH100LP	N/A	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	IXL	DH100P	N/A	6	CZI-H4S	P/N-01	D	N/A	0
Cerberus/Pyro	MX-316	1100	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100B	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100D	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100S	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100T	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100TB	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100TD	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2100TS	N/A	30	N/A	MDL NO	A, B, D	4.7K	0
Cerberus/Pyro	MX-316	2W-B	N/A	30	N/A	MDL NO	A, B, D*	4.7K	1
Cerberus/Pyro	MX-316	2151(T)	B110LP, B401	30	N/A	MDL NO	A, B, D	4.7K	1
Cerberus/Pyro	MX-316	5151	B110LP, B401	30	N/A	MDL NO	A, B, D	4.7K	1
Cerberus/Pyro	MX-316	2WT-B	N/A	30	N/A	MDL NO	A, B, D*	4.7K	1
Cerberus/Pyro	MX-316	D2	N/A	30	N/A	MDL NO	A, B, D	4.7K	1
Cerberus/Pyro	SXL	1100	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	1151	B110LP, B401	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	1151	B116LP, B406B	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2151(T)	B110LP, B401	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	5151	B110LP, B401	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	5151	B401, B401B	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	D2	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2151(T)	B116LP, B406B	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2451	DH400	14	SZE-4R	MDL NO	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Cerberus/Pyro	SXL	5451	B401, B401B	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	5451	B116LP, B406B	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100B	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100D	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100S	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100T	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100TB	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100TD	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2100TS	N/A	16	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	2W-B	N/A	16	SZE-4R	MDL NO	B	3.9K	1
Cerberus/Pyro	SXL	2WT-B	N/A	16	SZE-4R	MDL NO	B	3.9K	1
Cerberus/Pyro	SXL	4451HT	B401, B401B	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	4451HT	B116LP, B406B	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	DH100LP	N/A	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	SXL	DH100P	N/A	14	SZE-4R	MDL NO	B	3.9K	0
Cerberus/Pyro	XL3	1100	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	1151	B110LP, B401	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	1151	B116LP, B406B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2151(T)	B110LP, B401	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	5151	B110LP, B401	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	D2	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2151(T)	B116LP, B406B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2451	DH400	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	5451	B401, B401B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	5151	B401, B401B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	5451	B116LP, B406B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	5151	B116LP, B406B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100B	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100D	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100S	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100T	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100TB	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100TD	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2100TS	N/A	30	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	2W-B	N/A	30	ZNX-3	MDL NO	A, B, D*	N/A	1
Cerberus/Pyro	XL3	2WT-B	N/A	30	ZNX-3	MDL NO	A, B, D*	N/A	1
Cerberus/Pyro	XL3	4451HT	B401, B401B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	4451HT	B116LP, B406B	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	DH100LP	N/A	25	ZNX-3	MDL NO	A, B, D	N/A	0
Cerberus/Pyro	XL3	DH100P	N/A	25	ZNX-3	MDL NO	A, B, D	N/A	0
Chemetron	Micro-1011	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Chemetron	Micro-1011	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1011	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1011E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1011E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1011E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1011E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1012	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1012	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1012	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1012E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1012E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Chemetron	Micro-1012E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Chemetron	Micro-1012E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Detection Systems	DS400i	2WTA-B	N/A	20	N/A	A	B	2.2K	1
Detection Systems	DS400i	2WTR-B	N/A	1	N/A	A	B	2.2K	1
Detection Systems	DS400M	2WTA-B	N/A	20	N/A	A	B	2.2K	1
Detection Systems	DS400M	2WTR-B	N/A	1	N/A	A	B	2.2K	1
Detection Systems	DS7080i	2W-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080i	2151(T)	B110LP, B401	25	N/A	A	B	2.2K	1
Detection Systems	DS7080i	5151	B110LP, B401	25	N/A	A	B	2.2K	1
Detection Systems	DS7080i	2WTA-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080i	2WT-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080i	D2	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080iP32	2W-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080iP32	2151(T)	B110LP, B401	25	N/A	A	B	2.2K	1
Detection Systems	DS7080iP32	5151	B110LP, B401	25	N/A	A	B	2.2K	1
Detection Systems	DS7080iP32	2WTA-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080iP32	2WT-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7080iP32	D2	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS7090	1100	N/A	15	N/A	B	B	20173	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Detection Systems	DS7090	1151	B110LP, B401	12	N/A	B	B	20173	0
Detection Systems	DS7090	1151	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090	2100	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2151(T)	B110LP, B401	15	N/A	B	B	20173	0
Detection Systems	DS7090	5151	B110LP, B401	15	N/A	B	B	20173	0
Detection Systems	DS7090	5151	B401, B401B	15	N/A	B	B	20173	0
Detection Systems	DS7090	D2	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2151(T)	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090	2451	DH400	12	N/A	B1	B	20173	0
Detection Systems	DS7090	5451	B401, B401B	12	N/A	B	B	20173	0
Detection Systems	DS7090	5451	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090	2100B	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2100D	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2100S	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2100T	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2100TB	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2100TD	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2100TS	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090	2W-B	N/A	15	N/A	B	B	20173	1
Detection Systems	DS7090	2WT-B	N/A	15	N/A	B	B	20173	1
Detection Systems	DS7090	4451HT	B401, B401B	12	N/A	B	B	20173	0
Detection Systems	DS7090	4451HT	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090	DH100LP	N/A	12	N/A	B1	B	20173	0
Detection Systems	DS7090	DH100P	N/A	12	N/A	B1	B	20173	0
Detection Systems	DS7090i	1100	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	1151	B110LP, B401	12	N/A	B	B	20173	0
Detection Systems	DS7090i	1151	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	2100	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2151(T)	B110LP, B401	15	N/A	B	B	20173	0
Detection Systems	DS7090i	5151	B110LP, B401	15	N/A	B	B	20173	0
Detection Systems	DS7090i	5151	B401, B401B	15	N/A	B	B	20173	0
Detection Systems	DS7090i	D2	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2151(T)	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	2451	DH400	12	N/A	B1	B	20173	0
Detection Systems	DS7090i	5451	B401, B401B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	5451	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	5151	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	2100B	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2100D	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2100S	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2100T	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2100TB	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2100TD	N/A	15	N/A	B	B	20173	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Detection Systems	DS7090i	2100TS	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090i	2W-B	N/A	15	N/A	B	B	20173	1
Detection Systems	DS7090i	2WT-B	N/A	15	N/A	B	B	20173	1
Detection Systems	DS7090i	4451HT	B401, B401B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	4451HT	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090i	DH100LP	N/A	12	N/A	B1	B	20173	0
Detection Systems	DS7090i	DH100P	N/A	12	N/A	B1	B	20173	0
Detection Systems	DS7090T Mi	1100	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	1151	B110LP, B401	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	1151	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2151(T)	B110LP, B401	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	5151	B110LP, B401	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	5151	B401, B401B	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	D2	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2151(T)	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2451	DH400	12	N/A	B1	B	20173	0
Detection Systems	DS7090T Mi	5451	B401, B401B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	5451	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	5151	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100B	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100D	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100S	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100T	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100TB	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100TD	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2100TS	N/A	15	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	2W-B	N/A	15	N/A	B	B	20173	1
Detection Systems	DS7090T Mi	2WT-B	N/A	15	N/A	B	B	20173	1
Detection Systems	DS7090T Mi	4451HT	B401, B401B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	4451HT	B116LP, B406B	12	N/A	B	B	20173	0
Detection Systems	DS7090T Mi	DH100LP	N/A	12	N/A	B1	B	20173	0
Detection Systems	DS7090T Mi	DH100P	N/A	12	N/A	B1	B	20173	0
Detection Systems	DS7100	2451	DH400	20	DS7110	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	DH100LP	N/A	20	DS7110	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	DH100P	N/A	20	DS7110	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	1100	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	1151	B110LP, B401	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	1151	B116LP, B406B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	1400	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	1451	B401, B401B	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2151(T)	B110LP, B401	20	N/A, 7100	B1	B, D	2.2K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Detection Systems	DS7100	5151	B110LP, B401	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	D2	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2151(T)	B116LP, B406B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	5151	B116LP, B406B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2400	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2451	B401, B401B	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2451	DH400	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	5451	B401, B401B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	5451	B116LP, B406B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	1451DH	DH400	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100B	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100D	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100S	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100T	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100TB	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100TD	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2100TS	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2400TH	N/A	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2451TH	B401, B401B	20	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	2W-B	N/A	20	N/A, 7100	B1	B, D*	2.2K / N/A	1
Detection Systems	DS7100	2WT-B	N/A	20	N/A, 7100	B1	B, D*	2.2K / N/A	1
Detection Systems	DS7100	4451HT	B401, B401B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	4451HT	B116LP, B406B	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	DH100LP	N/A	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7100	DH100P	N/A	15	N/A, 7100	B1	B, D	2.2K / N/A	0
Detection Systems	DS7400	1100	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	1151	B110LP, B401	15	7400	C	B	2.2K	0
Detection Systems	DS7400	1151	B116LP, B406B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	1400	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	1451	B401, B401B	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2151(T)	B110LP, B401	20	7400	C	B	2.2K	0
Detection Systems	DS7400	5151	B110LP, B401	20	7400	C	B	2.2K	0
Detection Systems	DS7400	D2	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2151(T)	B116LP, B406B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	5151	B116LP, B406B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	2400	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2451	B401, B401B	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2451	DH400	20	7400	C	B	2.2K	0
Detection Systems	DS7400	5451	B401, B401B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	5451	B116LP, B406B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	1451DH	DH400	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100B	N/A	20	7400	C	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Detection Systems	DS7400	2100D	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100S	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100T	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100TB	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100TD	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2100TS	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2400TH	N/A	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2451TH	B401, B401B	20	7400	C	B	2.2K	0
Detection Systems	DS7400	2W-B	N/A	20	7400	C	B	2.2K	1
Detection Systems	DS7400	2WT-B	N/A	20	7400	C	B	2.2K	1
Detection Systems	DS7400	4451HT	B401, B401B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	4451HT	B116LP, B406B	15	7400	C	B	2.2K	0
Detection Systems	DS7400	2451	DH400	20	DS7433	C	B	2.2K	0
Detection Systems	DS7400	DH100LP	N/A	20	DS7433, 7400	C	B	2.2K	0
Detection Systems	DS7400	DH100P	N/A	20	DS7433, 7400	C	B	2.2K	0
Detection Systems	DS9400	2W-B	N/A	20	N/A	A	B	2.2K	1
Detection Systems	DS9400	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	1
Detection Systems	DS9400	5151	B110LP, B401	20	N/A	A	B	2.2K	1
Detection Systems	DS9400	2WT-B	N/A	20	N/A	A	B	2.2K	1
Detection Systems	DS9400	D2	N/A	20	N/A	A	B	2.2K	1
Detection Systems	DS9400i	1151	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	1151	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	2151(T)	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	5151	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	D2	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	2100AT	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	2100S	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	2100TR	N/A	1	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	2100TS	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400i	2W-B	N/A	20	Built-In	A	B	2.2K	1
Detection Systems	DS9400i	2WT-B	N/A	20	Built-In	A	B	2.2K	1
Detection Systems	DS9400M	1151	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	2151(T)	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	5151	B110LP, B401	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	2100AT	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	2100S	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	2100TR	N/A	1	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	2100TS	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9400M	2W-B	N/A	20	Built-In	A	B	2.2K	1
Detection Systems	DS9400M	2WT-B	N/A	20	Built-In	A	B	2.2K	1
Detection Systems	DS9400M	D2	N/A	20	Built-In	A	B	2.2K	0
Detection Systems	DS9422	2W-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS9422	2151(T)	B110LP, B401	25	N/A	A	B	2.2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Detection Systems	DS9422	5151	B110LP, B401	25	N/A	A	B	2.2K	1
Detection Systems	DS9422	2WTA-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS9422	2WT-B	N/A	25	N/A	A	B	2.2K	1
Detection Systems	DS9422	2WTR-B	N/A	1	N/A	A	B	2.2K	1
Detection Systems	DS9422	D2	N/A	25	N/A	A	B	2.2K	1
DMP	1512	1100	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	1151	B110LP, B401	10	715, Zone 5	A	B	3.3K	0
DMP	1512	1151	B116LP, B406B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2151(T)	B110LP, B401	10	715, Zone 5	A	B	3.3K	0
DMP	1512	5151	B110LP, B401	10	715, Zone 5	A	B	3.3K	0
DMP	1512	D2	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2151(T)	B116LP, B406B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	5151	B116LP, B406B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2451	DH400	10	715, Zone 5	A	B	3.3K	0
DMP	1512	5451	B401, B401B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	5151	B401, B401B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	5451	B116LP, B406B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100B	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100D	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100S	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100T	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100TB	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100TD	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2100TS	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	2W-B	N/A	10	715, Zone 5	A	B	3.3K	1
DMP	1512	2WT-B	N/A	10	715, Zone 5	A	B	3.3K	1
DMP	1512	4451HT	B401, B401B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	4451HT	B116LP, B406B	10	715, Zone 5	A	B	3.3K	0
DMP	1512	DH100LP	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1512	DH100P	N/A	10	715, Zone 5	A	B	3.3K	0
DMP	1912	1100	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	1151	B110LP, B401	10	715, Zone 5	A	A	3.3K	0
DMP	1912	1151	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912	2100	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2151(T)	B110LP, B401	12	715, Zone 5	A	A	3.3K	0
DMP	1912	5151	B110LP, B401	12	715, Zone 5	A	A	3.3K	0
DMP	1912	D2	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2151(T)	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912	2451	DH400	10	715, Zone 5	A	A	3.3K	0
DMP	1912	5451	B401, B401B	10	715, Zone 5	A	A	3.3K	0
DMP	1912	5451	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912	5151	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	1912	2100B	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2100D	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2100S	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2100T	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2100TB	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2100TD	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2100TS	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912	2W-B	N/A	12	715, Zone 5	A	A	3.3K	1
DMP	1912	2WT-B	N/A	12	715, Zone 5	A	A	3.3K	1
DMP	1912	4451HT	B401, B401B	10	715, Zone 5	A	A	3.3K	0
DMP	1912	4451HT	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912	DH100LP	N/A	10	715, Zone 5	A	A	3.3K	0
DMP	1912	DH100P	N/A	10	715, Zone 5	A	A	3.3K	0
DMP	1812A	1100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	1151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812A	1151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812A	1400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	1451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812A	2100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2151(T)	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812A	5151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812A	D2	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2151(T)	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812A	5151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812A	2400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812A	2451	DH400	10	705	CI-1	B	3.3K	0
DMP	1812A	5451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812A	5151	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812A	5451	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812A	2100B	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2100D	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2100S	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2100T	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2100TB	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2100TD	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2100TS	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2400TH	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	2451TH	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812A	2W-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812A	2WT-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812A	4451HT	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812A	4451HT	B116LP, B406B	10	705	CI-1	B	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	1812A	DH100LP	N/A	10	705	CI-1	B	3.3K	0
DMP	1812A	DH100P	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	1100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	1151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812B	1151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812B	1400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	1451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812B	2100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2151(T)	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812B	5151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812B	D2	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2151(T)	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812B	2400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812B	2451	DH400	10	705	CI-1	B	3.3K	0
DMP	1812B	5451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812B	5151	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812B	5451	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812B	5151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812B	2100B	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2100D	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2100S	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2100T	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2100TB	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2100TD	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2100TS	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2400TH	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	2451TH	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812B	2W-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812B	2WT-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812B	4451HT	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812B	4451HT	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812B	DH100LP	N/A	10	705	CI-1	B	3.3K	0
DMP	1812B	DH100P	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	1100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	1151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812C	1151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812C	1400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	1451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812C	2100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2151(T)	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812C	5151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812C	D2	N/A	10	705	CI-1	B	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	1812C	2151(T)	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812C	5151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812C	2400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812C	2451	DH400	10	705	CI-1	B	3.3K	0
DMP	1812C	5451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812C	5151	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812C	5451	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812C	2100B	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2100D	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2100S	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2100T	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2100TB	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2100TD	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2100TS	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2400TH	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	2451TH	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812C	2W-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812C	2WT-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812C	4451HT	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812C	4451HT	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812C	DH100LP	N/A	10	705	CI-1	B	3.3K	0
DMP	1812C	DH100P	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	1100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	1151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812D	1151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812D	1400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	1451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812D	2100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2151(T)	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812D	5151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812D	D2	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2151(T)	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812D	2400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812D	2451	DH400	10	705	CI-1	B	3.3K	0
DMP	1812D	5451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812D	5151	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812D	5451	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812D	5151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812D	2100B	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2100D	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2100S	N/A	10	705	CI-1	B	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	1812D	2100T	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2100TB	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2100TD	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2100TS	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2400TH	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	2451TH	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812D	2W-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812D	2WT-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812D	4451HT	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812D	4451HT	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812D	DH100LP	N/A	10	705	CI-1	B	3.3K	0
DMP	1812D	DH100P	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	1100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	1151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812E	1151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812E	1400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	1451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812E	2100	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2151(T)	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812E	5151	B110LP, B401	10	705	CI-1	B	3.3K	0
DMP	1812E	D2	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2151(T)	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812E	2400	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812E	2451	DH400	10	705	CI-1	B	3.3K	0
DMP	1812E	5451	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812E	5151	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812E	5451	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812E	5151	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812E	2100B	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2100D	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2100S	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2100T	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2100TB	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2100TD	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2100TS	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2400TH	N/A	10	705	CI-1	B	3.3K	0
DMP	1812E	2451TH	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812E	2W-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812E	2WT-B	N/A	10	705	CI-1	B	3.3K	1
DMP	1812E	4451HT	B401, B401B	10	705	CI-1	B	3.3K	0
DMP	1812E	4451HT	B116LP, B406B	10	705	CI-1	B	3.3K	0
DMP	1812E	DH100LP	N/A	10	705	CI-1	B	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	1812E	DH100P	N/A	10	705	CI-1	B	3.3K	0
DMP	1912XR	1400	N/A	12	715	A	A	3.3K	0
DMP	1912XR	1451	B401, B401B	10	715	A	A	3.3K	0
DMP	1912XR	2400	N/A	10	715	A	A	3.3K	0
DMP	1912XR	2451	B401, B401B	10	715	A	A	3.3K	0
DMP	1912XR	1451DH	DH400	10	715	A	A	3.3K	0
DMP	1912XR	2400TH	N/A	10	715	A	A	3.3K	0
DMP	1912XR	2451TH	B401, B401B	10	715	A	A	3.3K	0
DMP	1912XR	422C	N/A	25	715	A	A	3.3K	0
DMP	1912XR	422CT	N/A	25	715	A	A	3.3K	0
DMP	1912XR	DS200	MB200-2W	15	715	A	A	3.3K	0
DMP	1912XR	DS200HD	MB200-2W	15	715	A	A	3.3K	0
DMP	1912XR	1100	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	1151	B110LP, B401	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	1151	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2151(T)	B110LP, B401	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	5151	B110LP, B401	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	D2	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2151(T)	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2451	DH400	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	5451	B401, B401B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	5451	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	5151	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100B	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100D	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100S	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100T	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100TB	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100TD	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2100TS	N/A	12	715, Zone 5	A	A	3.3K	0
DMP	1912XR	2W-B	N/A	12	715, Zone 5	A	A	3.3K	1
DMP	1912XR	2WT-B	N/A	12	715, Zone 5	A	A	3.3K	1
DMP	1912XR	4451HT	B401, B401B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	4451HT	B116LP, B406B	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	DH100LP	N/A	10	715, Zone 5	A	A	3.3K	0
DMP	1912XR	DH100P	N/A	10	715, Zone 5	A	A	3.3K	0
DMP	XR10	1100	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	1151	B110LP, B401	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	1400	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	1451	B401, B401B	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2151(T)	B110LP, B401	10	10N, XR10NTROL	A	A	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	XR10	5151	B110LP, B401	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2400	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2451	B401, B401B	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2451	DH400	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	1451DH	DH400	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100B	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100D	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100S	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100T	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100TB	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100TD	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2100TS	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2400AIT	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2400AT	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2400TH	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2451TH	B401, B401B	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	2W-B	N/A	10	10N, XR10NTROL	A	A	3.3K	1
DMP	XR10	2WT-B	N/A	10	10N, XR10NTROL	A	A	3.3K	1
DMP	XR10	D2	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	DH100LP	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR10	DH100P	N/A	10	10N, XR10NTROL	A	A	3.3K	0
DMP	XR100	2W-B	N/A	12	715, Zone 10	A	A	3.3K	0
DMP	XR100	2WT-B	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR100	2151(T)	B110LP, B401	12	715, Zone 10	A	A	3.3K	0
DMP	XR100	5151	B110LP, B401	12	715, Zone 10	A	A	3.3K	0
DMP	XR100	D2	N/A	12	715, Zone 10	A	A	3.3K	0
DMP	XR20	1100	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	1151	B110LP, B401	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	1400	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	1451	B401, B401B	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2151(T)	B110LP, B401	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	5151	B110LP, B401	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2400	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2451	B401, B401B	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2451	DH400	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	1451DH	DH400	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100B	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100D	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100S	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100T	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100TB	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2100TD	N/A	10	715, Zone 10	A	A	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	XR20	2100TS	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2400AIT	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2400AT	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2400TH	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2451TH	B401, B401B	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	2W-B	N/A	10	715, Zone 10	A	A	3.3K	1
DMP	XR20	2WT-B	N/A	10	715, Zone 10	A	A	3.3K	1
DMP	XR20	D2	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	DH100LP	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR20	DH100P	N/A	10	715, Zone 10	A	A	3.3K	0
DMP	XR200	1100	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	1151	B110LP, B401	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	1400	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	1451	B401, B401B	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2151(T)	B110LP, B401	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	5151	B110LP, B401	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2400	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2451	B401, B401B	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2451	DH400	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	1451DH	DH400	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100B	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100D	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100S	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100T	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100TB	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100TD	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2100TS	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2400AIT	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2400AT	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2400TH	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2451TH	B401, B401B	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	2W-B	N/A	10	715, Zone 9, 10	A	A	3.3K	1
DMP	XR200	2WT-B	N/A	10	715, Zone 9, 10	A	A	3.3K	1
DMP	XR200	D2	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	DH100LP	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR200	DH100P	N/A	10	715, Zone 9, 10	A	A	3.3K	0
DMP	XR2400F	2W-B	N/A	10	N/A	A	A	3.3K	1
DMP	XR2400F	2151(T)	B110LP, B401	10	N/A	A	A	3.3K	1
DMP	XR2400F	5151	B110LP, B401	10	N/A	A	A	3.3K	1
DMP	XR2400F	D2	N/A	10	N/A	A	A	3.3K	1
DMP	XR2400F	2WT-B	N/A	10	N/A	A	A	3.3K	1
DMP	XR2500	2W-B	N/A	12	715, Zone 10	A	A	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	XR2500	2WT-B	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR2500	2151(T)	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR2500	5151	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR2500	D2	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR40	2W-B	N/A	12	715, Zone 10	A	A	3.3K	0
DMP	XR40	2WT-B	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR40	2151(T)	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR40	5151	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR40	D2	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR500	2W-B	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR500	2151(T)	B110LP, B401	12	715, Zone 10	A	A	3.3K	1
DMP	XR500	5151	B110LP, B401	12	715, Zone 10	A	A	3.3K	1
DMP	XR500	2WT-B	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR500	D2	N/A	12	715, Zone 10	A	A	3.3K	1
DMP	XR5FC	1100	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	1151	B110LP, B401	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	1400	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	1451	B401, B401B	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2151(T)	B110LP, B401	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	5151	B110LP, B401	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2400	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2451	B401, B401B	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2451	DH400	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	1451DH	DH400	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100B	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100D	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100S	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100T	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100TB	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100TD	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2100TS	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2400AIT	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2400AT	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2400TH	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2451TH	B401, B401B	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	2W-B	N/A	10	Zone 2-5	A	A	3.3K	1
DMP	XR5FC	2WT-B	N/A	10	Zone 2-5	A	A	3.3K	1
DMP	XR5FC	D2	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	DH100LP	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5FC	DH100P	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	1100	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	1151	B110LP, B401	10	Zone 2-5	A	A	3.3K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DMP	XR5SL	1400	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	1451	B401, B401B	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2151(T)	B110LP, B401	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	5151	B110LP, B401	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2400	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2451	B401, B401B	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2451	DH400	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	1451DH	DH400	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100B	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100D	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100S	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100T	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100TB	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100TD	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2100TS	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2400AIT	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2400AT	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2400TH	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2451TH	B401, B401B	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	2W-B	N/A	10	Zone 2-5	A	A	3.3K	1
DMP	XR5SL	2WT-B	N/A	10	Zone 2-5	A	A	3.3K	1
DMP	XR5SL	D2	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	DH100LP	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XR5SL	DH100P	N/A	10	Zone 2-5	A	A	3.3K	0
DMP	XRSuper6	2W-B	N/A	12	715, Zone 6	A	A	3.3K	1
DMP	XRSuper6	2151(T)	B110LP, B401	12	715, Zone 6	A	A	3.3K	1
DMP	XRSuper6	5151	B110LP, B401	12	715, Zone 6	A	A	3.3K	1
DMP	XRSuper6	2WT-B	N/A	12	715, Zone 6	A	A	3.3K	1
DMP	XRSuper6	D2	N/A	12	715, Zone 6	A	A	3.3K	1
DSC	CFP-102	2WTA-B	N/A	30	N/A	A	B	4.7K	1
DSC	CFP-102	2WTR-B	N/A	1	N/A	A	B	4.7K	1
DSC	CFP-102	1151	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	1151	B110LP, B401	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	1451	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	1451	B401, B110LP, B401B	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2151(T)	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	5151	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2151(T)	B110LP, B401	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	5151	B110LP, B401	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	D2	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2400	N/A	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2451	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	CFP-102	2451	B401, B110LP, B401B	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2100AT	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2100S	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2100TR	N/A	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2100TS	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2400TH	N/A	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2451TH	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2451TH	B401, B110LP, B401B	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-102	2W-B	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	1
DSC	CFP-102	2WT-B	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	1
DSC	CFP-105	2WTA-B	N/A	30	N/A	A	B	4.7K	1
DSC	CFP-105	2WTR-B	N/A	1	N/A	A	B	4.7K	1
DSC	CFP-105	1151	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	1151	B110LP, B401	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	1451	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	1451	B401, B110LP, B401B	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2151(T)	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	5151	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2151(T)	B110LP, B401	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	5151	B110LP, B401	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	D2	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2400	N/A	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2451	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2451	B401, B110LP, B401B	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2100AT	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2100S	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2100TR	N/A	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2100TS	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2400TH	N/A	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2451TH	B116LP, B406B	1	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2451TH	B401, B110LP, B401B	16	N/A, CFP-152, CFP-155	1	A	4.7K	0
DSC	CFP-105	2W-B	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	1
DSC	CFP-105	2WT-B	N/A	20	N/A, CFP-152, CFP-155	1	A	4.7K	1
DSC	P16128CF	1151	B110LP, B401	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	1400	N/A	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	1451	B401, B401B	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2151(T)	B110LP, B401	30	P4701	FM-2	B	2.2K	0
DSC	P16128CF	5151	B110LP, B401	30	P4701	FM-2	B	2.2K	0
DSC	P16128CF	D2	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2400	N/A	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2451	B401, B401B	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2100D	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2100S	N/A	30	P4701	FM-2	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	P16128CF	2100TD	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2100TS	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2400TH	N/A	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2451TH	B401, B401B	25	P4701	FM-2	B	2.2K	0
DSC	P16128CF	2W-B	N/A	30	P4701	FM-2	B	2.2K	1
DSC	P16128CF	2WT-B	N/A	30	P4701	FM-2	B	2.2K	1
DSC	P6B	1151	B110LP, B401	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	1400	N/A	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	1451	B401, B401B	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	2151(T)	B110LP, B401	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	5151	B110LP, B401	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	D2	N/A	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	2400	N/A	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	2451	B401, B401B	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	2100D	N/A	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	2100S	N/A	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	2100TD	N/A	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	2100TS	N/A	30	N/A	PC15-1	B	2.2K	0
DSC	P6B	2400TH	N/A	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	2451TH	B401, B401B	25	N/A	PC15-1	B	2.2K	0
DSC	P6B	2W-B	N/A	30	N/A	PC15-1	B	2.2K	1
DSC	P6B	2WT-B	N/A	30	N/A	PC15-1	B	2.2K	1
DSC	P832	1151	B110LP, B401	25	N/A	PC5-1	B	2.2K	0
DSC	P832	1400	N/A	25	N/A	PC5-1	B	2.2K	0
DSC	P832	1451	B401, B401B	25	N/A	PC5-1	B	2.2K	0
DSC	P832	2151(T)	B110LP, B401	30	N/A	PC5-1	B	2.2K	0
DSC	P832	5151	B110LP, B401	30	N/A	PC5-1	B	2.2K	0
DSC	P832	D2	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832	2400	N/A	25	N/A	PC5-1	B	2.2K	0
DSC	P832	2451	B401, B401B	25	N/A	PC5-1	B	2.2K	0
DSC	P832	2100D	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832	2100S	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832	2100TD	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832	2100TS	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832	2400TH	N/A	25	N/A	PC5-1	B	2.2K	0
DSC	P832	2451TH	B401, B401B	25	N/A	PC5-1	B	2.2K	0
DSC	P832	2W-B	N/A	30	N/A	PC5-1	B	2.2K	1
DSC	P832	2WTA-B	N/A	30	N/A	PCS-5	B	2.2K	1
DSC	P832	2WT-B	N/A	30	N/A	PC5-1	B	2.2K	1
DSC	P832DL	1151	B110LP, B401	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	1400	N/A	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	1451	B401, B401B	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2151(T)	B110LP, B401	30	N/A	PC5-1	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	P832DL	5151	B110LP, B401	30	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2400	N/A	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2451	B401, B401B	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2100D	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2100S	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2100TD	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2100TS	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2400TH	N/A	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2451TH	B401, B401B	25	N/A	PC5-1	B	2.2K	0
DSC	P832DL	2W-B	N/A	30	N/A	PC5-1	B	2.2K	1
DSC	P832DL	2WTA-B	N/A	30	N/A	PC-5	B	2.2K	1
DSC	P832DL	2WT-B	N/A	30	N/A	PC5-1	B	2.2K	1
DSC	P832DL	D2	N/A	30	N/A	PC5-1	B	2.2K	0
DSC	P864CF	1151	B110LP, B401	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	1400	N/A	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	1451	B401, B401B	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	2151(T)	B110LP, B401	30	P4701	FM-2	B	2.2K	0
DSC	P864CF	5151	B110LP, B401	30	P4701	FM-2	B	2.2K	0
DSC	P864CF	2400	N/A	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	2451	B401, B401B	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	2100D	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P864CF	2100S	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P864CF	2100TD	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P864CF	2100TS	N/A	30	P4701	FM-2	B	2.2K	0
DSC	P864CF	2400TH	N/A	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	2451TH	B401, B401B	25	P4701	FM-2	B	2.2K	0
DSC	P864CF	2W-B	N/A	30	P4701	FM-2	B	2.2K	1
DSC	P864CF	2WT-B	N/A	30	P4701	FM-2	B	2.2K	1
DSC	P864CF	D2	N/A	30	P4701	FM-2	B	2.2K	0
DSC	PC1555	1151	B110LP, B401	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	1400	N/A	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	1451	B401, B401B	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2151(T)	B110LP, B401	30	N/A	PCS-5	B	2.2K	0
DSC	PC1555	5151	B110LP, B401	30	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2400	N/A	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2451	B401, B401B	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2100D	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2100S	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2100TD	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2100TS	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2400TH	N/A	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2451TH	B401, B401B	25	N/A	PCS-5	B	2.2K	0
DSC	PC1555	2W-B	N/A	30	N/A	PCS-5	B	2.2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	PC1555	2WT-B	N/A	30	N/A	PCS-5	B	2.2K	1
DSC	PC1555	D2	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	1151	B110LP, B401	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	1400	N/A	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	1451	B401, B401B	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2151(T)	B110LP, B401	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	5151	B110LP, B401	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2400	N/A	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2451	B401, B401B	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2100D	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2100S	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2100TD	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2100TS	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2400TH	N/A	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2451TH	B401, B401B	25	N/A	PCS-5	B	2.2K	0
DSC	PC1565	2W-B	N/A	30	N/A	PCS-5	B	2.2K	1
DSC	PC1565	2WT-B	N/A	30	N/A	PCS-5	B	2.2K	1
DSC	PC1565	D2	N/A	30	N/A	PCS-5	B	2.2K	0
DSC	PC1575	1100	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	1151	B110LP, B401	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	1400	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	1451	B401, B401B	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2151(T)	B110LP, B401	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	5151	B110LP, B401	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2400	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2451	DH400	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100AT	N/A	15	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100B	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100D	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100S	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100T	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100TB	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100TD	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2100TS	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	2W-B	N/A	12	PC1575	N/A	B	5.6K	1
DSC	PC1575	2WT-B	N/A	12	PC1575	N/A	B	5.6K	1
DSC	PC1575	D2	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	DH100LP	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC1575	DH100P	N/A	12	PC1575	N/A	B	5.6K	0
DSC	PC4010CF	1151	B110LP, B401	25	PC4700, PC4701	FM-1, FM-2	B	2.2K	0
DSC	PC4010CF	1400	N/A	25	PC4700, PC4701	FM-1, FM-2	B	2.2K	0
DSC	PC4010CF	1451	B401, B401B	25	PC4700, PC4701	FM-1, FM-2	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	PC4010CF	2151(T)	B110LP, B401	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	5151	B110LP, B401	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2400	N/A	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2451	B401, B401B	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2100D	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2100S	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2100TD	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2100TS	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2400TH	N/A	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2451TH	B401, B401B	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4010CF	2W-B	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	1
DSC	PC4010CF	2WT-B	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	1
DSC	PC4010CF	D2	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	1100	N/A	25	PC4700	FM-1	B	2.2K	0
DSC	PC4020CF	1151	B110LP, B401	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	1400	N/A	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	1451	B401, B401B	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2151(T)	B110LP, B401	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	5151	B110LP, B401	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2400	N/A	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2451	B401, B401B	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2451	DH400	25	PC4700, PC4701	FM-1	B	2.2K	0
DSC	PC4020CF	2100D	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2100S	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2100TD	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2100TS	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2400TH	N/A	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2451TH	B401, B401B	25	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	2W-B	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	1
DSC	PC4020CF	2WT-B	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	1
DSC	PC4020CF	D2	N/A	30	PC4700, PC4701	FM-1, FM -2	B	2.2K	0
DSC	PC4020CF	DH100LP	N/A	25	PC4700, PC4701	FM-1	B	2.2K	0
DSC	PC4020CF	DH100P	N/A	25	PC4700, PC4701	FM-1	B	2.2K	0
DSC	PC5008	1151	B110LP, B401	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	1400	N/A	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	1451	B401, B401B	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2151(T)	B110LP, B401	30	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	5151	B110LP, B401	30	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2400	N/A	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2451	B401, B401B	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2100D	N/A	30	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2100S	N/A	30	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2100TD	N/A	30	PC5008	PC15-1	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	PC5008	2100TS	N/A	30	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2400TH	N/A	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2451TH	B401, B401B	25	PC5008	PC15-1	B	2.2K	0
DSC	PC5008	2W-B	N/A	30	PC5008	PC15-1	B	2.2K	1
DSC	PC5008	2WT-B	N/A	30	PC5008	PC15-1	B	2.2K	1
DSC	PC5008	D2	N/A	30	PC5008	PC15-1	B	2.2K	0
DSC	PC5010	2WTA-B	N/A	30	N/A	PCS-5	B	2.2K	1
DSC	PC5010	1100	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	1151	B110LP, B401	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	1400	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	1451	B401, B401B	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2151(T)	B110LP, B401	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	5151	B110LP, B401	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2400	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2451	B401, B401B	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2451	DH400	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100B	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100D	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100S	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100T	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100TB	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100TD	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2100TS	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2400TH	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2451TH	B401, B401B	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	2W-B	N/A	25	PC5010	PC5-1	B	2.2K	1
DSC	PC5010	2WT-B	N/A	25	PC5010	PC5-1	B	2.2K	1
DSC	PC5010	D2	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	DH100LP	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5010	DH100P	N/A	25	PC5010	PC5-1	B	2.2K	0
DSC	PC5015	2WTA-B	N/A	30	N/A	PCS-5	B	2.2K	1
DSC	PC5015	1151	B110LP, B401	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	1400	N/A	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	1451	B401, B401B	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2151(T)	B110LP, B401	30	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	5151	B110LP, B401	30	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2400	N/A	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2451	B401, B401B	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2100D	N/A	30	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2100S	N/A	30	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2100TD	N/A	30	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2100TS	N/A	30	PC5015	PC5-1	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	PC5015	2400TH	N/A	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2451TH	B401, B401B	25	PC5015	PC5-1	B	2.2K	0
DSC	PC5015	2W-B	N/A	30	PC5015	PC5-1	B	2.2K	1
DSC	PC5015	2WT-B	N/A	30	PC5015	PC5-1	B	2.2K	1
DSC	PC5015	D2	N/A	30	PC5015	PC5-1	B	2.2K	0
DSC	PFAC-102	1151	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-102	1151	B110LP, B401	16	N/A	1	A	4.7K	0
DSC	PFAC-102	1451	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-102	1451	B401, B110LP, B401B	16	N/A	1	A	4.7K	0
DSC	PFAC-102	2151(T)	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-102	5151	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-102	2151(T)	B110LP, B401	20	N/A	1	A	4.7K	0
DSC	PFAC-102	5151	B110LP, B401	20	N/A	1	A	4.7K	0
DSC	PFAC-102	D2	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-102	2400	N/A	16	N/A	1	A	4.7K	0
DSC	PFAC-102	2451	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-102	2451	B401, B110LP, B401B	16	N/A	1	A	4.7K	0
DSC	PFAC-102	2100AT	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-102	2100S	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-102	2100TR	N/A	1	N/A	1	A	4.7K	0
DSC	PFAC-102	2100TS	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-102	2400TH	N/A	16	N/A	1	A	4.7K	0
DSC	PFAC-102	2451TH	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-102	2451TH	B401, B110LP, B401B	16	N/A	1	A	4.7K	0
DSC	PFAC-102	2W-B	N/A	20	N/A	1	A	4.7K	1
DSC	PFAC-102	2WT-B	N/A	20	N/A	1	A	4.7K	1
DSC	PFAC-102	1151	B116LP, B406B	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	1151	B110LP, B401	16	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	1451	B116LP, B406B	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	1451	B401, B110LP, B401B	16	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2151(T)	B116LP, B406B	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	5151	B116LP, B406B	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2151(T)	B110LP, B401	20	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	5151	B110LP, B401	20	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	D2	N/A	20	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2400	N/A	16	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2451	B116LP, B406B	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2451	B401, B110LP, B401B	16	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2100AT	N/A	20	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2100S	N/A	20	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2100TR	N/A	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2100TS	N/A	20	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2400TH	N/A	16	PFAC-152	1	A	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	PFAC-102	2451TH	B116LP, B406B	1	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2451TH	B401, B110LP, B401B	16	PFAC-152	1	A	4.7K	0
DSC	PFAC-102	2W-B	N/A	20	PFAC-152	1	A	4.7K	1
DSC	PFAC-102	2WT-B	N/A	20	PFAC-152	1	A	4.7K	1
DSC	PFAC-105	1151	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-105	1151	B110LP, B401	16	N/A	1	A	4.7K	0
DSC	PFAC-105	1451	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-105	1451	B401, B110LP, B401B	16	N/A	1	A	4.7K	0
DSC	PFAC-105	2151(T)	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-105	5151	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-105	2151(T)	B110LP, B401	20	N/A	1	A	4.7K	0
DSC	PFAC-105	5151	B110LP, B401	20	N/A	1	A	4.7K	0
DSC	PFAC-105	D2	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-105	2400	N/A	16	N/A	1	A	4.7K	0
DSC	PFAC-105	2451	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-105	2451	B401, B110LP, B401B	16	N/A	1	A	4.7K	0
DSC	PFAC-105	2100AT	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-105	2100S	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-105	2100TR	N/A	1	N/A	1	A	4.7K	0
DSC	PFAC-105	2100TS	N/A	20	N/A	1	A	4.7K	0
DSC	PFAC-105	2400TH	N/A	16	N/A	1	A	4.7K	0
DSC	PFAC-105	2451TH	B116LP, B406B	1	N/A	1	A	4.7K	0
DSC	PFAC-105	2451TH	B401, B110LP, B401B	16	N/A	1	A	4.7K	0
DSC	PFAC-105	2W-B	N/A	20	N/A	1	A	4.7K	1
DSC	PFAC-105	2WT-B	N/A	20	N/A	1	A	4.7K	1
DSC	PFAC-105	1151	B116LP, B406B	1	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	1151	B110LP, B401	16	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	1451	B116LP, B406B	1	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	1451	B401, B110LP, B401B	16	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2151(T)	B116LP, B406B	1	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	5151	B116LP, B406B	1	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2151(T)	B110LP, B401	20	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	5151	B110LP, B401	20	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	D2	N/A	20	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2400	N/A	16	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2451	B116LP, B406B	1	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2451	B401, B110LP, B401B	16	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2100AT	N/A	20	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2100S	N/A	20	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2100TR	N/A	1	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2100TS	N/A	20	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2400TH	N/A	16	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2451TH	B116LP, B406B	1	PFAC-155	1	A	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	PFAC-105	2451TH	B401, B110LP, B401B	16	PFAC-155	1	A	4.7K	0
DSC	PFAC-105	2W-B	N/A	20	PFAC-155	1	A	4.7K	1
DSC	PFAC-105	2WT-B	N/A	20	PFAC-155	1	A	4.7K	1
DSC	POWER 864	2W-B	N/A	30	PC4701/PA701	FM-2	B	2.2K	1
DSC	POWER 864	2151(T)	B110LP, B401	30	PC4701/PA701	FM-2	B	2.2K	1
DSC	POWER 864	5151	B110LP, B401	30	PC4701/PA701	FM-2	B	2.2K	1
DSC	POWER 864	2WT-B	N/A	30	PC4701/PA701	FM-2	B	2.2K	1
DSC	POWER 864	D2	N/A	30	PC4701/PA701	FM-2	B	2.2K	1
DSC	POWER-432	2W-B	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-432	2151(T)	B110LP, B401	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-432	5151	B110LP, B401	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-432	D2	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-432	2WT-B	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-432	2W-B	N/A	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-432	2151(T)	B110LP, B401	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-432	D2	N/A	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-432	2W-B	N/A	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-432	2151(T)	B110LP, B401	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-432	5151	B110LP, B401	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-432	D2	N/A	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-432	2WT-B	N/A	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-432	2W-B	N/A	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-432	2151(T)	B110LP, B401	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-432	5151	B110LP, B401	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-432	D2	N/A	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-432	2WT-B	N/A	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-632	2W-B	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-632	2WT-B	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-632	2151(T)	B110LP, B401	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-632	5151	B110LP, B401	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-632	D2	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-632	2WT-B	N/A	30	P6B	PC15-1	B	2.2K	1
DSC	POWER-632	2W-B	N/A	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-632	2WT-B	N/A	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-632	2151(T)	B110LP, B401	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-632	5151	B110LP, B401	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-632	D2	N/A	30	PC1555	PC15-1	B	2.2K	1
DSC	POWER-632	2W-B	N/A	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-632	2WT-B	N/A	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-632	2151(T)	B110LP, B401	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-632	5151	B110LP, B401	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-632	D2	N/A	30	PC1565	PC15-1	B	2.2K	1
DSC	POWER-632	2W-B	N/A	30	PC580	PC15-1	B	2.2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
DSC	POWER-632	2WT-B	N/A	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-632	2151(T)	B110LP, B401	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-632	5151	B110LP, B401	30	PC580	PC15-1	B	2.2K	1
DSC	POWER-632	D2	N/A	30	PC580	PC15-1	B	2.2K	1
ESL/Sentrol	1501	1100	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	1151	B110LP, B401	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	1151	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2151(T)	B110LP, B401	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	5151	B110LP, B401	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	D2	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2151(T)	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	5151	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	5451	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100D	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100S	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100T	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100TB	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100TD	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100TS	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2300B	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2300T	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2300TB	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2W-B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D*	2.7K / N/A	1
ESL/Sentrol	1501	2WT-B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D*	2.7K / N/A	1
ESL/Sentrol	1501	4451HT	B401, B401B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	4451HT	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2451	DH400	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	DH100LP	N/A	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	DH100P	N/A	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1501	2100AT	N/A	20	N/A	CO1, CO1A	B	2.7K	0
ESL/Sentrol	1501	2100TR	N/A	1	N/A	CO1, CO1A	B	2.7K	0
ESL/Sentrol	1503	1100	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	1151	B110LP, B401	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	1151	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2151(T)	B110LP, B401	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	5151	B110LP, B401	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	D2	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2151(T)	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	5151	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	5451	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ESL/Sentrol	1503	2100B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100D	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100S	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100T	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100TB	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100TD	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100TS	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2300B	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2300T	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2300TB	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2W-B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D*	2.7K / N/A	1
ESL/Sentrol	1503	2WT-B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D*	2.7K / N/A	1
ESL/Sentrol	1503	4451HT	B401, B401B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	4451HT	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2451	DH400	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	DH100LP	N/A	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	DH100P	N/A	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1503	2100AT	N/A	20	N/A	CO1, CO1A	B	2.7K	0
ESL/Sentrol	1503	2100TR	N/A	1	N/A	CO1, CO1A	B	2.7K	0
ESL/Sentrol	1505	1100	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	1151	B110LP, B401	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	1151	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2151(T)	B110LP, B401	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	5151	B110LP, B401	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	D2	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2151(T)	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	5451	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	5151	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100D	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100S	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100T	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100TB	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100TD	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100TS	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2300B	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2300T	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2300TB	N/A	12	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2W-B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D*	2.7K / N/A	1
ESL/Sentrol	1505	2WT-B	N/A	20	BMB, VTW, ZEM	CO1, CO1A	B, D*	2.7K / N/A	1
ESL/Sentrol	1505	4451HT	B401, B401B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	4451HT	B116LP, B406B	10	BMB, VTW, ZEM	CO1, CO1A	B, D	2.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ESL/Sentrol	1505	2451	DH400	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	DH100LP	N/A	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	DH100P	N/A	10	BMB, ZEM, VTW	CO1, CO1A	B, D	2.7K / N/A	0
ESL/Sentrol	1505	2100AT	N/A	20	N/A	CO1, CO1A	B	2.7K	0
ESL/Sentrol	1505	2100TR	N/A	1	N/A	CO1, CO1A	B	2.7K	0
ESL/Sentrol	2500	1151	B110LP, B401	16	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	2151(T)	B110LP, B401	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	5151	B110LP, B401	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	D2	N/A	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	2100AT	N/A	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	2100S	N/A	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	2100TS	N/A	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	0
ESL/Sentrol	2500	2W-B	N/A	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	1
ESL/Sentrol	2500	2WT-B	N/A	20	2502-ZEM, 2504-ZEM	Zone 2-25	A	2.7K	1
ESL/Sentrol	2500	1151	B110LP, B401	16	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	2151(T)	B110LP, B401	20	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	5151	B110LP, B401	20	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	D2	N/A	20	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	2100AT	N/A	20	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	2100S	N/A	20	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	2100TS	N/A	20	BMB Zone 1	Zone 1	A	2.7K	0
ESL/Sentrol	2500	2W-B	N/A	20	BMB Zone 1	Zone 1	A	2.7K	1
ESL/Sentrol	2500	2WT-B	N/A	20	BMB Zone 1	Zone 1	A	2.7K	1
ESL/Sentrol	Z1200	1100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	1151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2151(T)	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	5151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2451	DH400	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100D	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100S	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100T	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100TB	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100TD	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2100TS	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	2W-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
ESL/Sentrol	Z1200	2WT-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
ESL/Sentrol	Z1200	D2	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	DH100LP	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z1200	DH100P	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	1100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	1151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ESL/Sentrol	Z2000	2100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2151(T)	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	5151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100D	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100S	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100T	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100TB	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100TD	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2100TS	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
ESL/Sentrol	Z2000	2W-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
ESL/Sentrol	Z2000	2WT-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
ESL/Sentrol	Z2000	D2	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
EST	1211B	2400	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1211B	2100S	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1211B	2100TS	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1211B	2W-B	N/A	12	N/A	1	B, D*	2.2K / N/A	1
EST	1211B	2151(T)	B110LP, B401	12	N/A	1	B, D	2.2K / N/A	1
EST	1211B	5151	B110LP, B401	12	N/A	1	B, D	2.2K / N/A	1
EST	1211B	2WT-B	N/A	12	N/A	1	B, D*	2.2K / N/A	1
EST	1211B	D2	N/A	12	N/A	1	B, D	2.2K / N/A	1
EST	1212B	2400	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1212B	2100S	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1212B	2100TS	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1212B	2W-B	N/A	12	N/A	1	B, D*	2.2K / N/A	1
EST	1212B	2151(T)	B110LP, B401	12	N/A	1	B, D	2.2K / N/A	1
EST	1212B	5151	B110LP, B401	12	N/A	1	B, D	2.2K / N/A	1
EST	1212B	2WT-B	N/A	12	N/A	1	B, D*	2.2K / N/A	1
EST	1212B	D2	N/A	12	N/A	1	B, D	2.2K / N/A	1
EST	1214B	2400	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1214B	2100S	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1214B	2100TS	N/A	12	N/A	1	B, D	2.2K / N/A	0
EST	1214B	2W-B	N/A	12	N/A	1	B, D*	2.2K / N/A	1
EST	1214B	2151(T)	B110LP, B401	12	N/A	1	B, D	2.2K / N/A	1
EST	1214B	5151	B110LP, B401	12	N/A	1	B, D	2.2K / N/A	1
EST	1214B	2WT-B	N/A	12	N/A	1	B, D*	2.2K / N/A	1
EST	1214B	D2	N/A	12	N/A	1	B, D	2.2K / N/A	1
EST	5751B	2400	N/A	12	5750B-102	1	B, D	4.7K / N/A	0
EST	5751B	2100S	N/A	12	5750B-102	1	B, D	4.7K / N/A	0
EST	5751B	2100TS	N/A	12	5750B-102	1	B, D	4.7K / N/A	0
EST	5751B	2400TH	N/A	12	5750B-102	1	B, D	4.7K / N/A	0
EST	5751B	2151(T)	B110LP, B401	12	5750B-102	1	B, D	4.7K / N/A	1
EST	5751B	5151	B110LP, B401	12	5750B-102	1	B, D	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST	5751B	D2	N/A	12	5750B-102	1	B, D	4.7K / N/A	1
EST	5751B	2W-B	N/A	12	5750B-102	1	B, D*	4.7K / N/A	1
EST	5751B	2WT-B	N/A	12	5750B-102	1	B, D*	4.7K / N/A	1
EST	5751B	2400	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5751B	2100S	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5751B	2100TS	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5751B	2400TH	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5751B	2W-B	N/A	12	N/A	1	B, D*	4.7K / N/A	1
EST	5751B	2151(T)	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	1
EST	5751B	5151	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	1
EST	5751B	2WT-B	N/A	12	N/A	1	B, D*	4.7K / N/A	1
EST	5751B	D2	N/A	12	N/A	1	B, D	4.7K / N/A	1
EST	5753B	1151	B110LP, B401	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5753B	2151(T)	B110LP, B401	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5753B	5151	B110LP, B401	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5753B	D2	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5753B	2451	DH400, B401B	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5753B	DH100LP	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5753B	DH100P	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5754B	2400	N/A	12	N/A	1	B	4.7K	0
EST	5754B	2100S	N/A	12	N/A	1	B	4.7K	0
EST	5754B	2100TS	N/A	12	N/A	1	B	4.7K	0
EST	5754B	2400TH	N/A	12	N/A	1	B	4.7K	0
EST	5754B	2W-B	N/A	12	N/A	1	B	4.7K	1
EST	5754B	2151(T)	B110LP, B401	12	N/A	1	B	4.7K	1
EST	5754B	5151	B110LP, B401	12	N/A	1	B	4.7K	1
EST	5754B	2WT-B	N/A	12	N/A	1	B	4.7K	1
EST	5754B	D2	N/A	12	N/A	1	B	4.7K	1
EST	5754B-2Z	2400	N/A	12	N/A	1	B	4.7K	0
EST	5754B-2Z	2100S	N/A	12	N/A	1	B	4.7K	0
EST	5754B-2Z	2100TS	N/A	12	N/A	1	B	4.7K	0
EST	5754B-2Z	2400TH	N/A	12	N/A	1	B	4.7K	0
EST	5754B-2Z	2W-B	N/A	12	N/A	1	B	4.7K	1
EST	5754B-2Z	2151(T)	B110LP, B401	12	N/A	1	B	4.7K	1
EST	5754B-2Z	5151	B110LP, B401	12	N/A	1	B	4.7K	1
EST	5754B-2Z	2WT-B	N/A	12	N/A	1	B	4.7K	1
EST	5754B-2Z	D2	N/A	12	N/A	1	B	4.7K	1
EST	5756B	2400	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5756B	2100S	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5756B	2100TS	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5756B	2400TH	N/A	12	5750B-102	1	B, D	1.8K / N/A	0
EST	5756B	2151(T)	B110LP, B401	12	5750B-102	1	B, D	1.8K / N/A	1
EST	5756B	5151	B110LP, B401	12	5750B-102	1	B, D	1.8K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST	5756B	D2	N/A	12	5750B-102	1	B, D	1.8K / N/A	1
EST	5756B	2W-B	N/A	12	5750B-102	1	B, D*	1.8K / N/A	1
EST	5756B	2WT-B	N/A	12	5750B-102	1	B, D*	1.8K / N/A	1
EST	5756B	2400	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5756B	2100S	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5756B	2100TS	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5756B	2400TH	N/A	12	N/A	1	B, D	4.7K / N/A	0
EST	5756B	2W-B	N/A	12	N/A	1	B, D*	4.7K / N/A	1
EST	5756B	2151(T)	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	1
EST	5756B	5151	B110LP, B401	12	N/A	1	B, D	4.7K / N/A	1
EST	5756B	2WT-B	N/A	12	N/A	1	B, D*	4.7K / N/A	1
EST	5756B	D2	N/A	12	N/A	1	B, D	4.7K / N/A	1
EST	EST3	1151	B110LP, B401	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	1451	B401, B401B	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	2151(T)	B110LP, B401	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	5151	B110LP, B401	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	D2	N/A	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	2451	B110LP, B401	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	2451	B401B	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	2451	DH400	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	1451DH	DH400	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	2451TH	B110LP, B401	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	DH100LP	N/A	25	3-IDC 8/4	0	B	4.7K	0
EST	EST3	DH100P	N/A	25	3-IDC 8/4	0	B	4.7K	0
EST (FAST)	IRC-1	1151	B110LP, B401	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	1151	B110LP, B401	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	1400	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	1400	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	1451	B401B	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	1451	B401B	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2151(T)	B110LP, B401	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	5151	B110LP, B401	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	D2	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2151(T)	B110LP, B401	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	5151	B110LP, B401	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	D2	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2400	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2400	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2451	B401B	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2451	B401B	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2451	DH400	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2451	DH400	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2100S	N/A	25	130022	5876	B	260001	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	IRC-1	2100S	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2100TS	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2100TS	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2400TH	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2400TH	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2451TH	B401B	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	2451TH	B401B	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	2W-B	N/A	25	130022	5876	B	260001	1
EST (FAST)	IRC-1	2W-B	N/A	25	130022	5876	D*	N/A	1
EST (FAST)	IRC-1	2WT-B	N/A	25	130022	5876	B	260001	1
EST (FAST)	IRC-1	2WT-B	N/A	25	130022	5876	D*	N/A	1
EST (FAST)	IRC-1	DH100LP	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	DH100LP	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-1	DH100P	N/A	25	130022	5876	B	260001	0
EST (FAST)	IRC-1	DH100P	N/A	25	130022	5876	D	N/A	0
EST (FAST)	IRC-3	1151	B110LP, B401	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	1151	B110LP, B401	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	1400	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	1400	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	1451	B401B	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	1451	B401B	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2151(T)	B110LP, B401	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	5151	B110LP, B401	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	D2	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2151(T)	B110LP, B401	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	5151	B110LP, B401	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	D2	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2400	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2400	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2451	B401B	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2451	B401B	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2451	DH400	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2451	DH400	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2100S	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2100S	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2100TS	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2100TS	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2400TH	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2400TH	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2451TH	B401B	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	2451TH	B401B	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	2W-B	N/A	25	130082	3289A	B	260001	1
EST (FAST)	IRC-3	2W-B	N/A	25	130082	3289A	D*	N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	IRC-3	2WT-B	N/A	25	130082	3289A	B	260001	1
EST (FAST)	IRC-3	2WT-B	N/A	25	130082	3289A	D*	N/A	1
EST (FAST)	IRC-3	DH100LP	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	DH100LP	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	DH100P	N/A	25	130082	3289A	B	260001	0
EST (FAST)	IRC-3	DH100P	N/A	25	130082	3289A	D	N/A	0
EST (FAST)	IRC-3	1151	B110LP, B401	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	1400	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	1451	B401B	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2151(T)	B110LP, B401	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	5151	B110LP, B401	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	D2	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2400	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2451	B401B	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2451	DH400	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2100S	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2100TS	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2400TH	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2451TH	B401B	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	2W-B	N/A	20	240205	5389	B	260001	1
EST (FAST)	IRC-3	2WT-B	N/A	20	240205	5389	B	260001	1
EST (FAST)	IRC-3	DH100LP	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	DH100P	N/A	20	240205	5389	B	260001	0
EST (FAST)	IRC-3	1151	B110LP, B401	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	1400	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	1451	B401B	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2151(T)	B110LP, B401	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	5151	B110LP, B401	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	D2	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2400	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2451	B401B	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2451	DH400	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2100S	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2100TS	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2400TH	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2451TH	B401B	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	2W-B	N/A	25	240113, 240119, 130108	3289B	B	260001	1
EST (FAST)	IRC-3	2WT-B	N/A	25	240113, 240119, 130108	3289B	B	260001	1
EST (FAST)	IRC-3	DH100LP	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	DH100P	N/A	25	240113, 240119, 130108	3289B	B	260001	0
EST (FAST)	IRC-3	1151	B110LP, B401	10	SIGA-UM	O.O	B	15K	0
EST (FAST)	IRC-3	1451	B401, B401B	10	SIGA-UM	O.O	B	15K	0
EST (FAST)	IRC-3	2151(T)	B110LP, B401	10	SIGA-UM	O.O	B	15K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	IRC-3	5151	B110LP, B401	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	IRC-3	D2	N/A	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	IRC-3	2451	B401, B401B	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	IRC-3	2451	DH400	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	IRC-3	2451TH	B401, B401B	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	IRC-3	DH100LP	N/A	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	IRC-3	DH100P	N/A	10	SIGA-UM	0.0	B	15K	0
EST (FAST)	LSS1	1151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	1400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	1451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2151(T)	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	5151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	D2	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2451	DH400	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2100S	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2100TS	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2400TH	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2451TH	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	2W-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS1	2WT-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS1	DH100LP	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	DH100P	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1	1151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	1400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	1451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2151(T)	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	5151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	D2	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2451	DH400	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2100S	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2100TS	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2400TH	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2451TH	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	2W-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS1	2WT-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS1	DH100LP	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	DH100P	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1	1151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	1400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	LSS1	1451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2151(T)	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	5151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	D2	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2451	DH400	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2100S	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2100TS	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2400TH	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2451TH	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	2W-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS1	2WT-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS1	DH100LP	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1	DH100P	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	1151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	1400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	1451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2151(T)	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	5151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	D2	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2451	DH400	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2100S	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2100TS	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2400TH	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2451TH	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	2W-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS1/12	2WT-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS1/12	DH100LP	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	DH100P	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS1/12	1151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	1400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	1451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2151(T)	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	5151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	D2	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2451	DH400	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2100S	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2100TS	N/A	25	MOTHERBOARD	0.0	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	LSS1/12	2400TH	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2451TH	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	2W-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS1/12	2WT-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS1/12	DH100LP	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	DH100P	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS1/12	1151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	1400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	1451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2151(T)	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	5151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	D2	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2451	DH400	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2100S	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2100TS	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2400TH	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2451TH	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	2W-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS1/12	2WT-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS1/12	DH100LP	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS1/12	DH100P	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	1151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	1400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	1451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2151(T)	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	5151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	D2	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2451	DH400	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2100S	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2100TS	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2400TH	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2451TH	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	2W-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS4	2WT-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS4	DH100LP	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	DH100P	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4	1151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	1400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	1451	B401B	25	MOTHERBOARD	0.0	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	LSS4	2151(T)	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	5151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	D2	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2451	DH400	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2100S	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2100TS	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2400TH	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2451TH	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	2W-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS4	2WT-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS4	DH100LP	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	DH100P	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4	1151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	1400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	1451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2151(T)	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	5151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	D2	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2451	DH400	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2100S	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2100TS	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2400TH	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2451TH	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	2W-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS4	2WT-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS4	DH100LP	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4	DH100P	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	1151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	1400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	1451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2151(T)	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	5151	B110LP, B401	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	D2	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2400	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2451	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2451	DH400	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2100S	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2100TS	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2400TH	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	LSS4/12	2451TH	B401B	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	2W-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS4/12	2WT-B	N/A	25	4CLA, 4ZEXP	0.0	D*	N/A	1
EST (FAST)	LSS4/12	DH100LP	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	DH100P	N/A	25	4CLA, 4ZEXP	0.0	D	N/A	0
EST (FAST)	LSS4/12	1151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	1400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	1451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2151(T)	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	5151	B110LP, B401	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	D2	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2400	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2451	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2451	DH400	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2100S	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2100TS	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2400TH	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2451TH	B401B	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	2W-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS4/12	2WT-B	N/A	25	MOTHERBOARD	0.0	D*	N/A	1
EST (FAST)	LSS4/12	DH100LP	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	DH100P	N/A	25	MOTHERBOARD	0.0	D	N/A	0
EST (FAST)	LSS4/12	1151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	1400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	1451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2151(T)	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	5151	B110LP, B401	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	D2	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2400	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2451	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2451	DH400	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2100S	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2100TS	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2400TH	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2451TH	B401B	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	2W-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS4/12	2WT-B	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	1
EST (FAST)	LSS4/12	DH100LP	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	LSS4/12	DH100P	N/A	25	MOTHERBOARD, 4ZEXP	0.0	B	3.9K	0
EST (FAST)	RZB12-6MFC	1151	B110LP, B401	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	1400	N/A	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	1451	B401B	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2151(T)	B110LP, B401	20	240204	5389	B	260001	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
EST (FAST)	RZB12-6MFC	5151	B110LP, B401	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2400	N/A	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2451	B401B	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2451	DH400	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2100S	N/A	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2100TS	N/A	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2400TH	N/A	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2451TH	B401B	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	2W-B	N/A	20	240204	5389	B	260001	1
EST (FAST)	RZB12-6MFC	2WT-B	N/A	20	240204	5389	B	260001	1
EST (FAST)	RZB12-6MFC	D2	N/A	20	240204	5389	B	260001	0
EST (FAST)	RZB12-6MFC	DH100LP	N/A	20	240204	5389	B	PN260001	0
EST (FAST)	RZB12-6MFC	DH100P	N/A	20	240204	5389	B	PN260001	0
Faraday	852	1100	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	1151	B110LP, B401	25	N/A	FOS1	B	3.9K	0
Faraday	852	1400	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	1451	B401B	25	N/A	FOS1	B	3.9K	0
Faraday	852	2151(T)	B110LP, B401	30	N/A	FOS1	B	3.9K	0
Faraday	852	5151	B110LP, B401	30	N/A	FOS1	B	3.9K	0
Faraday	852	2400	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	852	2451	B401B	25	N/A	FOS1	B	3.9K	0
Faraday	852	2451	DH400	25	N/A	FOS1	B	3.9K	0
Faraday	852	2100D	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	2100S	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	2100TD	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	2100TS	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	2400TH	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	852	2451TH	B401B	25	N/A	FOS1	B	3.9K	0
Faraday	852	2W-B	N/A	30	N/A	FOS1	B	3.9K	1
Faraday	852	2WT-B	N/A	30	N/A	FOS1	B	3.9K	1
Faraday	852	D2	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	852	DH100LP	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	852	DH100P	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	854	1100	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	854	1151	B110LP, B401	25	N/A	FOS1	B	3.9K	0
Faraday	854	1400	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	854	1451	B401B	25	N/A	FOS1	B	3.9K	0
Faraday	854	2151(T)	B110LP, B401	30	N/A	FOS1	B	3.9K	0
Faraday	854	5151	B110LP, B401	30	N/A	FOS1	B	3.9K	0
Faraday	854	2400	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	854	2451	B401B	25	N/A	FOS1	B	3.9K	0
Faraday	854	2451	DH400	25	N/A	FOS1	B	3.9K	0
Faraday	854	2100D	N/A	30	N/A	FOS1	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	854	2100S	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	854	2100TD	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	854	2100TS	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	854	2400TH	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	854	2451TH	B401B	25	N/A	FOS1	B	3.9K	0
Faraday	854	2W-B	N/A	30	N/A	FOS1	B	3.9K	1
Faraday	854	2WT-B	N/A	30	N/A	FOS1	B	3.9K	1
Faraday	854	D2	N/A	30	N/A	FOS1	B	3.9K	0
Faraday	854	DH100LP	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	854	DH100P	N/A	25	N/A	FOS1	B	3.9K	0
Faraday	7800	1151	B110LP, B401	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	1400	N/A	20	7836	B	B, D	5.6K / N/A	0
Faraday	7800	1451	B401B	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2151(T)	B110LP, B401	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	5151	B110LP, B401	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2400	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2451	B401B	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2451	DH400	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2100S	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2100TS	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2400TH	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2451TH	B401B	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	2W-B	N/A	16	7836	B	B, D*	5.6K / N/A	1
Faraday	7800	2WT-B	N/A	16	7836	B	B, D*	5.6K / N/A	1
Faraday	7800	D2	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	DH100LP	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	7800	DH100P	N/A	16	7836	B	B, D	5.6K / N/A	0
Faraday	12400	2WTA-B	N/A	30	N/A	E	B	4.7K	1
Faraday	13200	2WTA-B	N/A	30	N/A	F	B	3.9K	1
Faraday	13200	2WTR-B	N/A	1	N/A	F	B	3.9K	1
Faraday	13400	2WTA-B	N/A	30	N/A	G	B	3.9K	1
Faraday	13400	2WTR-B	N/A	1	N/A	G	B	3.9K	1
Faraday	15220	1100	N/A	30	N/A	C	B	3.9K	0
Faraday	15220	1151	B110LP, B401	25	N/A	C	B	3.9K	0
Faraday	15220	1400	N/A	30	N/A	C	B	3.9K	0
Faraday	15220	1451	B401B	25	N/A	C	B	3.9K	0
Faraday	15220	2151(T)	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15220	5151	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15220	2400	N/A	25	N/A	C	B	3.9K	0
Faraday	15220	2451	B401B	25	N/A	C	B	3.9K	0
Faraday	15220	2451	DH400	25	N/A	C	B	3.9K	0
Faraday	15220	2100D	N/A	30	N/A	C	B	3.9K	0
Faraday	15220	2100S	N/A	30	N/A	C	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15220	2100TD	N/A	30	N/A	C	B	3.9K	0
Faraday	15220	2100TS	N/A	30	N/A	C	B	3.9K	0
Faraday	15220	2400TH	N/A	25	N/A	C	B	3.9K	0
Faraday	15220	2451TH	B401B	25	N/A	C	B	3.9K	0
Faraday	15220	2W-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15220	2WT-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15220	D2	N/A	30	N/A	C	B	3.9K	0
Faraday	15220	DH100LP	N/A	25	N/A	C	B	3.9K	0
Faraday	15220	DH100P	N/A	25	N/A	C	B	3.9K	0
Faraday	15240	1100	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	1151	B110LP, B401	25	N/A	C	B	3.9K	0
Faraday	15240	1400	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	1451	B401B	25	N/A	C	B	3.9K	0
Faraday	15240	2151(T)	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15240	5151	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15240	2400	N/A	25	N/A	C	B	3.9K	0
Faraday	15240	2451	B401B	25	N/A	C	B	3.9K	0
Faraday	15240	2451	DH400	25	N/A	C	B	3.9K	0
Faraday	15240	2100D	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	2100S	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	2100TD	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	2100TS	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	2400TH	N/A	25	N/A	C	B	3.9K	0
Faraday	15240	2451TH	B401B	25	N/A	C	B	3.9K	0
Faraday	15240	2W-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15240	2WT-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15240	D2	N/A	30	N/A	C	B	3.9K	0
Faraday	15240	DH100LP	N/A	25	N/A	C	B	3.9K	0
Faraday	15240	DH100P	N/A	25	N/A	C	B	3.9K	0
Faraday	15108A	1151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	1151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	1400	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	1451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	1451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2151(T)	B110LP, B401	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	5151	B110LP, B401	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	D2	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2151(T)	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	5151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2400	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2451	B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2451	DH400	12	N/A	A	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15108A	5451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	5451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	1451DH	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2100D	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2100S	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2100TD	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2100TS	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2400AIT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2400AT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2400TH	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2451TH	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2451TH	B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2451TH	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	2W-B	N/A	15	N/A	A	B, D*	5.6K / N/A	1
Faraday	15108A	2WT-B	N/A	15	N/A	A	B, D*	5.6K / N/A	1
Faraday	15108A	4451HT	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	4451HT	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	DH100LP	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108A	DH100P	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108AL	1151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	1151	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	1400	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	1451	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	1451	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2151(T)	B110LP, B401	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	5151	B110LP, B401	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	D2	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2151(T)	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	5151	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2400	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2451	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2451	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2451	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	5451	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	5451	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	1451DH	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2100D	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2100S	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2100TD	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2100TS	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2400AIT	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2400AT	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2400TH	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15108AL	2451TH	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2451TH	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2451TH	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	2W-B	N/A	15	N/A	FOS2	B, D*	5.6K / N/A	1
Faraday	15108AL	2WT-B	N/A	15	N/A	FOS2	B, D*	5.6K / N/A	1
Faraday	15108AL	4451HT	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	4451HT	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	DH100LP	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108AL	DH100P	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108B	1151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	1451	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	2151(T)	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	5151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	D2	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	2451	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	5451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	5151	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	2451TH	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	4451HT	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	DH100LP	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108B	DH100P	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15108BL	1151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	1151	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	1451	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	1451	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2151(T)	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	5151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	D2	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2151(T)	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	5151	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2451	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2451	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	5451	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	5151	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	5451	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	1451DH	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2400AIT	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2400AT	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2451TH	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	2451TH	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	4451HT	B401, B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	4451HT	B116LP, B406B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15108BL	DH100LP	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15108BL	DH100P	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112A	1151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	1151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	1400	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	1451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	1451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2151(T)	B110LP, B401	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	5151	B110LP, B401	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	D2	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2151(T)	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	5151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2400	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2451	B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2451	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	5451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	5151	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	5451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	1451DH	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2100D	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2100S	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2100TD	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2100TS	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2400AIT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2400AT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2400TH	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2451TH	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2451TH	B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2451TH	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	2W-B	N/A	15	N/A	A	B, D*	5.6K / N/A	1
Faraday	15112A	2WT-B	N/A	15	N/A	A	B, D*	5.6K / N/A	1
Faraday	15112A	4451HT	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	4451HT	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	DH100LP	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112A	DH100P	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112AL	1100	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	1151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	1400	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	1451	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2151(T)	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	5151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2400	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2451	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15112AL	2451	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2100D	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2100S	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2100TD	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2100TS	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2400TH	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2451TH	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	2W-B	N/A	15	N/A	FOS2	B, D*	5.6K / N/A	1
Faraday	15112AL	2WT-B	N/A	15	N/A	FOS2	B, D*	5.6K / N/A	1
Faraday	15112AL	D2	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	DH100LP	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112AL	DH100P	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112B	1151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112B	2151(T)	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112B	5151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112B	D2	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112B	2451	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112B	DH100LP	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112B	DH100P	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15112BL	1151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112BL	2151(T)	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112BL	5151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112BL	D2	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112BL	2451	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112BL	DH100LP	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15112BL	DH100P	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116A	1151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	1151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	1400	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	1451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	1451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2151(T)	B110LP, B401	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	5151	B110LP, B401	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	D2	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2151(T)	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	5151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2400	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2451	B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2451	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	5451	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	5451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	1451DH	DH400	12	N/A	A	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15116A	2100D	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2100S	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2100TD	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2100TS	N/A	15	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2400AIT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2400AT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2400TH	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2451TH	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2451TH	B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2451TH	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	2W-B	N/A	15	N/A	A	B, D*	5.6K / N/A	1
Faraday	15116A	2WT-B	N/A	15	N/A	A	B, D*	5.6K / N/A	1
Faraday	15116A	4451HT	B401, B401B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	4451HT	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	DH100LP	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116A	DH100P	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116AL	1100	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	1151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	1400	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	1451	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2151(T)	B110LP, B401	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	5151	B110LP, B401	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2400	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2451	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2451	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2100D	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2100S	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2100TD	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2100TS	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2400TH	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2451TH	B401B	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	2W-B	N/A	15	N/A	FOS2	B, D*	5.6K / N/A	1
Faraday	15116AL	2WT-B	N/A	15	N/A	FOS2	B, D*	5.6K / N/A	1
Faraday	15116AL	D2	N/A	15	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	DH100LP	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116AL	DH100P	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116B	1151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	1151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	1451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2151(T)	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	5151	B110LP, B401	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	D2	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2151(T)	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	15116B	5151	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2451	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	5451	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	1451DH	DH400	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2400AIT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2400AT	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	2451TH	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	4451HT	B116LP, B406B	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	DH100LP	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116B	DH100P	N/A	12	N/A	A	B, D	5.6K / N/A	0
Faraday	15116BL	1151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116BL	2151(T)	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116BL	5151	B110LP, B401	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116BL	D2	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116BL	2451	DH400	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116BL	DH100LP	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15116BL	DH100P	N/A	12	N/A	FOS2	B, D	5.6K / N/A	0
Faraday	15220A	1151	B110LP, B401	25	N/A	C	B	3.9K	0
Faraday	15220A	2151(T)	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15220A	5151	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15220A	2100AT	N/A	30	N/A	C	B	3.9K	0
Faraday	15220A	2100S	N/A	30	N/A	C	B	3.9K	0
Faraday	15220A	2100TR	N/A	1	N/A	C	B	3.9K	0
Faraday	15220A	2100TS	N/A	30	N/A	C	B	3.9K	0
Faraday	15220A	2W-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15220A	2WTA-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15220A	2WT-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15220A	2WTR-B	N/A	1	N/A	C	B	3.9K	1
Faraday	15220A	D2	N/A	30	N/A	C	B	3.9K	0
Faraday	15240A	1151	B110LP, B401	25	N/A	C	B	3.9K	0
Faraday	15240A	2151(T)	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15240A	5151	B110LP, B401	30	N/A	C	B	3.9K	0
Faraday	15240A	2100AT	N/A	30	N/A	C	B	3.9K	0
Faraday	15240A	2100S	N/A	30	N/A	C	B	3.9K	0
Faraday	15240A	2100TR	N/A	1	N/A	C	B	3.9K	0
Faraday	15240A	2100TS	N/A	30	N/A	C	B	3.9K	0
Faraday	15240A	2W-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15240A	2WTA-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15240A	2WT-B	N/A	30	N/A	C	B	3.9K	1
Faraday	15240A	2WTR-B	N/A	1	N/A	C	B	3.9K	1
Faraday	15240A	D2	N/A	30	N/A	C	B	3.9K	0
Faraday	19000A	1151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	19000A	1151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	1151	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	1400	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	1451	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	1451	B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	1451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2151(T)	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	5151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	D2	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2151(T)	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	5151	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2400	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2451	B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2451	DH400	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	5451	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	5151	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	5451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	1451DH	DH400	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2100S	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2100TS	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2400AIT	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2400AT	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2400TH	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2451TH	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2451TH	B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2451TH	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	2W-B	N/A	16	401126, 401127	B	B, D*	5.6K / N/A	1
Faraday	19000A	2WT-B	N/A	16	401126, 401127	B	B, D*	5.6K / N/A	1
Faraday	19000A	4451HT	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	4451HT	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	DH100LP	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A	DH100P	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	1151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	1151	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	1451	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	1451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2151(T)	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	5151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	D2	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2151(T)	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2451	DH400	16	401126, 401127	B	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	19000A EVAC	5451	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	5151	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	5451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	5151	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	1451DH	DH400	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2400AIT	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2400AT	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2451TH	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	2451TH	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	4451HT	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	4451HT	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	DH100LP	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000A EVAC	DH100P	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	1151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	1151	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	1451	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	1451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2151(T)	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	5151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	D2	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2151(T)	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2451	DH400	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	5451	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	5151	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	5451	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	5151	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	1451DH	DH400	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2400AIT	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2400AT	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2451TH	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	2451TH	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	4451HT	B401, B401B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	4451HT	B116LP, B406B	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	DH100LP	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	19000B	DH100P	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	EVAC	2451	DH400	16	401126	B	D	N/A	0
Faraday	EVAC	DH100LP	N/A	16	401126	B	D	N/A	0
Faraday	EVAC	DH100P	N/A	16	401126	B	D	N/A	0
Faraday	EVAC	1151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	EVAC	2151(T)	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	EVAC	5151	B110LP, B401	16	401126, 401127	B	B, D	5.6K / N/A	0
Faraday	EVAC	D2	N/A	16	401126, 401127	B	B, D	5.6K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	EVAC	2451	DH400	16	401126, 401127	B	B	5.6K	0
Faraday	EVAC	DH100LP	N/A	16	401126, 401127	B	B	5.6K	0
Faraday	EVAC	DH100P	N/A	16	401126, 401127	B	B	5.6K	0
Faraday	FIREWATCH - 200	2WTA-B	N/A	30	N/A	F	B	3.9K	1
Faraday	FIREWATCH - 200	2WTR-B	N/A	1	N/A	F	B	3.9K	1
Faraday	FIREWATCH - 400	2WTA-B	N/A	30	N/A	G	B	3.9K	1
Faraday	FIREWATCH - 400	2WTR-B	N/A	1	N/A	G	B	3.9K	1
Faraday	FIREWATCH - 4000	2WTA-B	N/A	30	N/A	E	B	4.7K	1
Faraday	FIREWATCH - II+2	2WTA-B	N/A	30	N/A	C	B	3.9K	1
Faraday	FIREWATCH - II+2	2WTR-B	N/A	1	N/A	C	B	3.9K	1
Faraday	FireWatch 200	1151	B110LP, B401	25	N/A	F	B	3.9K	0
Faraday	FireWatch 200	2151(T)	B110LP, B401	30	N/A	F	B	3.9K	0
Faraday	FireWatch 200	5151	B110LP, B401	30	N/A	F	B	3.9K	0
Faraday	FireWatch 200	2100AT	N/A	30	N/A	F	B	3.9K	0
Faraday	FireWatch 200	2100S	N/A	30	N/A	F	B	3.9K	0
Faraday	FireWatch 200	2100TR	N/A	1	N/A	F	B	3.9K	0
Faraday	FireWatch 200	2100TS	N/A	30	N/A	F	B	3.9K	0
Faraday	FireWatch 200	2W-B	N/A	30	N/A	F	B	3.9K	1
Faraday	FireWatch 200	2WT-B	N/A	30	N/A	F	B	3.9K	1
Faraday	FireWatch 200	D2	N/A	30	N/A	F	B	3.9K	0
Faraday	FireWatch 400	1151	B110LP, B401	25	N/A	G	B	3.9K	0
Faraday	FireWatch 400	2151(T)	B110LP, B401	30	N/A	G	B	3.9K	0
Faraday	FireWatch 400	5151	B110LP, B401	30	N/A	G	B	3.9K	0
Faraday	FireWatch 400	2100AT	N/A	30	N/A	G	B	3.9K	0
Faraday	FireWatch 400	2100S	N/A	30	N/A	G	B	3.9K	0
Faraday	FireWatch 400	2100TR	N/A	1	N/A	G	B	3.9K	0
Faraday	FireWatch 400	2100TS	N/A	30	N/A	G	B	3.9K	0
Faraday	FireWatch 400	2W-B	N/A	30	N/A	G	B	3.9K	1
Faraday	FireWatch 400	2WT-B	N/A	30	N/A	G	B	3.9K	1
Faraday	FireWatch 400	D2	N/A	30	N/A	G	B	3.9K	0
Faraday	FireWatch 4000	1100	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	1151	B110LP, B401	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	1151	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	1400	N/A	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	1451	B401, B401B	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	1451	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2151(T)	B110LP, B401	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	5151	B110LP, B401	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	D2	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2151(T)	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	5151	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2400	N/A	20	N/A	E	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	FireWatch 4000	2451	B110LP, B401	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2451	B401B	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2451	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2451	DH400	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	5451	B110LP, B401	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	5451	B401B	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	5151	B401B	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	5451	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	1451DH	DH400	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100AT	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100B	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100D	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100S	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100T	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100TB	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100TD	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2100TS	N/A	25	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2400TH	N/A	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2451TH	B110LP, B401	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2451TH	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	2W-B	N/A	25	N/A	E	B	4.7K	1
Faraday	FireWatch 4000	2WT-B	N/A	25	N/A	E	B	4.7K	1
Faraday	FireWatch 4000	4451HT	B401B	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	4451HT	B116LP, B406B	1	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	DH100LP	N/A	20	N/A	E	B	4.7K	0
Faraday	FireWatch 4000	DH100P	N/A	20	N/A	E	B	4.7K	0
Faraday	MPC-2000	1151	B110LP, B401	25	101311A	D	B	3.9K	0
Faraday	MPC-2000	2151(T)	B110LP, B401	30	101311A	D	B	3.9K	0
Faraday	MPC-2000	5151	B110LP, B401	25	101311A	D	B	3.9K	0
Faraday	MPC-2000	D2	N/A	30	101311A	D	B	3.9K	0
Faraday	MPC-2000	2100AT	N/A	30	101311A	D	B	3.9K	0
Faraday	MPC-2000	2100S	N/A	30	101311A	D	B	3.9K	0
Faraday	MPC-2000	2100TR	N/A	1	101311A	D	B	3.9K	0
Faraday	MPC-2000	2100TS	N/A	30	101311A	D	B	3.9K	0
Faraday	MPC-2000	2W-B	N/A	30	101311A	D	B	3.9K	1
Faraday	MPC-2000	2WT-B	N/A	30	101311A	D	B	3.9K	1
Faraday	MPC-2000	1100	N/A	30	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	1400	N/A	25	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	1451	B401B	25	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2151(T)	B110LP, B401	30	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	5151	B110LP, B401	30	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	D2	N/A	30	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2400	N/A	25	401310, 401311	D	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	MPC-2000	2451	B401B	25	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2100S	N/A	30	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2100TS	N/A	30	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2400TH	N/A	25	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2451TH	B401B	25	401310, 401311	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	2W-B	N/A	30	401310, 401311	D	B, D*	3.9K / N/A	1
Faraday	MPC-2000	2WT-B	N/A	30	401310, 401311	D	B, D*	3.9K / N/A	1
Faraday	MPC-2000	1151	B110LP, B401	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	1151	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	1451	B110LP, B401	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	1451	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2151(T)	B110LP, B401	30	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	5151	B110LP, B401	30	401310, 401311, 401312	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	D2	N/A	30	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2151(T)	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2451	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2451	DH400	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2451	DH400	25	401310, 401311, 401312	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	5451	B401, B401B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	5451	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	5151	B116LP, B406B	16	401310, 401311, 401312	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	1451DH	DH400	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2400AIT	N/A	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2400AT	N/A	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2451TH	B110LP, B401	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	2451TH	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	4451HT	B401, B401B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	4451HT	B116LP, B406B	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	DH100LP	N/A	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	DH100LP	N/A	25	401310, 401311, 401312	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	DH100P	N/A	16	401310, 401311, 401312	D	B, D	5.6K / N/A	0
Faraday	MPC-2000	DH100P	N/A	25	401310, 401311, 401312	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	1151	B110LP, B401	25	401310, 401312	D	B, D	3.9K / N/A	0
Faraday	MPC-2000	1151	B110LP, B401	25	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	2151(T)	B110LP, B401	30	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	5151	B110LP, B401	30	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	D2	N/A	30	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	2100AT	N/A	30	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	2100S	N/A	30	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	2100TR	N/A	1	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	2100TS	N/A	30	401310A, 401312A	D	D	N/A	0
Faraday	MPC-2000	2W-B	N/A	30	401310A, 401312A	D	D*	N/A	1
Faraday	MPC-2000	2WT-B	N/A	30	401310A, 401312A	D	D*	N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Faraday	MPC-2000	2WTA-B	N/A	30	N/A	D	B	3.9K	1
Faraday	MPC-2000	2WTR-B	N/A	1	N/A	D	B	3.9K	1
FCI	7200	1151	B110LP, B401	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2151(T)	B110LP, B401	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	5151	B110LP, B401	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	D2	N/A	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2100AT	N/A	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2100D	N/A	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2100S	N/A	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2100TD	N/A	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2100TS	N/A	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	2W-B	N/A	20	EZU	EZU1	A, B	4700-0486	1
FCI	7200	2WT-B	N/A	20	EZU	EZU1	A, B	4700-0486	1
FCI	7200	301IL	301BL, B401BH	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	301PL	301BL, B401BH	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	301T	301BL, B401BH	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	4451HT	301B	20	EZU	EZU1	A, B	4700-0486	0
FCI	7200	1151	B110LP, B401	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2151(T)	B110LP, B401	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	5151	B110LP, B401	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	D2	N/A	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2100AT	N/A	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2100D	N/A	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2100S	N/A	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2100TD	N/A	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2100TS	N/A	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	2W-B	N/A	20	EZU, EZD	EZD01	D*	4700-0486	1
FCI	7200	2WT-B	N/A	20	EZU, EZD	EZD01	D*	4700-0486	1
FCI	7200	301IL	301BL, B401BH	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	301PL	301BL, B401BH	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	301T	301BL, B401BH	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	4451HT	301B	20	EZU, EZD	EZD01	D	4700-0486	0
FCI	7200	1151	B110LP, B401	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2151(T)	B110LP, B401	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	5151	B110LP, B401	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	D2	N/A	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2100AT	N/A	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2100D	N/A	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2100S	N/A	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2100TD	N/A	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2100TS	N/A	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	2W-B	N/A	20	QZU	QZU01	A, B, D*	4700-0486	1
FCI	7200	2WT-B	N/A	20	QZU	QZU01	A, B, D*	4700-0486	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
FCI	7200	301IL	301BL, B401BH	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	301PL	301BL, B401BH	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	301T	301BL, B401BH	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	7200	4451HT	301B	20	QZU	QZU01	A, B, D	4700-0486	0
FCI	AMM-4S	2100S	N/A	20	AMM-4S	A	B, D	3.9K / N/A	0
FCI	AMM-4S	2100TS	N/A	20	AMM-4S	A	B, D	3.9K / N/A	0
FCI	AMM-4S	2W-B	N/A	20	AMM-4S	A	B, D*	3.9K	1
FCI	AMM-4S	2151(T)	B110LP, B401	20	AMM-4S	A	B, D	3.9K	1
FCI	AMM-4S	5151	B110LP, B401	20	AMM-4S	A	B, D	3.9K	1
FCI	AMM-4S	2WTA-B	N/A	20	AMM-4S	A	B, D*	3.9K	1
FCI	AMM-4S	2WT-B	N/A	20	AMM-4S	A	B, D*	3.9K	1
FCI	AMM-4S	D2	N/A	20	AMM-4S	A	B, D	3.9K	1
FCI	CLP-2	1151	B110LP, B401	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2151(T)	B110LP, B401	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	5151	B110LP, B401	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	D2	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2100AT	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2100D	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2100S	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2100TD	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2100TS	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	2W-B	N/A	20	CLP-2, CLP-4	CLP01	B, D*	4700-0486	1
FCI	CLP-2	2WT-B	N/A	20	CLP-2, CLP-4	CLP01	B, D*	4700-0486	1
FCI	CLP-2	301IL	301BL, B401BH	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	301PL	301BL, B401BH	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	301T	301BL, B401BH	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-2	4451HT	301B	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	1151	B110LP, B401	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2151(T)	B110LP, B401	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	5151	B110LP, B401	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2100AT	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2100D	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2100S	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2100TD	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2100TS	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	2W-B	N/A	20	CLP-2, CLP-4	CLP01	B, D*	4700-0486	1
FCI	CLP-4	2WT-B	N/A	20	CLP-2, CLP-4	CLP01	B, D*	4700-0486	1
FCI	CLP-4	301IL	301BL, B401BH	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	301PL	301BL, B401BH	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	301T	301BL, B401BH	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	4451HT	301B	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	CLP-4	D2	N/A	20	CLP-2, CLP-4	CLP01	B, D	4700-0486	0
FCI	FC-10C	2W-B	N/A	20	CAC-10F	A	B, D*	4.7K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
FCI	FC-10C	2151(T)	B110LP, B401	20	CAC-10F	A	B, D	4.7K	1
FCI	FC-10C	5151	B110LP, B401	20	CAC-10F	A	B, D	4.7K	1
FCI	FC-10C	2WTA-B	N/A	20	CAC-10F	A	B, D*	4.7K	1
FCI	FC-10C	2WT-B	N/A	20	CAC-10F	A	B, D*	4.7K	1
FCI	FC-10C	2WTR-B	N/A	1	CAC-10F	A	B, D*	4.7K	1
FCI	FC-10C	D2	N/A	20	CAC-10F	A	B, D	4.7K	1
FCI	FC-2224	2W-B	N/A	30	N/A	24F	B	3.9K	1
FCI	FC-2224	2151(T)	B110LP, B401	30	N/A	24F	B	3.9K	1
FCI	FC-2224	5151	B110LP, B401	30	N/A	24F	B	3.9K	1
FCI	FC-2224	2WTA-B	N/A	30	N/A	24F	B	7628	1
FCI	FC-2224	2WT-B	N/A	30	N/A	24F	B	3.9K	1
FCI	FC-2224	2WTR-B	N/A	1	N/A	24F	B	7628	1
FCI	FC-2224	D2	N/A	30	N/A	24F	B	3.9K	1
FCI	FC-4224	2W-B	N/A	30	N/A	24F	B	3.9K	1
FCI	FC-4224	2151(T)	B110LP, B401	30	N/A	24F	B	3.9K	1
FCI	FC-4224	5151	B110LP, B401	30	N/A	24F	B	3.9K	1
FCI	FC-4224	2WTA-B	N/A	30	N/A	24F	B	7628	1
FCI	FC-4224	2WT-B	N/A	30	N/A	24F	B	3.9K	1
FCI	FC-4224	2WTR-B	N/A	1	N/A	24F	B	7628	1
FCI	FC-4224	D2	N/A	30	N/A	24F	B	3.9K	1
FCI	FC-5C	2W-B	N/A	20	CAC-5F	A	B, D*	4.7K	1
FCI	FC-5C	2151(T)	B110LP, B401	20	CAC-5F	A	B, D	4.7K	1
FCI	FC-5C	5151	B110LP, B401	20	CAC-5F	A	B, D	4.7K	1
FCI	FC-5C	2WTA-B	N/A	20	CAC-5F	A	B, D*	4.7K	1
FCI	FC-5C	2WT-B	N/A	20	CAC-5F	A	B, D*	4.7K	1
FCI	FC-5C	2WTR-B	N/A	1	CAC-5F	A	B, D*	4.7K	1
FCI	FC-5C	D2	N/A	20	CAC-5F	A	B, D	4.7K	1
FCI	FC-6324	2W-B	N/A	20	N/A	24F	B	4.7K	1
FCI	FC-6324	2151(T)	B110LP, B401	20	N/A	24F	B	4.7K	1
FCI	FC-6324	5151	B110LP, B401	20	N/A	24F	B	4.7K	1
FCI	FC-6324	2WTA-B	N/A	20	N/A	24F	B	4.7K	1
FCI	FC-6324	2WT-B	N/A	20	N/A	24F	B	4.7K	1
FCI	FC-6324	D2	N/A	20	N/A	24F	B	4.7K	1
FCI	FC-72	1151	B110LP, B401	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2151(T)	B110LP, B401	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	5151	B110LP, B401	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	D2	N/A	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2100AT	N/A	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2100D	N/A	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2100S	N/A	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2100TD	N/A	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2100TS	N/A	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	2W-B	N/A	25	VZM	VZM01	A, B	4700-0486	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
FCI	FC-72	2WT-B	N/A	25	VZM	VZM01	A, B	4700-0486	1
FCI	FC-72	301IL	301BL, B401BH	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	301PL	301BL, B401BH	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	301T	301BL, B401BH	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	4451HT	301B	25	VZM	VZM01	A, B	4700-0486	0
FCI	FC-72	1151	B110LP, B401	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	2151(T)	B110LP, B401	20	ZDM	ZDM01	A, B, D	4700-0486	0
FCI	FC-72	5151	B110LP, B401	20	ZDM	ZDM01	A, B, D	4700-0486	0
FCI	FC-72	D2	N/A	20	ZDM	ZDM01	A, B, D	4700-0486	0
FCI	FC-72	2100AT	N/A	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	2100D	N/A	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	2100S	N/A	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	2100TD	N/A	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	2100TS	N/A	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	2W-B	N/A	20	ZDM	ZDM01	A, B, D	4700-0486	1
FCI	FC-72	2WT-B	N/A	20	ZDM	ZDM01	A, B, D	4700-0486	1
FCI	FC-72	301IL	301BL, B401BH	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	301PL	301BL, B401BH	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	301T	301BL, B401BH	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	4451HT	301B	20	ZDM	ZDM01	A, B	4700-0486	0
FCI	FC-72	1151	B110LP, B401	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	2151(T)	B110LP, B401	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	5151	B110LP, B401	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	D2	N/A	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	2100AT	N/A	20	ZDM-D	ZDMD01	A, B, D	4700-0486	0
FCI	FC-72	2100D	N/A	20	ZDM-D	ZDMD01	A, B, D	4700-0486	0
FCI	FC-72	2100S	N/A	20	ZDM-D	ZDMD01	A, B, D	4700-0486	0
FCI	FC-72	2100TD	N/A	20	ZDM-D	ZDMD01	A, B, D	4700-0486	0
FCI	FC-72	2100TS	N/A	20	ZDM-D	ZDMD01	A, B, D	4700-0486	0
FCI	FC-72	2W-B	N/A	20	ZDM-D	ZDMD01	A, B, D*	4700-0486	1
FCI	FC-72	2WT-B	N/A	20	ZDM-D	ZDMD01	A, B, D*	4700-0486	1
FCI	FC-72	301IL	301BL, B401BH	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	301PL	301BL, B401BH	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	301T	301BL, B401BH	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72	4451HT	301B	20	ZDM-D	ZDMD01	A, B	4700-0486	0
FCI	FC-72DL	2W-B	N/A	25	VZM	VZM01	A, B	2.2K	1
FCI	FC-72DL	2151(T)	B110LP, B401	25	VZM	VZM01	A, B	2.2K	1
FCI	FC-72DL	5151	B110LP, B401	25	VZM	VZM01	A, B	2.2K	1
FCI	FC-72DL	2WT-B	N/A	25	VZM	VZM01	A, B	2.2K	1
FCI	FC-72DL	D2	N/A	25	VZM	VZM01	A, B	2.2K	1
FCI	FC-72DL	2W-B	N/A	20	ZDM	ZDM01	A, B	3.9K	1
FCI	FC-72DL	2151(T)	B110LP, B401	20	ZDM	ZDM01	A, B	3.9K	1
FCI	FC-72DL	5151	B110LP, B401	20	ZDM	ZDM01	A, B	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
FCI	FC-72DL	D2	N/A	20	ZDM	ZDM01	A, B	3.9K	1
FCI	FC-72DL	2WT-B	N/A	20	ZDM	ZDM01	A, B	3.9K	1
FCI	FC-73	2WTR-B	N/A	1	FC-73	24J	B	3.9K	1
FCI	FC-73	2WTR-B	N/A	1	FC-73, ZDM-FC73	24J	B	3.9K	1
FCI	FC-73	2WTA-B	N/A	20	N/A	24J	B	3.9K	1
FCI	FC-73	1151	B110LP, B401	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	1400	N/A	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	1451	B401B, B401BH	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2151(T)	B110LP, B401	25	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	5151	B110LP, B401	25	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2400	N/A	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2451	B401B, B401BH	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2100AT	N/A	25	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2100S	N/A	25	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2100TR	N/A	1	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2100TS	N/A	25	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2400TH	N/A	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2451TH	B401B, B401BH	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2W-B	N/A	25	ZDM	24J	B, D*	3.9K / N/A	1
FCI	FC-73	2WT-B	N/A	25	ZDM	24J	B, D*	3.9K / N/A	1
FCI	FC-73	301IL	301BL, B401BH	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	301PL	301BL, B401BH	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	301PT	B401BH	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	4451HT	B401B	20	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	D2	N/A	25	ZDM	24J	B, D	3.9K / N/A	0
FCI	FC-73	2WTR-B	N/A	1	ZDM-FC73	24J	B	3.9K	1
FCI	MMI-6S	2W-B	N/A	20	N/A	A	B, D*	3.9K	1
FCI	MMI-6S	2151(T)	B110LP, B401	20	N/A	A	B, D	3.9K	1
FCI	MMI-6S	5151	B110LP, B401	20	N/A	A	B, D	3.9K	1
FCI	MMI-6S	2WTA-B	N/A	20	N/A	A	B, D*	3.9K	1
FCI	MMI-6S	2WT-B	N/A	20	N/A	A	B, D*	3.9K	1
FCI	MMI-6S	D2	N/A	20	N/A	A	B, D	3.9K	1
Federal Signal	1501	1151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	1151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	2151(T)	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	5151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	D2	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	2151(T)	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	5451	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	5151	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	5451	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	5151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	4451HT	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	1501	4451HT	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1501	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1501	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1501	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1501	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	1151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	2151(T)	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	5151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	D2	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	2151(T)	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	5151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1501	5451	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	5151	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	5451	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	4451HT	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	4451HT	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1501	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1501	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1503	1151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	1151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	2151(T)	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	5151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	D2	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	2151(T)	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	5151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	5451	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	5151	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	5451	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	4451HT	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	4451HT	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1503	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1503	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1503	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1503	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	1151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	2151(T)	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	5151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	D2	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	2151(T)	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1503	5451	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	5151	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	1503	5451	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	5151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	4451HT	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	4451HT	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1503	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1503	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1505	1151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	1151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	2151(T)	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	5151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	D2	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	2151(T)	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	5451	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	5151	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	5451	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	5151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	4451HT	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	4451HT	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	1505	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1505	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1505	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	1505	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	1151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	2151(T)	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	5151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	D2	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	2151(T)	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1505	5451	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	5151	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	5451	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	5151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	4451HT	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	4451HT	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	1505	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	1505	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	1100	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	4000	1151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	1151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	1400	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	4000	1451	B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2151(T)	B110LP, B401	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	5151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	4000	D2	N/A	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2151(T)	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	5151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2400	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	4000	2451	B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	5451	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	5151	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	5451	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2100S	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	4000	2100TS	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	4000	2300B	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2300T	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2300TB	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2400TH	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	4000	2W-B	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	1
Federal Signal	4000	2WT-B	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	1
Federal Signal	4000	4451HT	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	4451HT	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	4000	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	4000	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	4000	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	4000	1100	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	1151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	1400	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	1451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2151(T)	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	5151	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	D2	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2151(T)	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	5151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2400	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	5451	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	5151	B401, B401B	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	5451	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2100S	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2100TS	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	2300B	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	4000	2300T	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	4000	2300TB	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	4000	2400TH	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	4000	2W-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Federal Signal	4000	2WT-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Federal Signal	4000	4451HT	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	4451HT	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	4000	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	1100	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	6000	1151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	1151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	1400	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	6000	1451	B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2151(T)	B110LP, B401	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	5151	B110LP, B401	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	D2	N/A	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2151(T)	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	5151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2400	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	6000	2451	B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	5451	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	5151	B401, B401B	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	5451	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2100S	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	6000	2100TS	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	6000	2300B	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2300T	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2300TB	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2400TH	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	6000	2W-B	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	1
Federal Signal	6000	2WT-B	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	1
Federal Signal	6000	4451HT	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	4451HT	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	6000	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	6000	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	6000	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	6000	1100	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	1151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	1400	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	1451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2151(T)	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	5151	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	D2	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2151(T)	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	6000	5151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2400	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	5451	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	5151	B401, B401B	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	5451	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2100S	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2100TS	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2300B	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	6000	2300T	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	6000	2300TB	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	6000	2400TH	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	2W-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Federal Signal	6000	2WT-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Federal Signal	6000	4451HT	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	4451HT	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	6000	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	1100	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	8000	1151	B110LP, B401	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	1151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	1400	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	8000	1451	B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2151(T)	B110LP, B401	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	5151	B110LP, B401	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	D2	N/A	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2151(T)	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	5151	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2400	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	8000	2451	B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	5451	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	5151	B401, B401B	30	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	5451	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2100S	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	8000	2100TS	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	8000	2300B	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2300T	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2300TB	N/A	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2400TH	N/A	25	5130-004-02, 5130-004-03	01A	B	9280-701	0
Federal Signal	8000	2W-B	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	1
Federal Signal	8000	2WT-B	N/A	30	5130-004-02, 5130-004-03	01A	B	9280-701	1
Federal Signal	8000	4451HT	B401, B401B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	8000	4451HT	B116LP, B406B	25	5130-004-02, 5130-004-03	01A	B	4280-701	0
Federal Signal	8000	2451	DH400	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	8000	DH100LP	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	8000	DH100P	N/A	25	5130-044-02, 5130-044-03	01A	B	4280-701	0
Federal Signal	8000	1100	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	1151	B110LP, B401	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	1151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	1400	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	1451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2151(T)	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	5151	B110LP, B401	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	D2	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2151(T)	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	5151	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2400	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2451	B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2451	DH400	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	5451	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	5151	B401, B401B	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	5451	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2100S	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2100TS	N/A	30	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2300B	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	8000	2300T	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	8000	2300TB	N/A	25	5130-044-04, 5130-044-05	01A	D	4280-701	0
Federal Signal	8000	2400TH	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	2W-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Federal Signal	8000	2WT-B	N/A	30	5130-044-04, 5130-044-05	01A	D*	N/A	1
Federal Signal	8000	4451HT	B401, B401B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	4451HT	B116LP, B406B	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	DH100LP	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	8000	DH100P	N/A	25	5130-044-04, 5130-044-05	01A	D	N/A	0
Federal Signal	FireAlarm 2000	5451	B401, B401B	20	N/A	CP01	B	6.8K	0
Federal Signal	FireAlarm 2000	5151	B401, B401B	20	N/A	CP01	B	6.8K	0
Federal Signal	FireAlarm 2000	5451	B116LP, B406B	20	N/A	CP01	B	6.8K	0
Federal Signal	FireAlarm 2000	5151	B116LP, B406B	20	N/A	CP01	B	6.8K	0
Federal Signal	FireAlarm 2000	4451HT	B401, B401B	20	N/A	CP01	B	6.8K	0
Federal Signal	FireAlarm 2000	4451HT	B116LP, B406B	20	N/A	CP01	B	6.8K	0
Federal Signal	FireAlarm 2000	1151	B110LP, B401	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	1151	B116LP, B406B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	1400	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	1451	B401B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	2151(T)	B110LP, B401	20	N/A, 3000	CP01, MF24A	B	6.8K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Federal Signal	FireAlarm 2000	5151	B110LP, B401	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	D2	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	2151(T)	B116LP, B406B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	5151	B116LP, B406B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	2400	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	2451	B401B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	2451	DH400	20	N/A, 3000	CP01, MF24	B	6.8K	0
Federal Signal	FireAlarm 2000	2400TH	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	2451TH	B401B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 2000	DH100LP	N/A	20	N/A, 3000	CP01, MF24	B	6.8K	0
Federal Signal	FireAlarm 2000	DH100P	N/A	20	N/A, 3000	CP01, MF24	B	6.8K	0
Federal Signal	FireAlarm 3000	1151	B110LP, B401	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	1151	B116LP, B406B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	1400	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	1451	B401B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	2151(T)	B110LP, B401	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	5151	B110LP, B401	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	D2	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	2151(T)	B116LP, B406B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	5151	B116LP, B406B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	2400	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	2451	B401B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	2451	DH400	20	N/A, 3000	CP01, MF24	B	6.8K	0
Federal Signal	FireAlarm 3000	2400TH	N/A	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	2451TH	B401B	20	N/A, 3000	CP01, MF24A	B	6.8K	0
Federal Signal	FireAlarm 3000	DH100P	N/A	20	N/A, 3000	CP01, MF24	B	6.8K	0
Fenwal	2212	1100	N/A	30	C12FE1, C20FE1	N/A	A, B	5.6K	0
Fenwal	2212	2100	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100B	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100D	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100S	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100T	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100TB	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100TD	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2100TS	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2212	2W-B	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2212	2151(T)	B110LP, B401	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2212	5151	B110LP, B401	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2212	2WT-B	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2212	D2	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2220	1100	N/A	30	C12FE1, C20FE1	N/A	A, B	5.6K	0
Fenwal	2220	2100	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2100B	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fenwal	2220	2100D	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2100S	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2100T	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2100TB	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2100TD	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2100TS	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	0
Fenwal	2220	2W-B	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2220	2151(T)	B110LP, B401	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2220	5151	B110LP, B401	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2220	2WT-B	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2220	D2	N/A	30	C12FE1, C20FE1	N/A	A, B	10K	1
Fenwal	2410	1100	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100B	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100D	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100S	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100T	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100TB	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100TD	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2100TS	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2410	2W-B	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2410	2151(T)	B110LP, B401	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2410	5151	B110LP, B401	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2410	2WT-B	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2410	D2	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2412	1100	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100B	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100D	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100S	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100T	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100TB	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100TD	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2100TS	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	0
Fenwal	2412	2W-B	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2412	2151(T)	B110LP, B401	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2412	5151	B110LP, B401	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2412	2WT-B	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	2412	D2	N/A	30	C40FE1, C42FE1	N/A	A, B	5.6K	1
Fenwal	3210	1100	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100B	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100D	N/A	30	VZM	VZM01	A, B, D	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fenwal	3210	2100S	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100T	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100TB	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100TD	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100TS	N/A	30	VZM	VZM01	A, B, D	3.9K	0
Fenwal	3210	2W-B	N/A	30	VZM	VZM01	A, B, D*	3.9K	1
Fenwal	3210	2151(T)	B110LP, B401	30	VZM	VZM01	A, B, D	3.9K	1
Fenwal	3210	5151	B110LP, B401	30	VZM	VZM01	A, B, D	3.9K	1
Fenwal	3210	D2	N/A	30	VZM	VZM01	A, B, D	3.9K	1
Fenwal	3210	2WT-B	N/A	30	VZM	VZM01	A, B, D*	3.9K	1
Fenwal	3210	1100	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100B	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100D	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100S	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100T	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100TB	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100TD	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2100TS	N/A	30	ZDM	ZDM01	B, D	3.9K	0
Fenwal	3210	2W-B	N/A	30	ZDM	ZDM01	B, D*	3.9K	1
Fenwal	3210	2151(T)	B110LP, B401	30	ZDM	ZDM01	B, D	3.9K	1
Fenwal	3210	5151	B110LP, B401	30	ZDM	ZDM01	B, D	3.9K	1
Fenwal	3210	D2	N/A	30	ZDM	ZDM01	B, D	3.9K	1
Fenwal	3210	2WT-B	N/A	30	ZDM	ZDM01	B, D*	3.9K	1
Fenwal	3210	1100	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100B	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100D	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100S	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100T	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100TB	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100TD	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2100TS	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	0
Fenwal	3210	2W-B	N/A	30	ZDM-D	VZM01	A, B, D*	3.9K	1
Fenwal	3210	2151(T)	B110LP, B401	30	ZDM-D	VZM01	A, B, D	3.9K	1
Fenwal	3210	5151	B110LP, B401	30	ZDM-D	VZM01	A, B, D	3.9K	1
Fenwal	3210	D2	N/A	30	ZDM-D	VZM01	A, B, D	3.9K	1
Fenwal	3210	2WT-B	N/A	30	ZDM-D	VZM01	A, B, D*	3.9K	1
Fenwal	295100	1100	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100B	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100D	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100S	N/A	30	N/A	10124	A, B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fenwal	295100	2100T	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100TB	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100TD	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2100TS	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295100	2W-B	N/A	30	N/A	10124	A, B	3.9K	1
Fenwal	295100	2151(T)	B110LP, B401	30	N/A	10124	A, B	3.9K	1
Fenwal	295100	5151	B110LP, B401	30	N/A	10124	A, B	3.9K	1
Fenwal	295100	2WT-B	N/A	30	N/A	10124	A, B	3.9K	1
Fenwal	295100	D2	N/A	30	N/A	10124	A, B	3.9K	1
Fenwal	295101	1100	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100B	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100D	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100S	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100T	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100TB	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100TD	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2100TS	N/A	30	N/A	10124	A, B	3.9K	0
Fenwal	295101	2W-B	N/A	30	N/A	10124	A, B	3.9K	1
Fenwal	295101	2151(T)	B110LP, B401	30	N/A	10124	A, B	3.9K	1
Fenwal	295101	5151	B110LP, B401	30	N/A	10124	A, B	3.9K	1
Fenwal	295101	2WT-B	N/A	30	N/A	10124	A, B	3.9K	1
Fenwal	295101	D2	N/A	30	N/A	10124	A, B	3.9K	1
Fenwal	GEMINI	1100	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100B	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100D	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100S	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100T	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100TB	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100TD	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2100TS	N/A	30	2ZX, AVM	200A	B, D	3.9K	0
Fenwal	GEMINI	2W-B	N/A	30	2ZX, AVM	200A	B, D*	3.9K	1
Fenwal	GEMINI	2151(T)	B110LP, B401	30	2ZX, AVM	200A	B, D	3.9K	1
Fenwal	GEMINI	5151	B110LP, B401	30	2ZX, AVM	200A	B, D	3.9K	1
Fenwal	GEMINI	D2	N/A	30	2ZX, AVM	200A	B, D	3.9K	1
Fenwal	GEMINI	2WT-B	N/A	30	2ZX, AVM	200A	B, D*	3.9K	1
Fenwal	GEMINI	1100	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100B	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100D	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100S	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100T	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fenwal	GEMINI	2100TB	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100TD	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2100TS	N/A	30	4ZX, 4ZXD	200A	B	3.9K	0
Fenwal	GEMINI	2W-B	N/A	30	4ZX, 4ZXD	200A	B	3.9K	1
Fenwal	GEMINI	2151(T)	B110LP, B401	30	4ZX, 4ZXD	200A	B	3.9K	1
Fenwal	GEMINI	5151	B110LP, B401	30	4ZX, 4ZXD	200A	B	3.9K	1
Fenwal	GEMINI	D2	N/A	30	4ZX, 4ZXD	200A	B	3.9K	1
Fenwal	GEMINI	2WT-B	N/A	30	4ZX, 4ZXD	200A	B	3.9K	1
Fenwal	GEMINI	1100	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100B	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100D	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100S	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100T	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100TB	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100TD	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2100TS	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	0
Fenwal	GEMINI	2W-B	N/A	30	COM CTRL U, COM CTRL W	200X	B, D*	3.9K	1
Fenwal	GEMINI	2151(T)	B110LP, B401	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	1
Fenwal	GEMINI	5151	B110LP, B401	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	1
Fenwal	GEMINI	D2	N/A	30	COM CTRL U, COM CTRL W	200X	B, D	3.9K	1
Fenwal	GEMINI	2WT-B	N/A	30	COM CTRL U, COM CTRL W	200X	B, D*	3.9K	1
Fenwal	GEMINI	1100	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100B	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100D	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100S	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100T	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100TB	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100TD	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2100TS	N/A	30	HALON	200A	B, D	3.9K	0
Fenwal	GEMINI	2W-B	N/A	30	HALON	200A	B, D*	3.9K	1
Fenwal	GEMINI	2151(T)	B110LP, B401	30	HALON	200A	B, D	3.9K	1
Fenwal	GEMINI	5151	B110LP, B401	30	HALON	200A	B, D	3.9K	1
Fenwal	GEMINI	D2	N/A	30	HALON	200A	B, D	3.9K	1
Fenwal	GEMINI	2WT-B	N/A	30	HALON	200A	B, D*	3.9K	1
Fike Corporation	GP-10UD	2W-B	N/A	20	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-10UD	2151(T)	B110LP, B401	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-10UD	5151	B110LP, B401	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-10UD	2WTA-B	N/A	1	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-10UD	2WT-B	N/A	20	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-10UD	2WTR-B	N/A	1	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-10UD	D2	N/A	20	27-006	A	B, D	4.7K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fike Corporation	GP-5	2W-B	N/A	20	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5	2151(T)	B110LP, B401	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-5	5151	B110LP, B401	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-5	2WTA-B	N/A	1	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5	2WT-B	N/A	20	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5	2WTR-B	N/A	1	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5	D2	N/A	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-5UD	2W-B	N/A	20	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5UD	2151(T)	B110LP, B401	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-5UD	5151	B110LP, B401	20	27-006	A	B, D	4.7K	1
Fike Corporation	GP-5UD	2WTA-B	N/A	1	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5UD	2WT-B	N/A	20	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5UD	2WTR-B	N/A	1	27-006	A	B, D*	4.7K	1
Fike Corporation	GP-5UD	D2	N/A	20	27-006	A	B, D	4.7K	1
Fike Corporation	RHINO 10-050	1151	B110RLP	50	DCM 10-2141, DCM 10-2144	DET	B, D	3.3K	0
Fike Corporation	RHINO 10-050	1451	B401BR	50	DCM 10-2141, DCM 10-2144	DET	B, D	3.3K	0
Fike Corporation	RHINO 10-050	2151(T)	B110RLP	50	DCM 10-2141, DCM 10-2144	DET	B, D	3.3K	0
Fike Corporation	RHINO 10-050	5151	B110RLP	50	DCM 10-2141, DCM 10-2144	DET	B, D	3.3K	0
Fike Corporation	RHINO 10-050	D2	N/A	50	DCM 10-2141, DCM 10-2144	DET	B, D	3.3K	0
Fike Corporation	RHINO 10-050	2451	B401BR	50	DCM 10-2141, DCM 10-2144	DET	B, D	3.3K	0
Fike Corporation	SHP 10-051	1151	B110RLP, B110LP	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	1400	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	1451	B401B	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	1451	B401BR	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2151(T)	B110RLP, B110LP, B401	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	5151	B110RLP, B110LP, B401	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2400	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2451	B401B	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2451	B401BR	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2451	DH400	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2100S	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2100TS	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2400TH	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	2451TH	B401B	25	Oct-71	MDL NO	B, D	4.3K	0
System Sensor	COSMOD2W	COSMO-2W	N/A	12	N/A	A	B, D	3.9K	0
Fike Corporation	SHP 10-051	D2	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	DH100LP	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Fike Corporation	SHP 10-051	DH100P	N/A	25	Oct-71	MDL NO	B, D	4.3K	0
Firecom	8500	2400AIT	N/A	13	791A, 791VA	22	D	N/A	0
Firecom	8500	2400AT	N/A	13	791A, 791VA	22	D	N/A	0
Firecom	8500	2400AIT	N/A	30 / 25	791B, 791VB	20	B	3.9K	0
Firecom	8500	2400AT	N/A	30 / 25	791B, 791VB	20	B	3.9K	0
Fire-Lite	411UDAC	2W-B	N/A	20	N/A	A	B, D*	2.2K/N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	411UDAC	2151(T)	B110LP, B401	20	N/A	A	B, D	2.2K/N/A	1
Fire-Lite	411UDAC	5151	B110LP, B401	20	N/A	A	B, D	2.2K/N/A	1
Fire-Lite	411UDAC	2WT-B	N/A	20	N/A	A	B, D*	2.2K/N/A	1
Fire-Lite	411UDAC	D2	N/A	20	N/A	A	B, D	2.2K/N/A	1
Fire-Lite	AE-1	1100	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	1151	B110LP, B401	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	1151	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	1400	N/A	10	ZAB	A	B	4.7K	0
Fire-Lite	AE-1	1400	N/A	10	ZAB	A	D	N/A	0
Fire-Lite	AE-1	1451	B401B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	1451	B116LP, B406B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2151(T)	B110LP, B401	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	5151	B110LP, B401	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	D2	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2151(T)	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	5151	B116LP, B406B	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2400	N/A	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2451	B401B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2451	B116LP, B406B	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	5451	B401, B401B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	5151	B401, B401B	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	5451	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2100D	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2100S	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2100TD	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2100TS	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2400AIT	N/A	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2400AT	N/A	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2400TH	N/A	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2451TH	B401B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2451TH	B116LP, B406B	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	2W-B	N/A	12	ZAB	A	B, D*	4.7K / N/A	1
Fire-Lite	AE-1	2WT-B	N/A	12	ZAB	A	B, D*	4.7K / N/A	1
Fire-Lite	AE-1	4451HT	B401, B401B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-1	4451HT	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	1100	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	1151	B110LP, B401	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	1151	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	1400	N/A	10	ZAB	A	B	4.7K	0
Fire-Lite	AE-2	1400	N/A	10	ZAB	A	D	N/A	0
Fire-Lite	AE-2	1451	B401B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	1451	B116LP, B406B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2151(T)	B110LP, B401	12	ZAB	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	AE-2	5151	B110LP, B401	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	D2	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2151(T)	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	5151	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2400	N/A	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2451	B401B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2451	B116LP, B406B	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	5451	B401, B401B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	5151	B401, B401B	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	5451	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2100D	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2100S	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2100TD	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2100TS	N/A	12	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2400AIT	N/A	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2400AT	N/A	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2400TH	N/A	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2451TH	B401B	10	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2451TH	B116LP, B406B	1	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	2W-B	N/A	12	ZAB	A	B, D*	4.7K / N/A	1
Fire-Lite	AE-2	2WT-B	N/A	12	ZAB	A	B, D*	4.7K / N/A	1
Fire-Lite	AE-2	4451HT	B401, B401B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	AE-2	4451HT	B116LP, B406B	8	ZAB	A	B, D	4.7K / N/A	0
Fire-Lite	M302	2W-B	N/A	20	N/A	A	B,D*	3.9K / N/A	1
Fire-Lite	M302	2151(T)	B110LP, B401	20	N/A	A	B,D	3.9K / N/A	1
Fire-Lite	M302	5151	B110LP, B401	20	N/A	A	B,D	3.9K / N/A	1
Fire-Lite	M302	2WTA-B	N/A	20	N/A	A	B,D*	3.9K / N/A	1
Fire-Lite	M302	2WT-B	N/A	20	N/A	A	B, D*	3.9K / N/A	1
Fire-Lite	M302	D2	N/A	20	N/A	A	B, D	3.9K / N/A	1
Fire-Lite	M302	DH100LP	N/A	20	N/A	A	B, D	3.9K / N/A	0
Fire-Lite	MMF-302	2W-B	N/A	20	N/A	A	B,D*	3.9K / N/A	1, 2
Fire-Lite	MMF-302	2151(T)	B110LP, B401	20	N/A	A	B,D	3.9K / N/A	1, 2
Fire-Lite	MMF-302	5151	B110LP, B401	20	N/A	A	B,D	3.9K / N/A	1, 2
Fire-Lite	MMF-302	2WTA-B	N/A	20	N/A	A	B,D*	3.9K / N/A	1, 2
Fire-Lite	MMF-302	2WT-B	N/A	20	N/A	A	B, D*	3.9K / N/A	1, 2
Fire-Lite	MMF-302	D2	N/A	20	N/A	A	B, D	3.9K / N/A	1, 2
Fire-Lite	MMF-302	DH100LP	N/A	20	N/A	A	B, D	3.9K / N/A	2
Fire-Lite	MMF-302-6	2W-B	N/A	20	N/A	A	B, D*	3.9K	1, 2
Fire-Lite	MMF-302-6	2151(T)	B110LP, B401	20	N/A	A	B, D	3.9K	1, 2
Fire-Lite	MMF-302-6	5151	B110LP, B401	20	N/A	A	B, D	3.9K	1, 2
Fire-Lite	MMF-302-6	2WTA-B	N/A	20	N/A	A	B, D*	3.9K	1, 2
Fire-Lite	MMF-302-6	2WT-B	N/A	20	N/A	A	B, D*	3.9K	1, 2
Fire-Lite	MMF-302-6	D2	N/A	20	N/A	A	B, D	3.9K	1, 2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MP-12	1100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	1151	B110LP, B401	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	1151	B116LP, B406B	8	N/A	A	B	2.2K	0
Fire-Lite	MP-12	1400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	1451	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	5151	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	D2	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2151(T)	B116LP, B406B	8	N/A	A	B	2.2K	0
Fire-Lite	MP-12	5151	B116LP, B406B	8	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2451	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2451	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	1451DH	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100B	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100D	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100S	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100T	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100TB	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100TD	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2100TS	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2400TH	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2451TH	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	2W-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MP-12	2WT-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MP-12	DH100LP	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MP-12	DH100P	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MP-24	1100	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	1151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	1151	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	1400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	1451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	1451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2151(T)	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	5151	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	D2	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2151(T)	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	5151	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2451	B116LP, B406B	16	N/A	A	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MP-24	2451	DH400	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	5451	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	5151	B401, B401B	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	5451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	1451DH	DH400	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100B	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100D	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100S	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100T	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100TB	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100TD	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2100TS	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2400TH	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2451TH	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2451TH	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	2W-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MP-24	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MP-24	2WT-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MP-24	4451HT	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	4451HT	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	DH100LP	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-24	DH100P	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	1100	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	1151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	1151	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	1400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	1451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	1451	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2151(T)	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	5151	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	D2	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2151(T)	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	5151	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2451	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2451	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MP-242FC	1451DH	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MP-242FC	2100D	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2100S	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2100TD	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2100TS	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2300B	N/A	16	N/A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MP-242FC	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MP-242FC	2300TB	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MP-242FC	2400AIT	N/A	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2400AT	N/A	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2400TH	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2451TH	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2451TH	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MP-242FC	2W-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MP-242FC	2WT-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MP-242FC	DH100LP	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MP-242FC	DH100P	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MP-4412B	2100D	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-4412B	2100S	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-4412B	2100TD	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MP-4412B	2100TS	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MRP-2001	1151	B110LP, B116LP	16/1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-2001	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-2001	1451	B401B, B406B	16/1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-2001	2151(T)	B110LP/B401, B116LP	16,1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-2001	5151	B110LP/B401, B116LP	16,1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-2001	1451DH	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-2001	2W-B	N/A	16	N/A	A	B,D*	4.7K / N/A	1
Fire-Lite	MRP-2001	2WTA-B	N/A	20	N/A	A	B,D*	4.7K / N/A	1
Fire-Lite	MRP-2001	2WTAR-B	N/A	1	N/A	A	B,D*	4.7K / N/A	0
Fire-Lite	MRP-2001	2WT-B	N/A	16	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2001	D2	N/A	16	N/A	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2001E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2001E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2001E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2001E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2001E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2001E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2001E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2002	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2002	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2002	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2002E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-2002E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MRP-2002E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-2002E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MRP-4424	1100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	1151	B110LP, B401	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	1151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	1451	B401, B401B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	1451	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2151(T)	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	5151	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2400	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2451	B401, B401B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2451	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2451	DH400	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	5451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	5151	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	5451	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	1451DH	DH400	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100B	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100D	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100T	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100TB	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100TD	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2300B	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2300T	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2300TB	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2400AIT	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2400AT	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2400TH	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2451TH	B401, B401B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2451TH	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-4424	2WTA-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-4424	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MRP-4424	4451HT	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MRP-4424	4451HT	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	DH100LP	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MRP-4424	DH100P	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-10UD-3	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-3	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-3	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-3E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7C	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-10UD-7E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-124	1151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	1151	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	1400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	1451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	1451	B116LP, B406B	16	N/A	A	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-124	2151(T)	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	5151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	D2	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2151(T)	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	5151	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2451	DH400	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	5451	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	5151	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	5451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	5451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	1451DH	DH400	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2300B	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-124	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-124	2300TB	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-124	2400AIT	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2400AT	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2400TH	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2451TH	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2451TH	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	2W-B	N/A	16	N/A	A	B	4.7K	1
Fire-Lite	MS-124	2WT-B	N/A	16	N/A	A	B	4.7K	1
Fire-Lite	MS-124	4451HT	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	4451HT	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	DH100LP	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-124	DH100P	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-2	1151	B110LP, B401	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	1151	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	1400	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	1451	B401, B401B	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	1451	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2151(T)	B110LP, B401	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	5151	B110LP, B401	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	D2	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2151(T)	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	5151	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2400	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2451	B401, B401B	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2451	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2100AT	N/A	20	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2100S	N/A	16	CAC-4	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-2	2100TR	N/A	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2100TS	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2400TH	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2451TH	B401, B401B	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2451TH	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2	2W-B	N/A	16	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2	2WTA-B	N/A	20	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2	2WT-B	N/A	16	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2	2WTR-B	N/A	1	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2	DH100LP	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-2410B	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MS-2410B	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Fire-Lite	MS-2E	2W-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2E	2151(T)	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Fire-Lite	MS-2E	5151	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Fire-Lite	MS-2E	2WTA-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2E	2WT-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2E	2WTR-B	N/A	1	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-2E	D2	N/A	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Fire-Lite	MS-4	1151	B110LP, B401	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	1151	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	1400	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	1451	B401, B401B	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	1451	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2151(T)	B110LP, B401	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	5151	B110LP, B401	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	D2	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2151(T)	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	5151	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2400	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2451	B401, B401B	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2451	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2100AT	N/A	20	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2100S	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2100TR	N/A	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2100TS	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2400TH	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2451TH	B401, B401B	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2451TH	B116LP, B406B	1	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4	2W-B	N/A	16	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4	2WTA-B	N/A	20	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4	2WT-B	N/A	16	CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4	2WTR-B	N/A	1	CAC-4	A	B, D*	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-4	DH100LP	N/A	16	CAC-4	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4012	1100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	1151	B110LP, B401	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	1400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	1451	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	5151	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2451	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2451	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	1451DH	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2100D	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2100S	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2100TD	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2100TS	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2300B	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4012	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4012	2300TB	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4012	2400TH	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2451TH	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	2W-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-4012	2WT-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-4012	D2	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	DH100LP	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4012	DH100P	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4024	1100	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	1151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	1151	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	1400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	1451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	1451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2151(T)	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	5151	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	D2	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2151(T)	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	5151	B116LP, B406B	1	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2400	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2451	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2451	DH400	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	5451	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	5151	B401, B401B	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	5451	B116LP, B406B	16	N/A	A	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-4024	2100D	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2100S	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2100TD	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2100TS	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2300B	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4024	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4024	2300TB	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4024	2400AIT	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2400AT	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2400TH	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2451TH	B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2451TH	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	2W-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MS-4024	2WT-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MS-4024	4451HT	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	4451HT	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	DH100LP	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-4024	DH100P	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	1151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	1151	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	2151(T)	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	5151	B110LP, B401	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	D2	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	2151(T)	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	5151	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	2451	DH400	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	5451	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	5151	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	5451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	4451HT	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	4451HT	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	DH100LP	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424	DH100P	N/A	16	N/A	A	B	4.7K	0
Fire-Lite	MS-424A	1100	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	1151	B110LP, B401	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	1151	B116LP, B406B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	1400	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	1451	B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	1451	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2151(T)	B110LP, B401	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	5151	B110LP, B401	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	D2	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2151(T)	B116LP, B406B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-424A	5151	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2400	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2451	B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2451	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2451	DH400	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	5451	B401, B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	5151	B401, B401B	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	5451	B116LP, B406B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	1451DH	DH400	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2100D	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2100S	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2100TD	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2100TS	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2300B	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2300T	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2300TB	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2400AIT	N/A	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2400AT	N/A	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2400TH	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2451TH	B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2451TH	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	2W-B	N/A	25	ANC-2B, CVC2, WFC	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-424A	2WT-B	N/A	25	ANC-2B, CVC2, WFC	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-424A	4451HT	B401, B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	4451HT	B116LP, B406B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	DH100LP	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-424A	DH100P	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4412B	1100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	1151	B110LP, B401	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	1151	B116LP, B406B	12	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	1400	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	1451	B401, B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	5151	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	D2	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2151(T)	B116LP, B406B	12	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	5151	B116LP, B406B	12	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2451	B401, B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2451	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	1451DH	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100B	N/A	20	N/A	A	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-4412B	2100D	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100S	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100T	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100TB	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100TD	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2100TS	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2300B	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2300T	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2300TB	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2400TH	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2451TH	B401, B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	2W-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-4412B	2WT-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-4412B	2WT-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-4412B	DH100LP	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4412B	DH100P	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-4424	1100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	1151	B110LP, B401	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	1151	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	1451	B401, B401B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	1451	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2151(T)	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	5151	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2451	B401, B401B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2451	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2451	DH400	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	5451	B401, B401B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	5151	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	5451	B116LP, B406B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	1451DH	DH400	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100B	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100D	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100T	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100TB	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100TD	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2300B	N/A	15	N/A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-4424	2300T	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2300TB	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2400AIT	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2400AT	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2400TH	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2451TH	B401, B401B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2451TH	B116LP, B406B	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4424	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MS-4424	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4424	4451HT	B401, B401B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	4451HT	B116LP, B406B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	DH100LP	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424	DH100P	N/A	15	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	1100	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	1151	B110LP, B401	15	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	1151	B110LP, B401	12	N/A	A	D	N/A	0
Fire-Lite	MS-4424B	1151	B116LP, B406B	15	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	1151	B116LP, B406B	12	N/A	A	D	N/A	0
Fire-Lite	MS-4424B	2100	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2151(T)	B110LP, B401	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	D2	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2151(T)	B110LP, B401	20	N/A	A	D	4.7K	0
Fire-Lite	MS-4424B	D2	N/A	20	N/A	A	D	4.7K	0
Fire-Lite	MS-4424B	2151(T)	B116LP, B406B	15	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2151(T)	B116LP, B406B	12	N/A	A	D	N/A	0
Fire-Lite	MS-4424B	5151	B116LP, B406B	1	N/A	A	B,D	4.7K / N/A	0
Fire-Lite	MS-4424B	2451	DH400	15	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2451	DH400	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	5451	B401, B401B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	5151	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	5451	B116LP, B406B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	2100B	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2100D	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2100S	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2100T	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2100TB	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2100TD	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2100TS	N/A	20	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	2W-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MS-4424B	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Fire-Lite	MS-4424B	2WT-B	N/A	20	N/A	A	B	4.7K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-4424B	4451HT	B401, B401B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	4451HT	B116LP, B406B	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	DH100LP	N/A	15	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	DH100LP	N/A	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4424B	DH100P	N/A	15	N/A	A	B	4.7K	0
Fire-Lite	MS-4424B	DH100P	N/A	12	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-4812	1100	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	1151	B110LP, B401	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	1151	B116LP, B406B	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	1400	N/A	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	1451	B401B	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2151(T)	B110LP, B401	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	5151	B110LP, B401	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	D2	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2151(T)	B116LP, B406B	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	5151	B116LP, B406B	1	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2400	N/A	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2451	B401B	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2451	DH400	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100B	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100D	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100S	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100T	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100TB	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100TD	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2100TS	N/A	20	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2400TH	N/A	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2451TH	B401B	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	2W-B	N/A	20	IZ412	A	B, D*	610-1 / N/A	1
Fire-Lite	MS-4812	2WT-B	N/A	20	IZ412	A	B, D*	610-1 / N/A	1
Fire-Lite	MS-4812	DH100LP	N/A	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4812	DH100P	N/A	16	IZ412	A	B, D	610-1 / N/A	0
Fire-Lite	MS-4824	1100	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	1151	B110LP, B401	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	1151	B116LP, B406B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	1400	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	1451	B401B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2151(T)	B110LP, B401	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	5151	B110LP, B401	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	D2	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2151(T)	B116LP, B406B	16	IZ424	A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-4824	5151	B116LP, B406B	1	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2400	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2451	B401B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2451	DH400	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	5451	B401, B401B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	5151	B401, B401B	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	5451	B116LP, B406B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100B	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100D	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100S	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100T	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100TB	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100TD	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2100TS	N/A	20	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2400TH	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2451TH	B401B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	2W-B	N/A	20	IZ424	A	B, D*	3.9K / N/A	1
Fire-Lite	MS-4824	2WT-B	N/A	20	IZ424	A	B, D*	3.9K / N/A	1
Fire-Lite	MS-4824	4451HT	B401, B401B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	4451HT	B116LP, B406B	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	DH100LP	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4824	DH100P	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Fire-Lite	MS-4E	2W-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4E	2151(T)	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Fire-Lite	MS-4E	5151	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Fire-Lite	MS-4E	2WTA-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4E	2WT-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4E	2WTR-B	N/A	1	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-4E	D2	N/A	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5012	1100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	1151	B110LP, B401	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	1400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	1451	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2151(T)	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	5151	B110LP, B401	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2400	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2451	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2451	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	1451DH	DH400	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100B	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100D	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100S	N/A	20	N/A	A	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-5012	2100T	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100TB	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100TD	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2100TS	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2300B	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2300T	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2300TB	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2400TH	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2451TH	B401B	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	2W-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-5012	2WT-B	N/A	20	N/A	A	B	2.2K	1
Fire-Lite	MS-5012	D2	N/A	20	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	DH100LP	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5012	DH100P	N/A	16	N/A	A	B	2.2K	0
Fire-Lite	MS-5024	2WTA-B	N/A	20	CAC-5F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024	2WTR-B	N/A	1	CAC-5F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024	1100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	1151	B110LP, B401	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	1151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	1451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	1451	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2151(T)	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	5151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2400	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2451	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2451	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	5451	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-5024	5151	B401, B401B	20	N/A	A	B	4.7K	0
Fire-Lite	MS-5024	5451	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-5024	1451DH	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100B	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100D	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100T	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100TB	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100TD	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-5024	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2400AIT	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2400AT	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2400TH	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2451TH	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2451TH	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024	4451HT	B401, B401B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-5024	4451HT	B116LP, B406B	16	N/A	A	B	4.7K	0
Fire-Lite	MS-5024	DH100LP	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024	DH100P	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2WTA-B	N/A	20	CAC-5F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024UD	2WTR-B	N/A	1	CAC-5F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024UD	1100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	1151	B110LP, B401	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	1151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	1451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	1451	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2151(T)	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	5151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2400	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2451	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2451	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	1451DH	DH400	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100AT	N/A	30	N/A	A	B	4.7K	0
Fire-Lite	MS-5024UD	2100B	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100D	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100T	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100TB	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100TD	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2400AIT	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2400AT	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2400TH	N/A	16	N/A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-5024UD	2451TH	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2451TH	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024UD	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5024UD	DH100LP	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5024UD	DH100P	N/A	16	N/A	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	1151	B110LP, B401	13	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	1151	B116LP, B406B	1	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2151(T)	B110LP, B401	16	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	5151	B110LP, B401	16	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	D2	N/A	16	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2151(T)	B116LP, B406B	1	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	5151	B116LP, B406B	1	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2100AT	N/A	16	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2100S	N/A	16	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2100TR	N/A	1	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2100TS	N/A	16	CAC-10F	A	B, D	4.7K / N/A	0
Fire-Lite	MS-5210UD	2W-B	N/A	16	CAC-10F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5210UD	2WTA-B	N/A	20	CAC-10F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5210UD	2WT-B	N/A	16	CAC-10F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5210UD	2WTR-B	N/A	1	CAC-10F	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-3	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-3	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-3E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7C	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	MS-5UD-7C	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7C	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7C	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7C	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7C	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7C	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Fire-Lite	MS-5UD-7E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Fire-Lite	MS-9200	1100	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	1151	B110LP, B401	20	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	1151	B116LP, B406B	1	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2151(T)	B110LP, B401	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	5151	B110LP, B401	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	D2	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2151(T)	B116LP, B406B	1	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	5151	B116LP, B406B	1	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2451	DH400	20	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100B	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100D	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100S	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100T	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100TB	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100TD	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2100TS	N/A	24	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	2W-B	N/A	24	M302	A	B, D*	3.9K / N/A	1
Fire-Lite	MS-9200	2WT-B	N/A	24	M302	A	B, D*	3.9K / N/A	1
Fire-Lite	MS-9200	DH100LP	N/A	20	M302	A	B, D	3.9K / N/A	0
Fire-Lite	MS-9200	DH100P	N/A	20	M302	A	B, D	3.9K / N/A	0
Fire-Lite	Sensiscan 1000	1100	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	1151	B110LP, B401	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	1151	B116LP, B406B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	1400	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	1451	B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	1451	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	1451	DH400	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2151(T)	B110LP, B401	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	5151	B110LP, B401	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	Sensiscan 1000	D2	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2151(T)	B116LP, B406B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	5151	B116LP, B406B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2400	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2451	B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2451	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2451	DH400	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	5451	B401, B401B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	5151	B401, B401B	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	5451	B116LP, B406B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2100D	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2100S	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2100TD	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2100TS	N/A	25	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2300B	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2300T	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2300TB	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2400TH	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2451TH	B401B	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2451TH	B116LP, B406B	1	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2W-B	N/A	25	ANC-2B, CVC2, WFC	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 1000	2WT-B	N/A	25	ANC-2B, CVC2, WFC	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 1000	4451HT	B401, B401B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	4451HT	B116LP, B406B	16	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	DH100LP	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	DH100P	N/A	20	ANC-2B, CVC2, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2400AIT	N/A	1	ANC-2B, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 1000	2400AT	N/A	1	ANC-2B, WFC	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2WTA-B	N/A	25	IZ-4	A	B, D*	4.7K	1
Fire-Lite	Sensiscan 200	2WTR-B	N/A	1	IZ-4	A	B, D*	4.7K	1
Fire-Lite	Sensiscan 200	1151	B110LP, B401	20	IZ-4F	A	B	4.7K	0
Fire-Lite	Sensiscan 200	2151(T)	B110LP, B401	20	IZ-4F	A	B	4.7K	0
Fire-Lite	Sensiscan 200	5151	B110LP, B401	20	IZ-4F	A	B	4.7K	0
Fire-Lite	Sensiscan 200	D2	N/A	20	IZ-4F	A	B	4.7K	0
Fire-Lite	Sensiscan 200	2151(T)	B110LP, B401	20	IZ-4F	A	D	N/A	0
Fire-Lite	Sensiscan 200	5151	B110LP, B401	20	IZ-4F	A	D	N/A	0
Fire-Lite	Sensiscan 200	D2	N/A	20	IZ-4F	A	D	N/A	0
Fire-Lite	Sensiscan 200	1151	B110LP, B401	20	IZ-4F w/ IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	2451	DH400	20	IZ-4F w/wo IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	DH100LP	N/A	20	IZ-4F w/wo IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	DH100P	N/A	20	IZ-4F w/wo IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	1100	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	1151	B110LP, B401	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	Sensiscan 200	1151	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2151(T)	B110LP, B401	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	5151	B110LP, B401	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	D2	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2151(T)	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2451	DH400	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	5451	B401, B401B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	5151	B401, B401B	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	5451	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	5151	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	1451DH	DH400	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100B	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100D	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100S	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100T	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100TB	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100TD	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2100TS	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2300B	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2300T	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2300TB	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2W-B	N/A	25	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 200	2WT-B	N/A	25	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 200	4451HT	B401, B401B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	4451HT	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	DH100LP	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	DH100P	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 200	2WTA-B	N/A	25	IZ-8	A	B, D*	4.7K	1
Fire-Lite	Sensiscan 200	2WTR-B	N/A	1	IZ-8	A	B, D*	4.7K	1
Fire-Lite	Sensiscan 200	2151(T)	B110LP, B401	20	IZ-8F w/ IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	5151	B110LP, B401	20	IZ-8F w/ IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	D2	N/A	20	IZ-8F w/ IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	2451	DH400	20	IZ-8F w/o IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	DH100LP	N/A	20	IZ-8F w/o IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	DH100P	N/A	20	IZ-8F w/o IZE-AF	A	B	4.7K	0
Fire-Lite	Sensiscan 200	1151	B110LP, B401	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	2151(T)	B110LP, B401	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	5151	B110LP, B401	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	D2	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	2451	DH400	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	2451	DH400	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	DH100LP	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	Sensiscan 200	DH100LP	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	DH100P	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 200	DH100P	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Fire-Lite	Sensiscan 2000	1100	N/A	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100D	N/A	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100S	N/A	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100TD	N/A	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100TS	N/A	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B110LP, B401	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	5151	B110LP, B401	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	D2	N/A	30	IMZ-8, IMZ8A	A	B, D	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	2W-B	N/A	30	IMZ-8, IMZ8A	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	2WT-B	N/A	30	IMZ-8, IMZ8A	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	1400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451	DH400	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2400AIT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2400AT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2400TH	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451TH	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451TH	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100LP	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100P	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451	DH400	20	IZ-4AF, IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100LP	N/A	20	IZ-4AF, IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100P	N/A	20	IZ-4AF, IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1151	B110LP, B401	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1151	B116LP, B406B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B110LP, B401	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B110LP, B401	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	D2	N/A	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B116LP, B406B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B116LP, B406B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5451	B401, B401B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B401, B401B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5451	B116LP, B406B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	4451HT	B401, B401B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	4451HT	B116LP, B406B	20	IZ-4AF, IZ-4F, IZ-8F, IMZ-8	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2300B	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Fire-Lite	Sensiscan 2000	2300T	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2300TB	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1100	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1151	B110LP, B401	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1151	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B110LP, B401	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B110LP, B401	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	D2	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B116LP, B406B	20	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451	DH400	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1451DH	DH400	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100B	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100D	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100S	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100T	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100TB	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100TD	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2100TS	N/A	25	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2W-B	N/A	25	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	2WTA-B	N/A	25	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	2WT-B	N/A	25	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	2WTR-B	N/A	1	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Fire-Lite	Sensiscan 2000	DH100LP	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100P	N/A	16	IZ-4F, IZ-8F	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1151	B110LP, B401	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	1151	B116LP, B406B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B110LP, B401	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B110LP, B401	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	D2	N/A	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2151(T)	B116LP, B406B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B116LP, B406B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	2451	DH400	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5451	B401, B401B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5151	B401, B401B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	5451	B116LP, B406B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	4451HT	B401, B401B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	4451HT	B116LP, B406B	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100LP	N/A	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
Fire-Lite	Sensiscan 2000	DH100P	N/A	20	IZE-A, IZE-AF	A	B, D	4.7K / N/A	0
First Alert	FA1220CV	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA1220CV	2100D	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
First Alert	FA1220CV	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1220CV	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA1220CV	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1220CV	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1220CV	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1220CV	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1220CV	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1220CV	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1220CV	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA1340C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA1340C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA1340C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1340C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA1340C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1340C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1340C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1340C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1340C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1340C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1340C	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA148CP	2W-B	N/A	20	N/A	N/A	B	2K	1
First Alert	FA148CP	2151(T)	B110LP, B401	20	N/A	N/A	B	2K	1
First Alert	FA148CP	5151	B110LP, B401	20	N/A	N/A	B	2K	1
First Alert	FA148CP	2WTA-B	N/A	20	N/A	N/A	B	2K	1
First Alert	FA148CP	2WT-B	N/A	20	N/A	N/A	B	2K	1
First Alert	FA148CP	D2	N/A	20	N/A	N/A	B	2K	1
First Alert	FA1500C	1100	N/A	40	N/A	A	B	2K	0
First Alert	FA1500C	1151	B110LP, B401	16	N/A	A	B	2K	0
First Alert	FA1500C	2100	N/A	40	N/A	A	B	2K	0
First Alert	FA1500C	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
First Alert	FA1500C	5151	B110LP, B401	20	N/A	A	B	2K	0
First Alert	FA1500C	2451	DH400	16	N/A	A	B	2K	0
First Alert	FA1500C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100B	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100T	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100TB	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2100TS	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
First Alert	FA1500C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1500C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1500C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1500C	D2	N/A	20	N/A	A	B	2K	0
First Alert	FA1500C	DH100LP	N/A	16	N/A	A	B	2K	0
First Alert	FA1500C	DH100P	N/A	16	N/A	A	B	2K	0
First Alert	FA1600	DH100LP	N/A	16	N/A	A	B	2K	0
First Alert	FA1600	DH100P	N/A	16	N/A	A	B	2K	0
First Alert	FA1600C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA1600C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA1600C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1600C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA1600C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1600C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1600C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1600C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1600C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1600C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1600C	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA1600C	DH100LP	N/A	16	N/A	A	B	2K	0
First Alert	FA1600C	DH100P	N/A	16	N/A	A	B	2K	0
First Alert	FA1600CA	1151	B110LP, B401	16	N/A	A	B	2K	0
First Alert	FA1600CA	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
First Alert	FA1600CA	5151	B110LP, B401	20	N/A	A	B	2K	0
First Alert	FA1600CA	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA1600CA	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1600CA	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1600CA	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1600CA	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1600CA	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1600CA	D2	N/A	20	N/A	A	B	2K	0
First Alert	FA160C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA160C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA160C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA160C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA160C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA160C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA160C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA160C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA160C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA160C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA160C	D2	N/A	20	N/A	A	B	2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
First Alert	FA162C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA162C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA162C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA162C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA162C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA162C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA162C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA162C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA162C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA162C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA162C	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA1660C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1660C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1660C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1660C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1660C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1660C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1660C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1660C	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA168C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA168C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA168C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA168C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA168C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA168C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA168C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA168C	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA168CPS	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA168CPS	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA168CPS	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA168CPS	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA168CPS	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA168CPS	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA168CPS	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA168CPS	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA1700C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA1700C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA1700C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1700C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1700C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA1700C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1700C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA1700C	D2	N/A	20	N/A	A	B	2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
First Alert	FA2000C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA2000C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA2000C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA2000C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA2000C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA2000C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA2000C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA2000C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA2000C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA2000C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA2000C	D2	N/A	20	N/A	A	B	2K	1
First Alert	FA2100C	2100AT	N/A	20	N/A	A	B	2K	0
First Alert	FA2100C	2100D	N/A	20	N/A	A	B	2K	0
First Alert	FA2100C	2100S	N/A	20	N/A	A	B	2K	0
First Alert	FA2100C	2100TD	N/A	20	N/A	A	B	2K	0
First Alert	FA2100C	2100TS	N/A	20	N/A	A	B	2K	0
First Alert	FA2100C	2W-B	N/A	20	N/A	A	B	2K	1
First Alert	FA2100C	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA2100C	5151	B110LP, B401	20	N/A	A	B	2K	1
First Alert	FA2100C	2WTA-B	N/A	20	N/A	A	B	2K	1
First Alert	FA2100C	2WT-B	N/A	20	N/A	A	B	2K	1
First Alert	FA2100C	D2	N/A	20	N/A	A	B	2K	1
G.S. Building	IRC-3	1151	B110LP, B401	10	SIGA-UMO.0	N/A	B	15K	0
G.S. Building	IRC-3	1451	B401, B401B	10	SIGA-UMO.0	N/A	B	15K	0
G.S. Building	IRC-3	2151(T)	B110LP, B401	10	SIGA-UMO.0	N/A	B	15K	0
G.S. Building	IRC-3	5151	B110LP, B401	10	SIGA-UMO.0	N/A	B	15K	0
G.S. Building	IRC-3	D2	N/A	10	SIGA-UMO.0	N/A	B	15K	0
G.S. Building	IRC-3	2451	B401, B401B	10	SIGA-UMO.0	N/A	B	15K	0
Gamewell	FLEX 300	1100	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100B	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100D	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100S	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100T	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100TB	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100TD	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2100TS	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 300	2W-B	N/A	25	Z2V, Z3A	MDL NO	D*	N/A	1
Gamewell	FLEX 300	2151(T)	B110LP, B401	25	Z2V, Z3A	MDL NO	D	N/A	1
Gamewell	FLEX 300	5151	B110LP, B401	25	Z2V, Z3A	MDL NO	D	N/A	1
Gamewell	FLEX 300	D2	N/A	25	Z2V, Z3A	MDL NO	D	N/A	1
Gamewell	FLEX 300	2WT-B	N/A	25	Z2V, Z3A	MDL NO	D*	N/A	1
Gamewell	FLEX 300	1100	N/A	25	Z4B	MDL NO	B	30177	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	FLEX 300	2100	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100B	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100D	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100S	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100T	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100TB	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100TD	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2100TS	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 300	2W-B	N/A	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 300	2151(T)	B110LP, B401	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 300	5151	B110LP, B401	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 300	D2	N/A	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 300	2WT-B	N/A	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 3000	1100	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100B	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100D	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100S	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100T	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100TB	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100TD	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2100TS	N/A	25	Z2V, Z3A	MDL NO	D	N/A	0
Gamewell	FLEX 3000	2W-B	N/A	25	Z2V, Z3A	MDL NO	D*	N/A	1
Gamewell	FLEX 3000	2151(T)	B110LP, B401	25	Z2V, Z3A	MDL NO	D	N/A	1
Gamewell	FLEX 3000	5151	B110LP, B401	25	Z2V, Z3A	MDL NO	D	N/A	1
Gamewell	FLEX 3000	D2	N/A	25	Z2V, Z3A	MDL NO	D	N/A	1
Gamewell	FLEX 3000	2WT-B	N/A	25	Z2V, Z3A	MDL NO	D*	N/A	1
Gamewell	FLEX 3000	1100	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100B	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100D	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100S	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100T	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100TB	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100TD	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2100TS	N/A	25	Z4B	MDL NO	B	30177	0
Gamewell	FLEX 3000	2W-B	N/A	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 3000	2151(T)	B110LP, B401	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 3000	5151	B110LP, B401	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 3000	D2	N/A	25	Z4B	MDL NO	B	30177	1
Gamewell	FLEX 3000	2WT-B	N/A	25	Z4B	MDL NO	B	30177	1
Gamewell	Flex 4	2W-B	N/A	30	N/A	A	B, D*	3.9K	1
Gamewell	Flex 4	2151(T)	B110LP, B401	30	N/A	A	B, D	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	Flex 4	5151	B110LP, B401	30	N/A	A	B, D	3.9K	1
Gamewell	Flex 4	D2	N/A	30	N/A	A	B, D	3.9K	1
Gamewell	Flex 4	2WTA-B	N/A	30	N/A	A	B, D*	3.9K	1
Gamewell	Flex 4	2WT-B	N/A	30	N/A	A	B, D*	3.9K	1
Gamewell	FLEX 405	2WTA-B	N/A	20	CAC-5F	A	B, D*	4.7K / N/A	1
Gamewell	FLEX 405	2WTR-B	N/A	1	CAC-5F	A	B, D*	4.7K / N/A	1
Gamewell	FLEX 405	1100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	1151	B110LP, B401	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	1151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	1451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	1451	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2151(T)	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	5151	B116LP, B406B	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2400	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2451	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2451	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2451	DH400	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	1451DH	DH400	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100AT	N/A	30	N/A	A	B	4.7K	0
Gamewell	FLEX 405	2100B	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100D	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100T	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100TB	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100TD	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2300T	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2400AIT	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2400AT	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2400TH	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2451TH	B401, B401B	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2451TH	B116LP, B406B	1	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Gamewell	FLEX 405	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Gamewell	FLEX 405	DH100LP	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 405	DH100P	N/A	16	N/A	A	B, D	4.7K / N/A	0
Gamewell	FLEX 500	1100	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100	N/A	20	E4M-011	30592	D	30525	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	FLEX 500	2100B	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100D	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100S	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100T	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100TB	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100TD	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2100TS	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 500	2W-B	N/A	20	E4M-011	30592	D*	30525	1
Gamewell	FLEX 500	2151(T)	B110LP, B401	20	E4M-011	30592	D	30525	1
Gamewell	FLEX 500	5151	B110LP, B401	20	E4M-011	30592	D	30525	1
Gamewell	FLEX 500	D2	N/A	20	E4M-011	30592	D	30525	1
Gamewell	FLEX 500	2WT-B	N/A	20	E4M-011	30592	D*	30525	1
Gamewell	FLEX 500	1100	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100B	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100D	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100S	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100T	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100TB	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100TD	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2100TS	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 500	2W-B	N/A	20	GER 0.09, E4M-011	30594	D*	N/A	1
Gamewell	FLEX 500	2151(T)	B110LP, B401	20	GER 0.09, E4M-011	30594	D	N/A	1
Gamewell	FLEX 500	5151	B110LP, B401	20	GER 0.09, E4M-011	30594	D	N/A	1
Gamewell	FLEX 500	D2	N/A	20	GER 0.09, E4M-011	30594	D	N/A	1
Gamewell	FLEX 500	2WT-B	N/A	20	GER 0.09, E4M-011	30594	D*	N/A	1
Gamewell	FLEX 5000	1100	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100B	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100D	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100S	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100T	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100TB	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100TD	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2100TS	N/A	20	E4M-011	30592	D	30525	0
Gamewell	FLEX 5000	2W-B	N/A	20	E4M-011	30592	D*	30525	1
Gamewell	FLEX 5000	2151(T)	B110LP, B401	20	E4M-011	30592	D	30525	1
Gamewell	FLEX 5000	5151	B110LP, B401	20	E4M-011	30592	D	30525	1
Gamewell	FLEX 5000	D2	N/A	20	E4M-011	30592	D	30525	1
Gamewell	FLEX 5000	2WT-B	N/A	20	E4M-011	30592	D*	30525	1
Gamewell	FLEX 5000	1100	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100B	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	FLEX 5000	2100D	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100S	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100T	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100TB	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100TD	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2100TS	N/A	20	GER 0.09, E4M-011	30594	D	N/A	0
Gamewell	FLEX 5000	2W-B	N/A	20	GER 0.09, E4M-011	30594	D*	N/A	1
Gamewell	FLEX 5000	2151(T)	B110LP, B401	20	GER 0.09, E4M-011	30594	D	N/A	1
Gamewell	FLEX 5000	5151	B110LP, B401	20	GER 0.09, E4M-011	30594	D	N/A	1
Gamewell	FLEX 5000	D2	N/A	20	GER 0.09, E4M-011	30594	D	N/A	1
Gamewell	FLEX 5000	2WT-B	N/A	20	GER 0.09, E4M-011	30594	D*	N/A	1
Gamewell	FLEX 500A	1100	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100B	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100D	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100S	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100T	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100TB	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100TD	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2100TS	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500A	2W-B	N/A	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500A	2151(T)	B110LP, B401	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500A	5151	B110LP, B401	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500A	2WT-B	N/A	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500A	D2	N/A	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500TA	1100	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100B	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100D	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100S	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100T	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100TB	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100TD	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2100TS	N/A	2	Z90MI	395799	B	150K	0
Gamewell	FLEX 500TA	2W-B	N/A	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500TA	2151(T)	B110LP, B401	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500TA	5151	B110LP, B401	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500TA	2WT-B	N/A	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 500TA	D2	N/A	2	Z90MI	395799	B	150K	1
Gamewell	FLEX 620	2W-B	N/A	25	N/A	620-1B	B	3.9K	1
Gamewell	FLEX 620	2W-B	N/A	25	N/A	620-1B	D*	3.9K	1
Gamewell	FLEX 620	2151(T)	B110LP, B401	25	N/A	620-1B	B	3.9K	1
Gamewell	FLEX 620	5151	B110LP, B401	25	N/A	620-1B	B	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	FLEX 620	2151(T)	B110LP, B401	25	N/A	620-1B	D	3.9K	1
Gamewell	FLEX 620	5151	B110LP, B401	25	N/A	620-1B	D	3.9K	1
Gamewell	FLEX 620	D2	N/A	25	N/A	620-1B	B	3.9K	1
Gamewell	FLEX 620	D2	N/A	25	N/A	620-1B	D	3.9K	1
Gamewell	FLEX 620	2WTA-B	N/A	1	N/A	620-1B	B	3.9K	1
Gamewell	FLEX 620	2WTA-B	N/A	1	N/A	620-1B	D*	3.9K	1
Gamewell	FLEX 620	2WT-B	N/A	25	N/A	620-1B	B	3.9K	1
Gamewell	FLEX 620	2WT-B	N/A	25	N/A	620-1B	D*	3.9K	1
Gamewell	FLEX 620	2WTR-B	N/A	1	N/A	620-1B	B	3.9K	1
Gamewell	FLEX 620	2WTR-B	N/A	1	N/A	620-1B	D*	3.9K	1
Gamewell	Flex 8	2W-B	N/A	1	N/A	A	B, D*	3.9K	1
Gamewell	Flex 8	2151(T)	B110LP, B401	1	N/A	A	B, D	3.9K	1
Gamewell	Flex 8	5151	B110LP, B401	1	N/A	A	B, D	3.9K	1
Gamewell	Flex 8	2WTA-B	N/A	1	N/A	A	B, D*	3.9K	1
Gamewell	Flex 8	2WT-B	N/A	1	N/A	A	B, D*	3.9K	1
Gamewell	Flex 8	D2	N/A	1	N/A	A	B, D	3.9K	1
Gamewell	FS140	2W-B	N/A	50	N/A	FS140A	B	3.9K	1
Gamewell	FS140	2151(T)	B110LP, B401	50	N/A	FS140A	B	3.9K	1
Gamewell	FS140	5151	B110LP, B401	50	N/A	FS140A	B	3.9K	1
Gamewell	FS140	2WTA-B	N/A	50	N/A	FS140A	B	3.9K	1
Gamewell	FS140	2WT-B	N/A	50	N/A	FS140A	B	3.9K	1
Gamewell	FS140	D2	N/A	50	N/A	FS140A	B	3.9K	1
Gamewell	INS-2	1100	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100B	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100D	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100S	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100T	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100TB	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100TD	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2100TS	N/A	25	30774-02, 30774-03	MDL NO	B	30816	0
Gamewell	INS-2	2W-B	N/A	25	30774-02, 30774-03	MDL NO	B	30816	1
Gamewell	INS-2	2151(T)	B110LP, B401	25	30774-02, 30774-03	MDL NO	B	30816	1
Gamewell	INS-2	5151	B110LP, B401	25	30774-02, 30774-03	MDL NO	B	30816	1
Gamewell	INS-2	D2	N/A	25	30774-02, 30774-03	MDL NO	B	30816	1
Gamewell	INS-2	2WT-B	N/A	25	30774-02, 30774-03	MDL NO	B	30816	1
Gamewell	INS-2	1100	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100B	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100D	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100S	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100T	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100TB	N/A	25	CZI HI A	-01,30774	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	INS-2	2100TD	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2100TS	N/A	25	CZI HI A	-01,30774	D	N/A	0
Gamewell	INS-2	2W-B	N/A	25	CZI HI A	-01,30774	D*	N/A	1
Gamewell	INS-2	2151(T)	B110LP, B401	25	CZI HI A	-01,30774	D	N/A	1
Gamewell	INS-2	5151	B110LP, B401	25	CZI HI A	-01,30774	D	N/A	1
Gamewell	INS-2	D2	N/A	25	CZI HI A	-01,30774	D	N/A	1
Gamewell	INS-2	2WT-B	N/A	25	CZI HI A	-01,30774	D*	N/A	1
Gamewell	INS-2	1100	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100B	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100D	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100S	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100T	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100TB	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100TD	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2100TS	N/A	25	CZI HI B	-02,-03	B	30525	0
Gamewell	INS-2	2W-B	N/A	25	CZI HI B	-02,-03	B	30525	1
Gamewell	INS-2	2151(T)	B110LP, B401	25	CZI HI B	-02,-03	B	30525	1
Gamewell	INS-2	5151	B110LP, B401	25	CZI HI B	-02,-03	B	30525	1
Gamewell	INS-2	D2	N/A	25	CZI HI B	-02,-03	B	30525	1
Gamewell	INS-2	2WT-B	N/A	25	CZI HI B	-02,-03	B	30525	1
Gamewell	INS-2	1100	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100B	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100D	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100S	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100T	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100TB	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100TD	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2100TS	N/A	8	CZI LOW A	-130,771	D	N/A	0
Gamewell	INS-2	2W-B	N/A	8	CZI LOW A	-130,771	D*	N/A	1
Gamewell	INS-2	2151(T)	B110LP, B401	8	CZI LOW A	-130,771	D	N/A	1
Gamewell	INS-2	5151	B110LP, B401	8	CZI LOW A	-130,771	D	N/A	1
Gamewell	INS-2	D2	N/A	8	CZI LOW A	-130,771	D	N/A	1
Gamewell	INS-2	2WT-B	N/A	8	CZI LOW A	-130,771	D*	N/A	1
Gamewell	INS-2	1100	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100B	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100D	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100S	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100T	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100TB	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2100TD	N/A	8	CZI LOW B	-02,-03	B	30048	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell	INS-2	2100TS	N/A	8	CZI LOW B	-02,-03	B	30048	0
Gamewell	INS-2	2W-B	N/A	8	CZI LOW B	-02,-03	B	30048	1
Gamewell	INS-2	2151(T)	B110LP, B401	8	CZI LOW B	-02,-03	B	30048	1
Gamewell	INS-2	5151	B110LP, B401	8	CZI LOW B	-02,-03	B	30048	1
Gamewell	INS-2	D2	N/A	8	CZI LOW B	-02,-03	B	30048	1
Gamewell	INS-2	2WT-B	N/A	8	CZI LOW B	-02,-03	B	30048	1
Gamewell	ZANS 400	1100	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100B	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100D	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100S	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100T	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100TB	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100TD	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2100TS	N/A	25	Z1	30635	ALL	30177	0
Gamewell	ZANS 400	2W-B	N/A	25	Z1	30635	ALL	30177	1
Gamewell	ZANS 400	2151(T)	B110LP, B401	25	Z1	30635	ALL	30177	1
Gamewell	ZANS 400	5151	B110LP, B401	25	Z1	30635	ALL	30177	1
Gamewell	ZANS 400	2WT-B	N/A	25	Z1	30635	ALL	30177	1
Gamewell	ZANS 400	D2	N/A	25	Z1	30635	ALL	30177	1
Gamewell-FCI	AMM-4SF	2W-B	N/A	20	AMM-4SF	A	B, D*	3.9K / N/A	1, 2
Gamewell-FCI	AMM-4SF	2151(T)	B110LP, B401	20	AMM-4SF	A	B, D	3.9K / N/A	1, 2
Gamewell-FCI	AMM-4SF	5151	B110LP, B401	20	AMM-4SF	A	B, D	3.9K / N/A	1, 2
Gamewell-FCI	AMM-4SF	2WTA-B	N/A	5	AMM-4SF	A	B, D*	3.9K / N/A	1, 2
Gamewell-FCI	AMM-4SF	2WT-B	N/A	20	AMM-4SF	A	B, D*	3.9K / N/A	1, 2
Gamewell-FCI	AMM-4SF	D2	N/A	20	AMM-4SF	A	B, D	3.9K / N/A	1, 2
Gamewell-FCI	Flex GF505	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF505	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	71252 / N/A	1
Gamewell-FCI	Flex GF505	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	71252 / N/A	1
Gamewell-FCI	Flex GF505	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF505	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF505	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF505	D2	N/A	20	N/A / CAC-5X	A	B, D	71252 / N/A	1
Gamewell-FCI	Flex GF510	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF510	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	71252 / N/A	1
Gamewell-FCI	Flex GF510	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	71252 / N/A	1
Gamewell-FCI	Flex GF510	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF510	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF510	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	71252 / N/A	1
Gamewell-FCI	Flex GF510	D2	N/A	20	N/A / CAC-5X	A	B, D	71252 / N/A	1
Gamewell-FCI	MMI-6SF	2W-B	N/A	20	MMI-6SF	A	B, D*	3.9K / N/A	1, 2
Gamewell-FCI	MMI-6SF	2151(T)	B110LP, B401	20	MMI-6SF	A	B, D	3.9K / N/A	1, 2
Gamewell-FCI	MMI-6SF	5151	B110LP, B401	20	MMI-6SF	A	B, D	3.9K / N/A	1, 2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Gamewell-FCI	MMI-6SF	2WTA-B	N/A	5	MMI-6SF	A	B, D*	3.9K / N/A	1, 2
Gamewell-FCI	MMI-6SF	2WT-B	N/A	20	MMI-6SF	A	B, D*	3.9K / N/A	1, 2
Gamewell-FCI	MMI-6SF	D2	N/A	20	MMI-6SF	A	B, D	3.9K / N/A	1, 2
GE	Advent 60-562	2W-B	N/A	25	N/A	2WSMKB	B	2K	1
GE	Advent 60-562	2151(T)	B110LP, B401	25	N/A	2WSMKB	B	2K	1
GE	Advent 60-562	5151	B110LP, B401	25	N/A	2WSMKB	B	2K	1
GE	Advent 60-562	2WT-B	N/A	25	N/A	2WSMKB	B	2K	1
GE	Advent 60-562	D2	N/A	25	N/A	2WSMKB	B	2K	1
GE	Concord Express	2W-B	N/A	10	N/A	2W+2W	A	2K	1
GE	Concord Express	2151(T)	B110LP, B401	10	N/A	2W+2W	A	2K	1
GE	Concord Express	5151	B110LP, B401	10	N/A	2W+2W	A	2K	1
GE	Concord Express	2WT-B	N/A	10	N/A	2W+2W	A	2K	1
GE	Concord Express	D2	N/A	10	N/A	2W+2W	A	2K	1
Gemini Audio	2000D	1151	B110LP, B401	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	1151	B116LP, B406B	1	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	1151	B116LP, B406B	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	1400	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	1451	B401B, B406B	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	1451	B116LP, B406B	1	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	1451	B116LP, B406B	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2151(T)	B110LP, B401	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	5151	B110LP, B401	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	D2	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2151(T)	B116LP, B406B	1	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	5151	B116LP, B406B	1	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2151(T)	B116LP, B406B	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2400	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2451	B401B, B406B	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2451	B116LP, B406B	1	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2451	B116LP, B406B	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2451	DH400	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2100S	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2100TS	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	2W-B	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	1
Gemini Audio	2000D	2WT-B	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	1
Gemini Audio	2000D	DH100LP	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Gemini Audio	2000D	DH100P	N/A	20 / 50	ZIM-3	24116E	A, B	2.7K	0
Harrington	HS-2100	2W-B	N/A	15	N/A	A	B, D*	5.1K	1
Harrington	HS-2100	2151(T)	B110LP, B401	15	N/A	A	B, D	5.1K	1
Harrington	HS-2100	5151	B110LP, B401	15	N/A	A	B, D	5.1K	1
Harrington	HS-2100	2WTA-B	N/A	15	N/A	A	B, D*	5.1K	1
Harrington	HS-2100	2WT-B	N/A	15	N/A	A	B, D*	5.1K	1
Harrington	HS-2100	D2	N/A	15	N/A	A	B, D	5.1K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Harrington	HS-2200	2W-B	N/A	25	N/A	A	B, D*	5.1K	1
Harrington	HS-2200	2151(T)	B110LP, B401	25	N/A	A	B, D	5.1K	1
Harrington	HS-2200	5151	B110LP, B401	25	N/A	A	B, D	5.1K	1
Harrington	HS-2200	2WTA-B	N/A	25	N/A	A	B, D*	5.1K	1
Harrington	HS-2200	2WT-B	N/A	25	N/A	A	B, D*	5.1K	1
Harrington	HS-2200	D2	N/A	25	N/A	A	B, D	5.1K	1
Harrington	HS-2402	2W-B	N/A	25	N/A	2402A	B, D*	5.1K	1
Harrington	HS-2402	2151(T)	B110LP, B401	25	N/A	2402A	B, D	5.1K	1
Harrington	HS-2402	5151	B110LP, B401	25	N/A	2402A	B, D	5.1K	1
Harrington	HS-2402	2WTA-B	N/A	25	N/A	2402A	B, D*	5.1K	1
Harrington	HS-2402	2WT-B	N/A	25	N/A	2402A	B, D*	5.1K	1
Harrington	HS-2402	D2	N/A	25	N/A	2402A	B, D	5.1K	1
Harrington	HS-2800	2W-B	N/A	30	N/A	1	B	4.7K	1
Harrington	HS-2800	2151(T)	B110LP, B401	30	N/A	1	B	4.7K	1
Harrington	HS-2800	5151	B110LP, B401	30	N/A	1	B	4.7K	1
Harrington	HS-2800	2WTA-B	N/A	30	N/A	1	B	4.7K	1
Harrington	HS-2800	2WT-B	N/A	30	N/A	1	B	4.7K	1
Harrington	HS-2800	2WTR-B	N/A	1	N/A	1	B	4.7K	1
Harrington	HS-2800	D2	N/A	30	N/A	1	B	4.7K	1
Harrington	HS-3030	2W-B	N/A	25	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	2151(T)	B110LP, B401	25	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	5151	B110LP, B401	25	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	D2	N/A	25	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	2WTA-B	N/A	25	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	2WT-B	N/A	25	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	2WTR-B	N/A	1	MR-2928	MDL	B, C	MRD-2904	1
Harrington	HS-3030	2W-B	N/A	25	MR-2938	MDL	D*	MRD-2904	1
Harrington	HS-3030	2151(T)	B110LP, B401	25	MR-2938	MDL	D	MRD-2904	1
Harrington	HS-3030	D2	N/A	25	MR-2938	MDL	D	MRD-2904	1
Harrington	HS-3030	2WTA-B	N/A	25	MR-2938	MDL	D*	MRD-2904	1
Harrington	HS-3030	2WT-B	N/A	25	MR-2938	MDL	D*	MRD-2904	1
Harrington	HS-3030	2WTR-B	N/A	1	MR-2938	MDL	D*	MRD-2904	1
Home Automation, Inc. (HAI)	21A00 Omni LT	2W-B	N/A	10	21A00 Omni LT	A	B	1503A0011	1
Home Automation, Inc. (HAI)	21A00 Omni LT	2151(T)	B110LP, B401	10	21A00 Omni LT	A	B	1503A0011	1
Home Automation, Inc. (HAI)	21A00 Omni LT	5151	B110LP, B401	10	21A00 Omni LT	A	B	1503A0011	1
Home Automation, Inc. (HAI)	21A00 Omni LT	2WT-B	N/A	10	21A00 Omni LT	A	B	1503A0011	1
Home Automation, Inc. (HAI)	21A00 Omni LT	D2	N/A	10	21A00 Omni LT	A	B	1503A0011	1
Home Automation, Inc. (HAI)	Omni II, Omni Pro II	2W-B	N/A	10	Omni II, Omni Pro II	A	B	1503A0011	1
Home Automation, Inc. (HAI)	Omni II, Omni Pro II	2151(T)	B110LP, B401	10	Omni II, Omni Pro II	A	B	1503A0011	1
Home Automation, Inc. (HAI)	Omni II, Omni Pro II	5151	B110LP, B401	10	Omni II, Omni Pro II	A	B	1503A0011	1
Home Automation, Inc. (HAI)	Omni II, Omni Pro II	2WT-B	N/A	10	Omni II, Omni Pro II	A	B	1503A0011	1
Home Automation, Inc. (HAI)	Omni II, Omni Pro II	D2	N/A	10	Omni II, Omni Pro II	A	B	1503A0011	1
Honeywell	Deltanet F and S	1151EIS	B401 w/barrier	20	AA	5106-001	A, B, C	1.4 - 1.6K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell	Deltanet F and S	5451EIS	B401 w/barrier	20	AA	5106-001	A, B, C	1.4 - 1.6K	0
Honeywell	TC841A1000	1400	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1451	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1451	B401B	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1451	B116LP, B406B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1800	N/A	24	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2151(T)	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	5151	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	D2	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2151(T)	B116LP, B406B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	5151	B116LP, B406B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2400	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451	B401B	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451	B116LP, B406B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451	DH400	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2800	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1100/D	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1451DH	DH400	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1851B	B101B	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1851B	B107B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	1851DH	DH1851DS	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2100/D/S	N/A	24	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2100T/D/S	N/A	24	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2151(T)	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2151(T)	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2151(T)	B116LP, B406B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2400AIT	N/A	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2400AT	N/A	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2400TH	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451TH	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451TH	B401B	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451TH	B116LP, B406B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2451TH	B110LP, B401	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2800TH	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2851B	B101B	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2851B	B107B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2851BTH	B101B	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2851BTH	B107B	1	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2851DH	DH2851DC	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	2W-B	N/A	20	TC841A1000	A	B, D*	3.9K, N/A	1
Honeywell	TC841A1000	2WTA-B	N/A	5	TC841A1000	A	B, D*	3.9K, N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell	TC841A1000	2WT-B	N/A	20	TC841A1000	A	B, D*	3.9K, N/A	1
Honeywell	TC841A1000	DH100LP	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC841A1000	DH100P	N/A	20	TC841A1000	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1400	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1451	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1451	B401B	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1451	B116LP, B406B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1800	N/A	24	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2151(T)	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	5151	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	D2	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2151(T)	B116LP, B406B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	5151	B116LP, B406B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2400	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451	B401B	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451	B116LP, B406B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451	DH400	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2800	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1100/D	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1451DH	DH400	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1851B	B101B	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1851B	B107B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	1851DH	DH1851DS	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2100/D/S	N/A	24	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2100T/D/S	N/A	24	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2151(T)	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2151(T)	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2151(T)	B116LP, B406B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2400AIT	N/A	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2400AT	N/A	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2400TH	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451TH	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451TH	B401B	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451TH	B116LP, B406B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2451TH	B110LP, B401	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2800TH	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2851B	B101B	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2851B	B107B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2851BTH	B101B	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2851BTH	B107B	1	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	2851DH	DH2851DC	20	TC941A1005	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell	TC941A1005	2W-B	N/A	20	TC941A1005	A	B, D*	3.9K, N/A	1
Honeywell	TC941A1005	2WTA-B	N/A	5	TC941A1005	A	B, D*	3.9K, N/A	1
Honeywell	TC941A1005	2WT-B	N/A	20	TC941A1005	A	B, D*	3.9K, N/A	1
Honeywell	TC941A1005	DH100LP	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	TC941A1005	DH100P	N/A	20	TC941A1005	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1400	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1451	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1451	B401B	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1451	B116LP, B406B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1800	N/A	24	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2151(T)	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	5151	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	D2	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2151(T)	B116LP, B406B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	5151	B116LP, B406B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2400	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451	B401B	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451	B116LP, B406B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451	DH400	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2800	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1100/D	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1451DH	DH400	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1851B	B101B	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1851B	B107B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	1851DH	DH1851DS	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2100/D/S	N/A	24	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2100T/D/S	N/A	24	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2151(T)	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2151(T)	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2151(T)	B116LP, B406B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2400AIT	N/A	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2400AT	N/A	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2400TH	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451TH	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451TH	B401B	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451TH	B116LP, B406B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2451TH	B110LP, B401	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2800TH	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2851B	B101B	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2851B	B107B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2851BTH	B101B	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell	XLS140-2(E)	2851BTH	B107B	1	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2851DH	DH2851DC	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	2W-B	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D*	3.9K, N/A	1
Honeywell	XLS140-2(E)	2WTA-B	N/A	5	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D*	3.9K, N/A	1
Honeywell	XLS140-2(E)	2WT-B	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D*	3.9K, N/A	1
Honeywell	XLS140-2(E)	DH100LP	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS140-2(E)	DH100P	N/A	20	TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1400	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1451	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1451	B401B	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1451	B116LP, B406B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1800	N/A	24	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2151(T)	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	5151	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	D2	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2151(T)	B116LP, B406B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	5151	B116LP, B406B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2400	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451	B401B	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451	B116LP, B406B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451	DH400	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2800	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1100/D	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1451DH	DH400	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1851B	B101B	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1851B	B107B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	1851DH	DH1851DS	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2100/D/S	N/A	24	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2100T/D/S	N/A	24	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2151(T)	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2151(T)	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2151(T)	B116LP, B406B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2400AIT	N/A	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2400AT	N/A	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2400TH	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451TH	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451TH	B401B	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451TH	B116LP, B406B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2451TH	B110LP, B401	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2800TH	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2851B	B101B	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell	XLS3000	2851B	B107B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2851BTH	B101B	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2851BTH	B107B	1	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2851DH	DH2851DC	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	2W-B	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D*	3.9K, N/A	1
Honeywell	XLS3000	2WTA-B	N/A	5	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D*	3.9K, N/A	1
Honeywell	XLS3000	2WT-B	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D*	3.9K, N/A	1
Honeywell	XLS3000	DH100LP	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS3000	DH100P	N/A	20	TC941A1005,TC841A1000, XLS-MM-Z, XP6-MA	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1400	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1451	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1451	B401B	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1451	B116LP, B406B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1800	N/A	24	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2151(T)	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	5151	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	D2	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2151(T)	B116LP, B406B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	5151	B116LP, B406B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2400	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451	B401B	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451	B116LP, B406B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451	DH400	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2800	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1100/D	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1451DH	DH400	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1851B	B101B	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1851B	B107B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	1851DH	DH1851DS	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2100/D/S	N/A	24	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2100T/D/S	N/A	24	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2151(T)	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2151(T)	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2151(T)	B116LP, B406B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2400AIT	N/A	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2400AT	N/A	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2400TH	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451TH	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451TH	B401B	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451TH	B116LP, B406B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2451TH	B110LP, B401	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2800TH	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell	XLS-MM-Z	2851B	B101B	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2851B	B107B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2851BTH	B101B	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2851BTH	B107B	1	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2851DH	DH2851DC	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	2W-B	N/A	20	XLS-MM-Z	A	B, D*	3.9K, N/A	1
Honeywell	XLS-MM-Z	2WTA-B	N/A	5	XLS-MM-Z	A	B, D*	3.9K, N/A	1
Honeywell	XLS-MM-Z	2WT-B	N/A	20	XLS-MM-Z	A	B, D*	3.9K, N/A	1
Honeywell	XLS-MM-Z	DH100LP	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell	XLS-MM-Z	DH100P	N/A	20	XLS-MM-Z	A	B, D	3.9K, N/A	0
Honeywell Security (Ademco)	4120XM	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4120XM	2151(T)	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4120XM	5151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4120XM	2100S	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4120XM	2100TS	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4120XM	2W-B	N/A	16	N/A	A	B	2K	1
Honeywell Security (Ademco)	4120XM	2WT-B	N/A	16	N/A	A	B	2K	1
Honeywell Security (Ademco)	4120XM	D2	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	1100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	1151	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2151(T)	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	5151	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2451	DH400	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100B	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100T	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100TB	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMP	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMP	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMP	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMP	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	1100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	1151	B110LP, B401	16	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	4140XMPT	1151	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2151(T)	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	5151	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2451	DH400	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100B	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100T	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100TB	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMPT	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMPT	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMPT	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	1100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	1151	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2151(T)	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	5151	B116LP, B406B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2451	DH400	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100B	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100T	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100TB	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4140XMPT-2	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMPT-2	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMPT-2	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4140XMPT-2	DH100LP	N/A	16	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	4140XMPT-2	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4209U	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	4209U	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4209U	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4209U	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4209U	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	4209U	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4209U	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4209U	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	4209U	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5110XM	2100AT	N/A	20	N/A	A	A	2K	0
Honeywell Security (Ademco)	5110XM	2100D	N/A	20	N/A	A	A	2K	0
Honeywell Security (Ademco)	5110XM	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5110XM	2100TD	N/A	20	N/A	A	A	2K	0
Honeywell Security (Ademco)	5110XM	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5110XM	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5110XM	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5110XM	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5110XM	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5110XM	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5110XM	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5120XM	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5120XM	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5120XM	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5120XM	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5120XM	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5120XM	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5120XM	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5120XM	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5120XM	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5120XM	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5120XM	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5140XM	1100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2451	DH400	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100B	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100T	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	5140XM	2100TB	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2300B	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5140XM	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	5140XM	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	5140XM	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	AM100	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	AM100	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	AM100	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	AM100	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	AM100	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	AM100	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	AM100	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	AM100	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	AM100	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	AM100	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	SL150	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	SL150	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	SL150	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	SL150	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	SL150	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	SL150	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	SL150	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	SL150	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 100	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 100	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 100	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 100	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 100	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 100	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 100	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 100	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 100	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 100	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128B	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128B	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128B	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128B	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128B	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128B	2W-B	N/A	20	N/A	A	B	2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA 128B	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128B	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128B	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128B	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128B	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128FB	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128FB	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128FB	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128FB	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128FB	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 128FB	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 128FB	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15P	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	1451	B401, B401B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2400	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2451	B401, B401B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2400TH	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2451TH	B401, B401B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 15P	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15P	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15P	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 15P	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20	2100D	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA 20	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20BAY	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20BAY	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20BAY	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20BAY	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20BAY	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20BAY	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20BAY	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20BAY	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20BAY	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20BAY	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20BAY	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20HWSE	1151	B110LP, B401	16	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2151(T)	B110LP, B401	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	5151	B110LP, B401	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2100AT	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2100D	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2100S	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2100TD	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2100TS	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20HWSE	2W-B	N/A	20	N/A	Zone 1	B	2K	1
Honeywell Security (Ademco)	VISTA 20HWSE	2WTA-B	N/A	20	N/A	Zone 1	B	2K	1
Honeywell Security (Ademco)	VISTA 20HWSE	2WT-B	N/A	20	N/A	Zone 1	B	2K	1
Honeywell Security (Ademco)	VISTA 20HWSE	D2	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	1451	B401, B401B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2400	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2451	B401, B401B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2400TH	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2451TH	B401, B401B	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20P	2W-B	N/A	20	N/A	A	B	2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA 20P	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20P	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 20P	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	1151	B110LP, B401	16	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2151(T)	B110LP, B401	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	5151	B110LP, B401	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2100AT	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2100D	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2100S	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2100TD	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2100TS	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 20SE	2W-B	N/A	20	N/A	Zone 1	B	2K	1
Honeywell Security (Ademco)	VISTA 20SE	2WTA-B	N/A	20	N/A	Zone 1	B	2K	1
Honeywell Security (Ademco)	VISTA 20SE	2WT-B	N/A	20	N/A	Zone 1	B	2K	1
Honeywell Security (Ademco)	VISTA 20SE	D2	N/A	20	N/A	Zone 1	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 32FB	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 32FB	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 32FB	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 32FB	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	1100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2451	DH400	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100B	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100T	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100TB	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2100TS	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA 40	2300B	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 40	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 40	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 40	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 40	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	1100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	1151	B110LP, B401	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2151(T)	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	5151	B110LP, B401	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2451	DH400	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100B	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100T	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100TB	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2300B	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50	D2	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	DH100LP	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50	DH100P	N/A	16	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50P	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50P	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50P	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50P	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50P	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50P	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50P	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50P	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50P	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50P	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50P	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PADT	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PADT	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PADT	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PADT	2100TD	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA 50PADT	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PADT	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PADT	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PADT	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PADT	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PADT	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PADT	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PUL	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PUL	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PUL	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PUL	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PUL	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA 50PUL	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PUL	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PUL	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PUL	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PUL	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA 50PUL	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA A	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA A	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA A	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA A	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA A	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA A	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA A	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA A	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA A	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA A	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA A	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA AMT3	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA AMT3	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA AMT3	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA AMT3	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA AMT3	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA AMT3	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA AMT3	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA AMT3	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA AMT3	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA AMT3	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA AMT3	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA CN	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA CN	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA CN	2100S	N/A	20	N/A	A	B	2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA CN	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA CN	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA CN	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA CN	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA CN	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA CN	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA CN	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA CN	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA HW	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA HW	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA HW	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA HW	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA HW	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA HW	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA HW	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA HW	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA HW	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA HW	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA HW	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA PULADT	2100AT	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA PULADT	2100D	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA PULADT	2100S	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA PULADT	2100TD	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA PULADT	2100TS	N/A	20	N/A	A	B	2K	0
Honeywell Security (Ademco)	VISTA PULADT	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA PULADT	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA PULADT	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA PULADT	2WTA-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA PULADT	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA PULADT	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-100	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-100	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-100	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-100	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-100	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-128-FBP	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-128-FBP	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-128-FBP	5151	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-128-FBP	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-128-FBP	D2	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-250FBP	2W-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-250FBP	2151(T)	B110LP, B401	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-250FBP	5151	B110LP, B401	20	N/A	A	B	2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Honeywell Security (Ademco)	VISTA-250FBP	2WT-B	N/A	20	N/A	A	B	2K	1
Honeywell Security (Ademco)	VISTA-250FBP	D2	N/A	20	N/A	A	B	2K	1
ISI Wireless	FMS 1000	1151	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	1400	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	1451	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2151(T)	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	5151	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	D2	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2400	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2451	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2451	DH400	24-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2100S	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2100TS	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2400TH	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2451TH	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	2W-B	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D*	N/A	1
ISI Wireless	FMS 1000	2WT-B	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D*	N/A	1
ISI Wireless	FMS 1000	DH100LP	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	DH100P	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 1000	1151	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	1400	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	1451	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2151(T)	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	5151	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	D2	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2400	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2451	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2451	DH400	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2100S	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2100TS	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2400TH	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2451TH	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	2W-B	N/A	5	4ZMA	4ZMA	B	22K	1
ISI Wireless	FMS 1000	2WT-B	N/A	5	4ZMA	4ZMA	B	22K	1
ISI Wireless	FMS 1000	DH100LP	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	DH100P	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 1000	1151	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	1400	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	1451	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2151(T)	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	5151	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	D2	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2400	N/A	25	4ZMB	4ZMB	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ISI Wireless	FMS 1000	2451	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2451	DH400	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2100S	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2100TS	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2400TH	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2451TH	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	2W-B	N/A	25	4ZMB	4ZMB	B	4.7K	1
ISI Wireless	FMS 1000	2WT-B	N/A	25	4ZMB	4ZMB	B	4.7K	1
ISI Wireless	FMS 1000	DH100LP	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 1000	DH100P	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	1151	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	1400	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	1451	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2151(T)	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	5151	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	D2	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2400	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2451	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2451	DH400	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2100S	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2100TS	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2400TH	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2451TH	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	2W-B	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D*	N/A	1
ISI Wireless	FMS 500	2WT-B	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D*	N/A	1
ISI Wireless	FMS 500	DH100LP	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	DH100P	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500	1151	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	1400	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	1451	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2151(T)	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	5151	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	D2	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2400	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2451	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2451	DH400	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2100S	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2100TS	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2400TH	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2451TH	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	2W-B	N/A	5	4ZMA	4ZMA	B	22K	1
ISI Wireless	FMS 500	2WT-B	N/A	5	4ZMA	4ZMA	B	22K	1
ISI Wireless	FMS 500	DH100LP	N/A	5	4ZMA	4ZMA	B	22K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ISI Wireless	FMS 500	DH100P	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500	1151	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	1400	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	1451	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2151(T)	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	5151	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	D2	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2400	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2451	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2451	DH400	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2100S	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2100TS	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2400TH	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2451TH	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	2W-B	N/A	25	4ZMB	4ZMB	B	4.7K	1
ISI Wireless	FMS 500	2WT-B	N/A	25	4ZMB	4ZMB	B	4.7K	1
ISI Wireless	FMS 500	DH100LP	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500	DH100P	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	1151	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	1400	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	1451	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2151(T)	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	5151	B110LP, B401	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	D2	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2400	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2451	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2451	DH400	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2100S	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2100TS	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2400TH	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2451TH	B401B	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	2W-B	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D*	N/A	1
ISI Wireless	FMS 500-96	2WT-B	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D*	N/A	1
ISI Wireless	FMS 500-96	DH100LP	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	DH100P	N/A	25-May	2ZMA, 4ZID	2ZMA, 4ZID	D	N/A	0
ISI Wireless	FMS 500-96	1151	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	1400	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	1451	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2151(T)	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	5151	B110LP, B401	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	D2	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2400	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2451	B401B	5	4ZMA	4ZMA	B	22K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
ISI Wireless	FMS 500-96	2451	DH400	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2100S	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2100TS	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2400TH	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2451TH	B401B	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	2W-B	N/A	5	4ZMA	4ZMA	B	22K	1
ISI Wireless	FMS 500-96	2WT-B	N/A	5	4ZMA	4ZMA	B	22K	1
ISI Wireless	FMS 500-96	DH100LP	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	DH100P	N/A	5	4ZMA	4ZMA	B	22K	0
ISI Wireless	FMS 500-96	1151	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	1400	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	1451	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2151(T)	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	5151	B110LP, B401	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	D2	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2400	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2451	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2451	DH400	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2100S	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2100TS	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2400TH	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2451TH	B401B	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	2W-B	N/A	25	4ZMB	4ZMB	B	4.7K	1
ISI Wireless	FMS 500-96	2WT-B	N/A	25	4ZMB	4ZMB	B	4.7K	1
ISI Wireless	FMS 500-96	DH100LP	N/A	25	4ZMB	4ZMB	B	4.7K	0
ISI Wireless	FMS 500-96	DH100P	N/A	25	4ZMB	4ZMB	B	4.7K	0
Johnson Control	FC-2000	1151	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	1151	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	1400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	1451	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	1451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2151(T)	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	5151	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	D2	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2151(T)	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	5151	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2451	DH400	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2451TH	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	2451TH	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	DH100LP	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Johnson Control	FC-2000	DH100P	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Johnson Control	IFC2-3030(E)	1400	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1451	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1451	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1800	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	5151	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	D2	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2151(T)	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	5151	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2400	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451	DH400	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2800	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1100/D	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1451DH	DH400	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1851B	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1851B	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	1851DH	DH1851DS	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2100/D/S	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2100T/D/S	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2151(T)	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2400AIT	N/A	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2400AT	N/A	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2400TH	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451TH	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451TH	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451TH	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2451TH	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2800TH	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2851B	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2851B	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2851BTH	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2851BTH	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2851DH	DH2851DC	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-3030(E)	2W-B	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC2-3030(E)	2WTA-B	N/A	5	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC2-3030(E)	2WT-B	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC2-3030(E)	DH100LP	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Johnson Control	IFC2-3030(E)	DH100P	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1400	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1451	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1451	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1800	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	5151	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	D2	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2151(T)	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	5151	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2400	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451	DH400	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2800	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1100/D	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1451DH	DH400	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1851B	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1851B	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	1851DH	DH1851DS	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2100/D/S	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2100T/D/S	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2151(T)	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2400AIT	N/A	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2400AT	N/A	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2400TH	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451TH	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451TH	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451TH	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2451TH	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2800TH	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2851B	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2851B	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2851BTH	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2851BTH	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2851DH	DH2851DC	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	2W-B	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC2-640(E)	2WTA-B	N/A	5	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC2-640(E)	2WT-B	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Johnson Control	IFC2-640(E)	DH100LP	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC2-640(E)	DH100P	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1400	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1451	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1451	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1800	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	5151	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	D2	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2151(T)	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	5151	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2400	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451	DH400	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2800	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1100/D	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1451DH	DH400	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1851B	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1851B	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	1851DH	DH1851DS	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2100/D/S	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2100T/D/S	N/A	24	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2151(T)	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2151(T)	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2400AIT	N/A	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2400AT	N/A	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2400TH	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451TH	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451TH	B401B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451TH	B116LP, B406B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2451TH	B110LP, B401	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2800TH	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2851B	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2851B	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2851BTH	B101B	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2851BTH	B107B	1	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2851DH	DH2851DC	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	2W-B	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Johnson Control	IFC-320(E)	2WTA-B	N/A	5	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC-320(E)	2WT-B	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D*	3.9K, N/A	1
Johnson Control	IFC-320(E)	DH100LP	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	IFC-320(E)	DH100P	N/A	20	M302MJ, M502MJ, XP6-MA	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1400	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1451	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1451	B401B	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1451	B116LP, B406B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1800	N/A	24	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2151(T)	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	5151	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	D2	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2151(T)	B116LP, B406B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	5151	B116LP, B406B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2400	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451	B401B	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451	B116LP, B406B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451	DH400	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2800	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1100/D	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1451DH	DH400	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1851B	B101B	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1851B	B107B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	1851DH	DH1851DS	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2100/D/S	N/A	24	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2100T/D/S	N/A	24	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2151(T)	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2151(T)	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2151(T)	B116LP, B406B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2400AIT	N/A	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2400AT	N/A	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2400TH	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451TH	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451TH	B401B	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451TH	B116LP, B406B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2451TH	B110LP, B401	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2800TH	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2851B	B101B	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2851B	B107B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2851BTH	B101B	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2851BTH	B107B	1	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	2851DH	DH2851DC	20	M302MJ	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Johnson Control	M302MJ	2W-B	N/A	20	M302MJ	A	B, D*	3.9K, N/A	1
Johnson Control	M302MJ	2WTA-B	N/A	5	M302MJ	A	B, D*	3.9K, N/A	1
Johnson Control	M302MJ	2WT-B	N/A	20	M302MJ	A	B, D*	3.9K, N/A	1
Johnson Control	M302MJ	DH100LP	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M302MJ	DH100P	N/A	20	M302MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1400	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1451	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1451	B401B	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1451	B116LP, B406B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1800	N/A	24	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2151(T)	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	D2	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2151(T)	B116LP, B406B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2400	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451	B401B	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451	B116LP, B406B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451	DH400	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2800	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1100/D	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1451DH	DH400	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1851B	B101B	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1851B	B107B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	1851DH	DH1851DS	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2100/D/S	N/A	24	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2100T/D/S	N/A	24	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2151(T)	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2151(T)	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2151(T)	B116LP, B406B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2400AIT	N/A	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2400AT	N/A	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2400TH	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451TH	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451TH	B401B	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451TH	B116LP, B406B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2451TH	B110LP, B401	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2800TH	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2851B	B101B	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2851B	B107B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2851BTH	B101B	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2851BTH	B107B	1	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	2851DH	DH2851DC	20	M502MJ	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Johnson Control	M502MJ	2W-B	N/A	20	M502MJ	A	B, D*	3.9K, N/A	1
Johnson Control	M502MJ	2WTA-B	N/A	5	M502MJ	A	B, D*	3.9K, N/A	1
Johnson Control	M502MJ	2WT-B	N/A	20	M502MJ	A	B, D*	3.9K, N/A	1
Johnson Control	M502MJ	DH100LP	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Johnson Control	M502MJ	DH100P	N/A	20	M502MJ	A	B, D	3.9K, N/A	0
Kidde	295100	1100	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	1151	B110LP, B401	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	1151	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2151(T)	B110LP, B401	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	5151	B110LP, B401	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	D2	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2151(T)	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	5151	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	5451	B401, B401B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	5151	B401, B401B	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	5451	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100B	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100D	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100S	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100T	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100TB	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100TD	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2100TS	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	2W-B	N/A	30	MIZP	10124A	B, D*	3.9K / N/A	1
Kidde	295100	2WT-B	N/A	30	MIZP	10124A	B, D*	3.9K / N/A	1
Kidde	295100	4451HT	B401, B401B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295100	4451HT	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	1100	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	1151	B110LP, B401	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	1151	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2151(T)	B110LP, B401	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	5151	B110LP, B401	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	D2	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2151(T)	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	5151	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	5451	B401, B401B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	5151	B401, B401B	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	5451	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100B	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100D	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100S	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Kidde	295101	2100T	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100TB	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100TD	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2100TS	N/A	30	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	2W-B	N/A	30	MIZP	10124A	B, D*	3.9K / N/A	1
Kidde	295101	2WT-B	N/A	30	MIZP	10124A	B, D*	3.9K / N/A	1
Kidde	295101	4451HT	B401, B401B	25	MIZP	10124A	B, D	3.9K / N/A	0
Kidde	295101	4451HT	B116LP, B406B	25	MIZP	10124A	B, D	3.9K / N/A	0
Mircom Technologies Ltd.	DM-1008A	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	DM-1008A	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	DM-1008A	5151	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	DM-1008A	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	DM-1008A	D2	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1000	1151	B110LP, B401	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	1400	N/A	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	1451	B401, B110LP, B401B	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2151(T)	B110LP, B401	30	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	5151	B110LP, B401	30	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2400	N/A	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2451	B401, B110LP, B401B	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2100S	N/A	30	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2100TS	N/A	30	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2400TH	N/A	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2451TH	B401, B110LP, B401B	25	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1000	2W-B	N/A	30	FA-1000	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1000	2WT-B	N/A	30	FA-1000	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1000	D2	N/A	30	FA-1000	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1008KA	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1008KA	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1008KA	5151	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1008KA	2WTA-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1008KA	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1008KA	D2	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1012KA	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1012KA	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1012KA	5151	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1012KA	2WTA-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1012KA	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1012KA	D2	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-101A	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-101A	2WTR-B	N/A	1	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-101U	1151	B116LP, B406B	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1151	B110LP, B401	25	FA-101U	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-101U	1400	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1451	B116LP, B406B	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1451	B401, B110LP, B401B	25	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2151(T)	B116LP, B406B	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	5151	B116LP, B406B	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2151(T)	B110LP, B401	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	5151	B110LP, B401	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	D2	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2400	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451	B116LP, B406B	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451	B401, B110LP, B401B	25	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100AT	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100S	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100TR	N/A	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100TS	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2400TH	N/A	30	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451TH	B116LP, B406B	1	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451TH	B401, B110LP, B401B	25	FA-101U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2W-B	N/A	30	FA-101U	A	B	3.9K	1
Mircom Technologies Ltd.	FA-101U	2WT-B	N/A	30	FA-101U	A	B	3.9K	1
Mircom Technologies Ltd.	FA-101U	1100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	5151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	D2	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2151(T)	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	5151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2400	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451	DH400	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	5451	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	5451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	1451DH	DH400	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100B	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100D	N/A	30	N/A	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-101U	2100S	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100T	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100TB	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100TD	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2100TS	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2400AIT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2400AT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2400TH	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451TH	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451TH	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2451TH	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-101U	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-101U	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-101U	2WTR-B	N/A	1	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-101U	4451HT	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	4451HT	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	DH100LP	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-101U	DH100P	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025A	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-1025A	2WTR-B	N/A	1	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-1025U	1151	B116LP, B406B	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1151	B110LP, B401	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1400	N/A	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1451	B116LP, B406B	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1451	B401, B110LP, B401B	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2151(T)	B116LP, B406B	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5151	B116LP, B406B	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2151(T)	B110LP, B401	30	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5151	B110LP, B401	30	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	D2	N/A	30	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2400	N/A	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451	B116LP, B406B	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451	B401, B110LP, B401B	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100AT	N/A	30	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100S	N/A	30	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100TR	N/A	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100TS	N/A	30	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2400TH	N/A	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451TH	B116LP, B406B	1	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451TH	B401, B110LP, B401B	25	FA-1025U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2W-B	N/A	30	FA-1025U	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1025U	2WT-B	N/A	30	FA-1025U	A	B	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-1025U	1100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	D2	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2151(T)	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2400	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451	DH400	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5451	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5151	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	5451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	1451DH	DH400	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100B	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100D	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100S	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100T	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100TB	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100TD	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2100TS	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2400AIT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2400AT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2400TH	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451TH	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451TH	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2451TH	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1025U	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-1025U	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-1025U	2WTR-B	N/A	1	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-1025U	4451HT	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	4451HT	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	DH100LP	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-1025U	DH100P	N/A	30	N/A	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-102A	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-102A	2WTR-B	N/A	1	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-102U	1151	B116LP, B406B	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1151	B110LP, B401	25	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1400	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1451	B116LP, B406B	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1451	B401, B110LP, B401B	25	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2151(T)	B116LP, B406B	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	5151	B116LP, B406B	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2151(T)	B110LP, B401	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	5151	B110LP, B401	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	D2	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2400	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451	B116LP, B406B	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451	B401, B110LP, B401B	25	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100AT	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100S	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100TR	N/A	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100TS	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2400TH	N/A	30	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451TH	B116LP, B406B	1	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451TH	B401, B110LP, B401B	25	FA-102U	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2W-B	N/A	30	FA-102U	A	B	3.9K	1
Mircom Technologies Ltd.	FA-102U	2WT-B	N/A	30	FA-102U	A	B	3.9K	1
Mircom Technologies Ltd.	FA-102U	1100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	5151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	D2	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2151(T)	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	5151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2400	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451	DH400	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	5451	B401, B401B	30	N/A	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-102U	5151	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	5451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	1451DH	DH400	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100B	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100D	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100S	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100T	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100TB	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100TD	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2100TS	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2400AIT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2400AT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2400TH	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451TH	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451TH	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2451TH	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-102U	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-102U	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-102U	2WTR-B	N/A	1	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-102U	4451HT	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	4451HT	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	DH100LP	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-102U	DH100P	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	5151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	D2	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2151(T)	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	5151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2451	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2451	DH400	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	5451	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	5151	B401, B401B	30	N/A	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-104/8U	5451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	1451DH	DH400	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100B	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100D	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100S	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100T	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100TB	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100TD	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2100TS	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2400AIT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2400AT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2400TH	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2451TH	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2451TH	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-104/8U	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-104/8U	4451HT	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	4451HT	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	DH100LP	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8U	DH100P	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1451	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1451	B401B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	5151	B110LP, B401	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	D2	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2151(T)	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	5151	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2400	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2451	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2451	DH400	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	5451	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	5151	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	5451	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	1451DH	DH400	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100B	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100D	N/A	30	N/A	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-104/8UX	2100S	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100T	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100TB	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100TD	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2100TS	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2400AIT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2400AT	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2400TH	NA	25	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2451TH	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2451TH	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-104/8UX	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	FA-104/8UX	4451HT	B401, B401B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	4451HT	B116LP, B406B	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	DH100LP	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-104/8UX	DH100P	N/A	30	N/A	A	B	3.9K	0
Mircom Technologies Ltd.	FA-200	1151	B116LP, B406B	1	FA-200	A	B,D	3.9K	0
Mircom Technologies Ltd.	FA-200	1151	B110LP, B401	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	1400	N/A	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	1451	B116LP, B406B	1	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	1451	B401, B110LP, B401B	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2151(T)	B116LP, B406B	1	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	5151	B116LP, B406B	1	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2151(T)	B110LP, B401	30	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	5151	B110LP, B401	30	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	D2	N/A	30	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2400	N/A	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2451	B116LP, B406B	1	FA-200	A	B,D	3.9K	0
Mircom Technologies Ltd.	FA-200	2451	B401, B110LP, B401B	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2100AT	N/A	30	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2100S	N/A	30	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2100TS	N/A	30	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2400TH	N/A	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2451TH	B116LP, B406B	1	FA-200	A	B,D	3.9K	0
Mircom Technologies Ltd.	FA-200	2451TH	B401, B110LP, B401B	25	FA-200	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-200	2W-B	N/A	30	FA-200	A	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-200	2WT-B	N/A	30	FA-200	A	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-202	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-202U	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-204E	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-204EU	2WTA-B	N/A	30	N/A	MDL NO	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-2600	2100AT	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2100S	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FA-2600	2100TS	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2100AT	N/A	20	N/A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2100S	N/A	20	N/A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2100TS	N/A	20	N/A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2WTA-B	N/A	30	N/A	A	B	4.7K	1
Mircom Technologies Ltd.	FA-2600	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Mircom Technologies Ltd.	FA-2600	1151	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	1151	B110LP, B401	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	1451	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	1451	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2151(T)	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	5151	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2151(T)	B110LP, B401	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	5151	B110LP, B401	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	D2	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2400	N/A	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2451	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2451	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2100TR	N/A	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2400TH	N/A	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2451TH	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2451TH	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Mircom Technologies Ltd.	FA-2600	2W-B	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	1
Mircom Technologies Ltd.	FA-2600	2WT-B	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	1
Mircom Technologies Ltd.	FA-300	1400	N/A	25	FA-300	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-300	1451	B401B	25	FA-300	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-300	2400	N/A	25	FA-300	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-300	2451	B401B	25	FA-300	A	B, D	3.9K	0
Mircom Technologies Ltd.	FA-300	2W-B	N/A	30	FA-300	A	B, D*	3.9K	1
Mircom Technologies Ltd.	FA-300	2151(T)	B110LP, B401	30	FA-300	A	B, D	3.9K	1
Mircom Technologies Ltd.	FA-300	5151	B110LP, B401	30	FA-300	A	B, D	3.9K	1
Mircom Technologies Ltd.	FA-300	D2	N/A	30	FA-300	A	B, D	3.9K	1
Mircom Technologies Ltd.	FX-2000	1151	B110LP, B401	25	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	1400	N/A	25	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	1451	B401, B110LP, B401B	25	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2151(T)	B110LP, B401	30	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	5151	B110LP, B401	30	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2400	N/A	25	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2451	B401, B110LP, B401B	25	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2100S	N/A	30	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2100TS	N/A	30	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2400TH	N/A	25	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	FX-2000	2451TH	B401, B110LP, B401B	25	FX-2000	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mircom Technologies Ltd.	FX-2000	2W-B	N/A	30	FX-2000	A	B	3.9K	1
Mircom Technologies Ltd.	FX-2000	2WT-B	N/A	30	FX-2000	A	B	3.9K	1
Mircom Technologies Ltd.	FX-2000	D2	N/A	30	FX-2000	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	1100	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	1151	B110LP, B401	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	1151	B116LP, B406B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	1451	B110LP, B401	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2151(T)	B110LP, B401	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	5151	B110LP, B401	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	D2	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2151(T)	B116LP, B406B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2451	B110LP, B401	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2451	DH400	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	5451	B401, B401B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	5151	B401, B401B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	5451	B116LP, B406B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	5151	B116LP, B406B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100B	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100D	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100S	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100T	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100TB	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100TD	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2100TS	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2400AIT	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2400AT	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2400TH	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2451TH	B110LP, B401	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2451TH	B401B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2451TH	B116LP, B406B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	2W-B	N/A	30	Series 100	A	B	3.9K	1
Mircom Technologies Ltd.	Series 100	2WT-B	N/A	30	Series 100	A	B	3.9K	1
Mircom Technologies Ltd.	Series 100	4451HT	B401, B401B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	4451HT	B116LP, B406B	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	DH100LP	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	Series 100	DH100P	N/A	30	Series 100	A	B	3.9K	0
Mircom Technologies Ltd.	SGM-1004A	2W-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	SGM-1004A	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	SGM-1004A	5151	B110LP, B401	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	SGM-1004A	2WTA-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	SGM-1004A	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mircom Technologies Ltd.	SGM-1004A	D2	N/A	30	N/A	A	B	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	7100	1100	N/A	30	N/A	A	B	3.9K	0
Mirtone	7100	1151	B110LP, B401	25	N/A	A	B	3.9K	0
Mirtone	7100	1151	B116LP, B406B	25	N/A	A	B	3.9K	0
Mirtone	7100	1400	N/A	25	N/A	A	B	3.9K	0
Mirtone	7100	1451	B401B	25	N/A	A	B	3.9K	0
Mirtone	7100	1451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mirtone	7100	2151(T)	B110LP, B401	30	N/A	A	B	3.9K	0
Mirtone	7100	5151	B110LP, B401	30	N/A	A	B	3.9K	0
Mirtone	7100	D2	N/A	30	N/A	A	B	3.9K	0
Mirtone	7100	2151(T)	B116LP, B406B	25	N/A	A	B	3.9K	0
Mirtone	7100	5151	B116LP, B406B	25	N/A	A	B	3.9K	0
Mirtone	7100	2400	N/A	25	N/A	A	B	3.9K	0
Mirtone	7100	2451	B401B	25	N/A	A	B	3.9K	0
Mirtone	7100	2451	B116LP, B406B	25	N/A	A	B	3.9K	0
Mirtone	7100	2451	DH400	25	N/A	A	B	3.9K	0
Mirtone	7100	2100D	N/A	30	N/A	A	B	3.9K	0
Mirtone	7100	2100S	N/A	30	N/A	A	B	3.9K	0
Mirtone	7100	2100TD	N/A	30	N/A	A	B	3.9K	0
Mirtone	7100	2100TS	N/A	30	N/A	A	B	3.9K	0
Mirtone	7100	2400TH	N/A	25	N/A	A	B	3.9K	0
Mirtone	7100	2451TH	B401B	25	N/A	A	B	3.9K	0
Mirtone	7100	2451TH	B116LP, B406B	25	N/A	A	B	3.9K	0
Mirtone	7100	2W-B	N/A	30	N/A	A	B	3.9K	1
Mirtone	7100	2WT-B	N/A	30	N/A	A	B	3.9K	1
Mirtone	7100	DH100LP	N/A	25	N/A	A	B	3.9K	0
Mirtone	7100	DH100P	N/A	25	N/A	A	B	3.9K	0
Mirtone	7112	1100	N/A	30	N/A	A	B	1.8K	0
Mirtone	7112	1151	B110LP, B401	25	N/A	A	B	1.8K	0
Mirtone	7112	1400	N/A	25	N/A	A	B	1.8K	0
Mirtone	7112	1451	B401B	25	N/A	A	B	1.8K	0
Mirtone	7112	2151(T)	B110LP, B401	30	N/A	A	B	1.8K	0
Mirtone	7112	5151	B110LP, B401	30	N/A	A	B	1.8K	0
Mirtone	7112	2400	N/A	25	N/A	A	B	1.8K	0
Mirtone	7112	2451	B401B	25	N/A	A	B	1.8K	0
Mirtone	7112	2451	DH400	25	N/A	A	B	1.8K	0
Mirtone	7112	2100D	N/A	30	N/A	A	B	1.8K	0
Mirtone	7112	2100S	N/A	30	N/A	A	B	1.8K	0
Mirtone	7112	2100TD	N/A	30	N/A	A	B	1.8K	0
Mirtone	7112	2100TS	N/A	30	N/A	A	B	1.8K	0
Mirtone	7112	2400TH	N/A	25	N/A	A	B	1.8K	0
Mirtone	7112	2451TH	B401B	25	N/A	A	B	1.8K	0
Mirtone	7112	2W-B	N/A	30	N/A	A	B	1.8K	1
Mirtone	7112	2WT-B	N/A	30	N/A	A	B	1.8K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	7112	D2	N/A	30	N/A	A	B	1.8K	0
Mirtone	7112	DH100LP	N/A	25	N/A	A	B	1.8K	0
Mirtone	7112	DH100P	N/A	25	N/A	A	B	1.8K	0
Mirtone	7200	1100	N/A	30	7230	A	D	N/A	0
Mirtone	7200	2100D	N/A	30	7230	A	D	N/A	0
Mirtone	7200	2100S	N/A	30	7230	A	D	N/A	0
Mirtone	7200	2100TD	N/A	30	7230	A	D	N/A	0
Mirtone	7200	2100TS	N/A	30	7230	A	D	N/A	0
Mirtone	7200	2151(T)	B110LP, B401	30	7230	A	D	N/A	1
Mirtone	7200	5151	B110LP, B401	30	7230	A	D	N/A	1
Mirtone	7200	D2	N/A	30	7230	A	D	N/A	1
Mirtone	7200	2W-B	N/A	30	7230	A	D*	N/A	1
Mirtone	7200	2WT-B	N/A	30	7230	A	D*	N/A	1
Mirtone	7200	1100	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7200	2100D	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7200	2100S	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7200	2100TD	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7200	2100TS	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7200	2151(T)	B110LP, B401	30	7602, N/A	A	B	3.9K	1
Mirtone	7200	5151	B110LP, B401	30	7602, N/A	A	B	3.9K	1
Mirtone	7200	D2	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7200	2W-B	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7200	2WT-B	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7200	1151	B110LP, B401	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	1400	N/A	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	1451	B401B	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	2151(T)	B110LP, B401	30	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	2400	N/A	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	2451	B401B	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	2451	DH400	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	2400TH	N/A	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	2451TH	B401B	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	D2	N/A	30	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	DH100LP	N/A	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7200	DH100P	N/A	25	N/A, 7230	A	B, D	3.9K / N/A	0
Mirtone	7600	1100	N/A	30	7230	A	D	N/A	0
Mirtone	7600	2100D	N/A	30	7230	A	D	N/A	0
Mirtone	7600	2100S	N/A	30	7230	A	D	N/A	0
Mirtone	7600	2100TD	N/A	30	7230	A	D	N/A	0
Mirtone	7600	2100TS	N/A	30	7230	A	D	N/A	0
Mirtone	7600	2W-B	N/A	30	7230	A	D*	N/A	1
Mirtone	7600	2151(T)	B110LP, B401	30	7230	A	D	N/A	1
Mirtone	7600	5151	B110LP, B401	30	7230	A	D	N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	7600	D2	N/A	30	7230	A	D	N/A	1
Mirtone	7600	2WT-B	N/A	30	7230	A	D*	N/A	1
Mirtone	7600	1100	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	1151	B110LP, B401	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	1400	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	1451	B401B	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	2151(T)	B110LP, B401	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	5151	B110LP, B401	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	D2	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	2400	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	2451	B401B	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	2451	DH400	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	2100D	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	2100S	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	2100TD	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	2100TS	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7600	2400TH	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	2451TH	B401B	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	2W-B	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7600	2WT-B	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7600	DH100LP	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	DH100P	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7600	1151	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	7600	1400	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7600	1451	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	7600	2151(T)	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	7600	5151	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	7600	D2	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7600	2400	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7600	2451	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	7600	2451	DH400	25	7630, 7640	A	D	N/A	0
Mirtone	7600	2400TH	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7600	2451TH	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	7600	DH100LP	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7600	DH100P	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7800	1100	N/A	30	7230	A	D	N/A	0
Mirtone	7800	2100D	N/A	30	7230	A	D	N/A	0
Mirtone	7800	2100S	N/A	30	7230	A	D	N/A	0
Mirtone	7800	2100TD	N/A	30	7230	A	D	N/A	0
Mirtone	7800	2100TS	N/A	30	7230	A	D	N/A	0
Mirtone	7800	2W-B	N/A	30	7230	A	D*	N/A	1
Mirtone	7800	2151(T)	B110LP, B401	30	7230	A	D	N/A	1
Mirtone	7800	5151	B110LP, B401	30	7230	A	D	N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	7800	D2	N/A	30	7230	A	D	N/A	1
Mirtone	7800	2WT-B	N/A	30	7230	A	D*	N/A	1
Mirtone	7800	1100	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	1151	B110LP, B401	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	1400	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	1451	B401B	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	2151(T)	B110LP, B401	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	5151	B110LP, B401	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	D2	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	2400	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	2451	B401B	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	2451	DH400	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	2100D	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	2100S	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	2100TD	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	2100TS	N/A	30	7602, N/A	A	B	3.9K	0
Mirtone	7800	2400TH	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	2451TH	B401B	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	2W-B	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7800	2WT-B	N/A	30	7602, N/A	A	B	3.9K	1
Mirtone	7800	DH100LP	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	DH100P	N/A	25	7602, N/A	A	B	3.9K	0
Mirtone	7800	1151	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	7800	1400	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7800	1451	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	7800	2151(T)	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	7800	5151	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	7800	D2	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7800	2400	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7800	2451	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	7800	2451	DH400	25	7630, 7640	A	D	N/A	0
Mirtone	7800	2400TH	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7800	2451TH	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	7800	DH100LP	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7800	DH100P	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	7900	1151	B110LP, B401	25	79044A	A	D	N/A	0
Mirtone	7900	1151	B116LP, B406B	25	79044A	A	D	N/A	0
Mirtone	7900	1451	B401, B401B	25	79044A	A	D	N/A	0
Mirtone	7900	1451	B116LP, B406B	25	79044A	A	D	N/A	0
Mirtone	7900	2151(T)	B110LP, B401	25	79044A	A	D	N/A	0
Mirtone	7900	5151	B110LP, B401	25	79044A	A	D	N/A	0
Mirtone	7900	D2	N/A	25	79044A	A	D	N/A	
Mirtone	7900	2151(T)	B116LP, B406B	25	79044A	A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	7900	5151	B116LP, B406B	25	79044A	A	D	N/A	0
Mirtone	7900	2400	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	2451	B401, B401B	25	79044A	A	D	N/A	0
Mirtone	7900	2451	B116LP, B406B	25	79044A	A	D	N/A	0
Mirtone	7900	2451	DH400	25	79044A	A	D	N/A	0
Mirtone	7900	2100S	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	2100TS	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	2400AIT	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	2400AT	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	2400TH	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	2451TH	B401, B401B	25	79044A	A	D	N/A	0
Mirtone	7900	2451TH	B116LP, B406B	25	79044A	A	D	N/A	0
Mirtone	7900	2W-B	N/A	25	79044A	A	D*	N/A	1
Mirtone	7900	2WT-B	N/A	25	79044A	A	D*	N/A	1
Mirtone	7900	DH100LP	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	DH100P	N/A	25	79044A	A	D	N/A	0
Mirtone	7900	1100	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	1151	B110LP, B401	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	1151	B116LP, B406B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	1400	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	1451	B401, B401B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	1451	B116LP, B406B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2151(T)	B110LP, B401	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	5151	B110LP, B401	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	D2	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2151(T)	B116LP, B406B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	5151	B116LP, B406B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2400	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2451	B401, B401B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2451	B116LP, B406B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2451	DH400	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2100D	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2100S	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2100TD	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2100TS	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2400AIT	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2400AT	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2400TH	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2451TH	B401, B401B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2451TH	B116LP, B406B	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	7900	2W-B	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	1
Mirtone	7900	2WT-B	N/A	30	79045A-2, 79045A-2TA	A	B	3.9K	1
Mirtone	7900	DH100LP	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	7900	DH100P	N/A	25	79045A-2, 79045A-2TA	A	B	3.9K	0
Mirtone	8000	1100	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	8000	1151	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	8000	1151	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	1400	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	1451	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	1451	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2151(T)	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	8000	5151	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2151(T)	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	5151	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	D2	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2400	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2451	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2451	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2451	DH400	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2100D	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	8000	2100S	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	8000	2100S	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2100TD	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	8000	2100TS	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	8000	2100TS	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2400AIT	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2400AT	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2400TH	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2451TH	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2451TH	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	8000	2W-B	N/A	25	7630, 7640	B	D*	N/A	1
Mirtone	8000	2WT-B	N/A	30	7630, 7640	B	D*	N/A	1
Mirtone	8000	2WT-B	N/A	25	7630, 7640	B	D*	N/A	1
Mirtone	8000	DH100LP	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	DH100P	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	8000	1100	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	1151	B110LP, B401	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	1151	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	1400	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	1451	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	1451	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2151(T)	B110LP, B401	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	5151	B110LP, B401	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	D2	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2151(T)	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	5151	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	8000	2400	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2451	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2451	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2451	DH400	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2100D	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2100S	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2100TD	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2100TS	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2400AIT	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2400AT	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2400TH	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2451TH	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2451TH	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	2W-B	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D*	3.9K / N/A	1
Mirtone	8000	2WT-B	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D*	3.9K / N/A	1
Mirtone	8000	DH100LP	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	8000	DH100P	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	1100	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	9200	1151	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	9200	1151	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	1400	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	1451	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	1451	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2151(T)	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	9200	5151	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	9200	D2	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2151(T)	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	5151	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2400	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2451	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2451	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2451	DH400	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2100D	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	9200	2100S	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	9200	2100S	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2100TD	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	9200	2100TS	N/A	30	7630, 7640	B	D	N/A	0
Mirtone	9200	2100TS	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2400AIT	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2400AT	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2400TH	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2451TH	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	9200	2451TH	B116LP, B406B	25	7630, 7640	B	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	9200	2W-B	N/A	25	7630, 7640	B	D*	N/A	1
Mirtone	9200	2WT-B	N/A	30	7630, 7640	B	D*	N/A	1
Mirtone	9200	2WT-B	N/A	25	7630, 7640	B	D*	N/A	1
Mirtone	9200	DH100LP	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	DH100P	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9200	1100	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	1151	B110LP, B401	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	1151	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	1400	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	1451	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	1451	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2151(T)	B110LP, B401	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	5151	B110LP, B401	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	D2	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2151(T)	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	5151	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2400	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2451	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2451	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2451	DH400	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2100D	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2100S	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2100TD	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2100TS	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2400AIT	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2400AT	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2400TH	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2451TH	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2451TH	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	2W-B	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D*	3.9K / N/A	1
Mirtone	9200	2WT-B	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D*	3.9K / N/A	1
Mirtone	9200	DH100LP	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9200	DH100P	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	1151	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	9500	1151	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	1400	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	1451	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	1451	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2151(T)	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	9500	5151	B110LP, B401	25	7630, 7640	B	D	N/A	0
Mirtone	9500	D2	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2151(T)	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	5151	B116LP, B406B	25	7630, 7640	B	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	9500	2400	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2451	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2451	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2451	DH400	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2100S	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2100TS	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2400AIT	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2400AT	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2400TH	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2451TH	B401, B401B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2451TH	B116LP, B406B	25	7630, 7640	B	D	N/A	0
Mirtone	9500	2W-B	N/A	25	7630, 7640	B	D*	N/A	1
Mirtone	9500	2WT-B	N/A	25	7630, 7640	B	D*	N/A	1
Mirtone	9500	DH100LP	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	DH100P	N/A	25	7630, 7640	B	D	N/A	0
Mirtone	9500	1100	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	1151	B110LP, B401	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	1151	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	1400	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	1451	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	1451	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2151(T)	B110LP, B401	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	5151	B110LP, B401	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	D2	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2151(T)	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	5151	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2400	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2451	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2451	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2451	DH400	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2100D	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2100S	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2100TD	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2100TS	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2400AIT	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2400AT	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2400TH	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2451TH	B401, B401B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2451TH	B116LP, B406B	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	2W-B	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D*	3.9K / N/A	1
Mirtone	9500	2WT-B	N/A	30	8070A, 8071A, 8072A, 8073A	A	B, D*	3.9K / N/A	1
Mirtone	9500	DH100LP	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0
Mirtone	9500	DH100P	N/A	25	8070A, 8071A, 8072A, 8073A	A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	79029	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79029	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79029	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2151(T)	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	5151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	D2	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2100S	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2100TS	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	2W-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79029	2WT-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79029	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79029	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79030	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79030	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2151(T)	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	5151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	D2	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2100S	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2100TS	N/A	25	79110, 79110D, 79111	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	79030	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	2W-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79030	2WT-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79030	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79030	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79500	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79500	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2151(T)	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	5151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	D2	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2100S	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2100TS	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	2W-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79500	2WT-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79500	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79002U	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79002U	1100	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2151(T)	B110LP, B401	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	5151	B110LP, B401	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	D2	N/A	30	79110, 79110D, 79111	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	79002U	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2100D	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2100S	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2100TD	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2100TS	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	2W-B	N/A	30	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79002U	2WT-B	N/A	30	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79002U	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79002U	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79008U	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79008U	1100	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2151(T)	B110LP, B401	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	5151	B110LP, B401	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	D2	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2100D	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2100S	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2100TD	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2100TS	N/A	30	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	2W-B	N/A	30	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79008U	2WT-B	N/A	30	79110, 79110D, 79111	A	B	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	79008U	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79008U	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79096U	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79096U	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2151(T)	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	5151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	D2	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2100S	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2100TS	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	2W-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79096U	2WT-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79096U	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79096U	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2400AIT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79500U-CA	2400AT	N/A	25	79045-2, 79045-21A	A	B	2.2K	0
Mirtone	79500U-CA	1151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	1151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	1400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	1451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	1451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2151(T)	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	5151	B110LP, B401	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	D2	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2151(T)	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	5151	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2400	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2451	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2451	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2451	DH400	25	79110, 79110D, 79111	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Mirtone	79500U-CA	2100S	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2100TS	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2400TH	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2451TH	B401B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2451TH	B116LP, B406B	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	2W-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79500U-CA	2WT-B	N/A	25	79110, 79110D, 79111	A	B	3.9K	1
Mirtone	79500U-CA	DH100LP	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	79500U-CA	DH100P	N/A	25	79110, 79110D, 79111	A	B	3.9K	0
Mirtone	9200 Remote	1151	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	1400	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	1451	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2151(T)	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	5151	B110LP, B401	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	D2	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2400	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2451	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2451	DH400	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2100S	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2100TS	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2400TH	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2451TH	B401B	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	2W-B	N/A	25	7630, 7640	A	D*	N/A	1
Mirtone	9200 Remote	2WT-B	N/A	25	7630, 7640	A	D*	N/A	1
Mirtone	9200 Remote	DH100LP	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	DH100P	N/A	25	7630, 7640	A	D	N/A	0
Mirtone	9200 Remote	1151	B110LP, B401	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	1400	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	1451	B401B	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2151(T)	B110LP, B401	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	5151	B110LP, B401	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	D2	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2400	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2451	B401B	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2451	DH400	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2100S	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2100TS	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2400TH	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2451TH	B401B	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	2W-B	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	1
Mirtone	9200 Remote	2WT-B	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	1
Mirtone	9200 Remote	DH100LP	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0
Mirtone	9200 Remote	DH100P	N/A	25	8070, 8071, 8072, 8073	A	B	3.9K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Modular Protection	RP-1002M	1151	B110LP, B401	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	1151	B116LP, B406B	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	1400	N/A	20	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	1451	B401, B401B	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	1451	B116LP, B406B	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2151(T)	B110LP, B401	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	5151	B110LP, B401	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	D2	N/A	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2151(T)	B116LP, B406B	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	5151	B116LP, B406B	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2400	N/A	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2451	B401, B401B	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2451	B116LP, B406B	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2451	DH400	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	1451DH	DH400	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2100S	N/A	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2100TS	N/A	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2400AIT	N/A	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2400AT	N/A	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2400TH	N/A	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2451TH	B401, B401B	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2451TH	B116LP, B406B	1	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	2W-B	N/A	15	N/A	A	B, D*	4.7K / NA	1
Modular Protection	RP-1002M	2WT-B	N/A	15	N/A	A	B, D*	4.7K / NA	1
Modular Protection	RP-1002M	DH100LP	N/A	15	N/A	A	B, D	4.7K / NA	0
Modular Protection	RP-1002M	DH100P	N/A	15	N/A	A	B, D	4.7K / NA	0
Moose/Sentrol	Z1200	1100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	1151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	1151	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2151(T)	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	5151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	D2	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2151(T)	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	5151	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	5451	B401, B401B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	5151	B401, B401B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	5451	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100D	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100S	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100T	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100TB	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Moose/Sentrol	Z1200	2100TD	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2100TS	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	2W-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
Moose/Sentrol	Z1200	2WT-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
Moose/Sentrol	Z1200	4451HT	B401, B401B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z1200	4451HT	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	1100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	1151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	1151	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2151(T)	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	5151	B110LP, B401	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	D2	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2151(T)	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	5151	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	5451	B401, B401B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	5151	B401, B401B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	5451	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100D	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100S	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100T	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100TB	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100TD	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2100TS	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	2W-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
Moose/Sentrol	Z2000	2WT-B	N/A	12	Z1200A, Z2000A	MDL NO	B	CR852	1
Moose/Sentrol	Z2000	4451HT	B401, B401B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Moose/Sentrol	Z2000	4451HT	B116LP, B406B	12	Z1200A, Z2000A	MDL NO	B	CR852	0
Napco	FW-C2Z	2W-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C2Z	2151(T)	B110LP, B401	30	N/A	A	B, D	3.9K	1
Napco	FW-C2Z	5151	B110LP, B401	30	N/A	A	B, D	3.9K	1
Napco	FW-C2Z	2WTA-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C2Z	2WT-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C2Z	D2	N/A	30	N/A	A	B, D	3.9K	1
Napco	FW-C4EZ	2W-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C4EZ	2151(T)	B110LP, B401	30	N/A	A	B, D	3.9K	1
Napco	FW-C4EZ	5151	B110LP, B401	30	N/A	A	B, D	3.9K	1
Napco	FW-C4EZ	2WTA-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C4EZ	2WT-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C4EZ	D2	N/A	30	N/A	A	B, D	3.9K	1
Napco	FW-C4Z	2W-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C4Z	2151(T)	B110LP, B401	30	N/A	A	B, D	3.9K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	FW-C4Z	5151	B110LP, B401	30	N/A	A	B, D	3.9K	1
Napco	FW-C4Z	2WTA-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C4Z	2WT-B	N/A	30	N/A	A	B, D*	3.9K	1
Napco	FW-C4Z	D2	N/A	30	N/A	A	B, D	3.9K	1
Napco	GEM - P1632	1151	B110LP, B401	25	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P1632	2151(T)	B110LP, B401	30	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P1632	5151	B110LP, B401	30	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P1632	2100AT	N/A	30	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P1632	2100S	N/A	30	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P1632	2100TS	N/A	30	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P1632	2W-B	N/A	30	GEM-P1632	N/A	B	2.2K	1
Napco	GEM - P1632	2WT-B	N/A	30	GEM-P1632	N/A	B	2.2K	1
Napco	GEM - P1632	D2	N/A	30	GEM-P1632	N/A	B	2.2K	0
Napco	GEM - P816	1151	B110LP, B401	25	GEM-P816	N/A	B	2K	0
Napco	GEM - P816	2151(T)	B110LP, B401	30	GEM-P816	N/A	B	2K	0
Napco	GEM - P816	5151	B110LP, B401	30	GEM-P816	N/A	B	2K	0
Napco	GEM - P816	2100S	N/A	30	GEM-P816	N/A	B	2K	0
Napco	GEM - P816	2100TS	N/A	30	GEM-P816	N/A	B	2K	0
Napco	GEM - P816	2W-B	N/A	30	GEM-P816	N/A	B	2K	1
Napco	GEM - P816	2WT-B	N/A	30	GEM-P816	N/A	B	2K	1
Napco	GEM - P816	D2	N/A	30	GEM-P816	N/A	B	2K	0
Napco	GEM-3200	1151	B110LP, B401	25	P3200	GEM-PS	B	2.2K	0
Napco	GEM-3200	2151(T)	B110LP, B401	30	P3200	GEM-PS	B	2.2K	0
Napco	GEM-3200	5151	B110LP, B401	30	P3200	GEM-PS	B	2.2K	0
Napco	GEM-3200	2100AT	N/A	10	P3200	GEM-PS	B	2.2K	0
Napco	GEM-3200	2100S	N/A	30	P3200	GEM-PS	B	2.2K	0
Napco	GEM-3200	2100TS	N/A	30	P3200	GEM-PS	B	2.2K	0
Napco	GEM-3200	2W-B	N/A	30	P3200	GEM-PS	B	2.2K	1
Napco	GEM-3200	2WT-B	N/A	30	P3200	GEM-PS	B	2.2K	1
Napco	GEM-3200	D2	N/A	30	P3200	GEM-PS	B	2.2K	0
Napco	GEM-P800	1151	B110LP, B401	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	1400	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	1451	B401, B401B	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2151(T)	B110LP, B401	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	5151	B110LP, B401	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2400	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2451	B401, B401B	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2100S	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2100TS	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2400TH	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2451TH	B401, B401B	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P800	2W-B	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	1
Napco	GEM-P800	2WT-B	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	GEM-P800	D2	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	GEM-P9600	1151	B110LP, B401	25	P9600	GEM-PS	B	2.2K	0
Napco	GEM-P9600	2151(T)	B110LP, B401	30	P9600	GEM-PS	B	2.2K	0
Napco	GEM-P9600	5151	B110LP, B401	30	P9600	GEM-PS	B	2.2K	0
Napco	GEM-P9600	2100AT	N/A	10	P9600	GEM-PS	B	2.2K	0
Napco	GEM-P9600	2100S	N/A	30	P9600	GEM-PS	B	2.2K	0
Napco	GEM-P9600	2100TS	N/A	30	P9600	GEM-PS	B	2.2K	0
Napco	GEM-P9600	2W-B	N/A	30	P9600	GEM-PS	B	2.2K	1
Napco	GEM-P9600	2WT-B	N/A	30	P9600	GEM-PS	B	2.2K	1
Napco	GEM-P9600	D2	N/A	30	P9600	GEM-PS	B	2.2K	1
Napco	LKDL	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2151(T)	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	5151	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	D2	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2151(T)	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	5151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100B	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100D	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100S	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100T	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100TB	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100TD	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2100TS	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	2W-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1000e	2WT-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1000e	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA1000e	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2151(T)	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	5151	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	D2	N/A	10	N/A	MDL NO	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MA1008	2151(T)	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	5151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100B	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100D	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100S	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100T	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100TB	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100TD	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2100TS	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1008	2W-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1008	2WT-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1008	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA1008	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2151(T)	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	5151	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	D2	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2151(T)	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	5151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100B	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100D	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100S	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100T	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100TB	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100TD	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2100TS	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1010	2W-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1010	2WT-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1010	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA1010	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MA1016	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2151(T)	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	5151	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	D2	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2151(T)	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	5151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100B	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100D	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100S	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100T	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100TB	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100TD	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2100TS	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA1016	2W-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1016	2WT-B	N/A	10	N/A	MDL NO	B	2.2K	1
Napco	MA1016	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA1016	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2151(T)	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	5151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	D2	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2151(T)	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	5151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	5151	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100B	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100D	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100S	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100T	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100TB	N/A	8	N/A	MDL NO	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MA2600LK	2100TD	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2100TS	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	2W-B	N/A	8	N/A	MDL NO	B	2.2K	1
Napco	MA2600LK	2WT-B	N/A	8	N/A	MDL NO	B	2.2K	1
Napco	MA2600LK	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LK	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2151(T)	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	5151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	D2	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2151(T)	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	5151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	5151	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100B	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100D	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100S	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100T	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100TB	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100TD	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2100TS	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	2W-B	N/A	8	N/A	MDL NO	B	2.2K	1
Napco	MA2600LKDL	2WT-B	N/A	8	N/A	MDL NO	B	2.2K	1
Napco	MA2600LKDL	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA2600LKDL	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0
Napco	MA3000	1100	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	1151	B110LP, B401	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	1151	B116LP, B406B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2151(T)	B110LP, B401	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	5151	B110LP, B401	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	D2	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2151(T)	B116LP, B406B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	5151	B116LP, B406B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2451	DH400	8	MA3000A, MA3000B	MDL NO	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MA3000	5451	B401, B401B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	5151	B401, B401B	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	5451	B116LP, B406B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100B	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100D	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100S	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100T	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100TB	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100TD	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2100TS	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	2W-B	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	1
Napco	MA3000	2WT-B	N/A	10	MA3000A, MA3000B	MDL NO	B	2.2K	1
Napco	MA3000	4451HT	B401, B401B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	4451HT	B116LP, B406B	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	DH100LP	N/A	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000	DH100P	N/A	8	MA3000A, MA3000B	MDL NO	B	2.2K	0
Napco	MA3000, w/wo PS3000	1151	B110LP, B401	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	1400	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	1451	B401B	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2151(T)	B110LP, B401	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	5151	B110LP, B401	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	D2	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2400	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2451	B401B	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2451	DH400	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2100S	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2100TS	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2300B	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2300T	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2300TB	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2400TH	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2451TH	B401B	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	2W-B	N/A	10	MA3000	A	B	2.2K	1
Napco	MA3000, w/wo PS3000	2WT-B	N/A	10	MA3000	A	B	2.2K	1
Napco	MA3000, w/wo PS3000	DH100LP	N/A	10	MA3000	A	B	2.2K	0
Napco	MA3000, w/wo PS3000	DH100P	N/A	10	MA3000	A	B	2.2K	0
Napco	MFA-6012	1400	N/A	10	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	1451	B401B	10	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2400	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2451	B401B	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2451	DH400	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2300B	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2300T	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MFA-6012	2300TB	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2400TH	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	2451TH	B401B	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	DH100LP	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	DH100P	N/A	25-Oct	6012, 6024	MFA12A	B	1.2K	0
Napco	MFA-6012	1100	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	1100	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	1151	B110LP, B401	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	1151	B110LP, B401	10	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	1151	B116LP, B406B	1	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	1151	B116LP, B406B	1	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	1151	B116LP, B406B	1	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	1151	B116LP, B406B	1	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2151(T)	B110LP, B401	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	5151	B110LP, B401	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	D2	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2151(T)	B110LP, B401	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	5151	B110LP, B401	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	D2	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2151(T)	B116LP, B406B	1	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	5151	B116LP, B406B	1	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2151(T)	B116LP, B406B	1	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2151(T)	B116LP, B406B	1	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	5151	B116LP, B406B	1	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	D2	N/A	1	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2151(T)	B116LP, B406B	1	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2451	DH400	10	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2451	DH400	10	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100B	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100B	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100D	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100D	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100S	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100S	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100T	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100T	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100TB	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100TB	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100TD	N/A	12	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	2100TD	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2100TS	N/A	12	N/A	MFA12A	B	1.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MFA-6012	2100TS	N/A	12	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	2W-B	N/A	12	N/A	MFA12A	B	1.2K	1
Napco	MFA-6012	2W-B	N/A	12	N/A	MFA12A	D*	N/A	1
Napco	MFA-6012	2WT-B	N/A	12	N/A	MFA12A	B	1.2K	1
Napco	MFA-6012	2WT-B	N/A	12	N/A	MFA12A	D*	N/A	1
Napco	MFA-6012	DH100LP	N/A	10	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	DH100LP	N/A	10	N/A	MFA12A	D	N/A	0
Napco	MFA-6012	DH100P	N/A	10	N/A	MFA12A	B	1.2K	0
Napco	MFA-6012	DH100P	N/A	10	N/A	MFA12A	D	N/A	0
Napco	MFA-6024	1400	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	1451	B401B	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2400	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2451	B401B	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2451	DH400	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2300B	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2300T	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2300TB	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2400TH	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	2451TH	B401B	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	DH100LP	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	DH100P	N/A	25-Oct	6012, 6024	MFA24A	B	1.2K	0
Napco	MFA-6024	1100	N/A	10	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	1100	N/A	10	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	1151	B110LP, B401	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	1151	B110LP, B401	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	1151	B116LP, B406B	1	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	1151	B116LP, B406B	1	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	1151	B116LP, B406B	1	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	1151	B116LP, B406B	1	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2151(T)	B110LP, B401	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	5151	B110LP, B401	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	D2	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2151(T)	B110LP, B401	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	5151	B110LP, B401	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	D2	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2151(T)	B116LP, B406B	1	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2151(T)	B116LP, B406B	1	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2451	DH400	10	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2451	DH400	10	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	5451	B401, B401B	10	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	5151	B401, B401B	10	N/A	MFA24A	B	1.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	MFA-6024	5451	B401, B401B	10	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	5151	B401, B401B	10	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	5151	B116LP, B406B	1	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	5451	B116LP, B406B	1	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	5451	B116LP, B406B	1	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	5151	B116LP, B406B	1	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100AT	N/A	30	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100B	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100B	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100D	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100D	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100S	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100S	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100T	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100T	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100TB	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100TB	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100TD	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100TD	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2100TR	N/A	1	N/A	MFA24A	B	2.7K	0
Napco	MFA-6024	2100TS	N/A	12	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	2100TS	N/A	12	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	2W-B	N/A	12	N/A	MFA24A	B	1.2K	1
Napco	MFA-6024	2W-B	N/A	12	N/A	MFA24A	D*	N/A	1
Napco	MFA-6024	2WT-B	N/A	12	N/A	MFA24A	B	1.2K	1
Napco	MFA-6024	2WT-B	N/A	12	N/A	MFA24A	D*	N/A	1
Napco	MFA-6024	4451HT	B401, B401B	10	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	4451HT	B401, B401B	10	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	4451HT	B116LP, B406B	1	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	4451HT	B116LP, B406B	1	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	DH100LP	N/A	10	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	DH100LP	N/A	10	N/A	MFA24A	D	N/A	0
Napco	MFA-6024	DH100P	N/A	10	N/A	MFA24A	B	1.2K	0
Napco	MFA-6024	DH100P	N/A	10	N/A	MFA24A	D	N/A	0
Napco	P800e	1151	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	1400	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	1451	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2151(T)	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	5151	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2400	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2451	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2100S	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2100TS	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	P800e	2400TH	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2451TH	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800e	2W-B	N/A	25	800e, 801, 800X	XP-S	B	2.2K	1
Napco	P800e	2WT-B	N/A	25	800e, 801, 800X	XP-S	B	2.2K	1
Napco	P800e	D2	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	1151	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	1400	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	1451	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2151(T)	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	5151	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2400	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2451	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2100S	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2100TS	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2400TH	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2451TH	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P800X	2W-B	N/A	25	800e, 801, 800X	XP-S	B	2.2K	1
Napco	P800X	2WT-B	N/A	25	800e, 801, 800X	XP-S	B	2.2K	1
Napco	P800X	D2	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	1151	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	1400	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	1451	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2151(T)	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	5151	B110LP, B401	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2400	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2451	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2100S	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2100TS	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2400TH	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2451TH	B401, B401B	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	P801	2W-B	N/A	25	800e, 801, 800X	XP-S	B	2.2K	1
Napco	P801	2WT-B	N/A	25	800e, 801, 800X	XP-S	B	2.2K	1
Napco	P801	D2	N/A	25	800e, 801, 800X	XP-S	B	2.2K	0
Napco	S5500	2451	DH400	10	S5500	A	B	2.2K	0
Napco	S5500	DH100LP	N/A	10	S5500	A	B	2.2K	0
Napco	S5500	DH100P	N/A	10	S5500	A	B	2.2K	0
Napco	S5500	1100	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	1151	B110LP, B401	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	1151	B116LP, B406B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2151(T)	B110LP, B401	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	5151	B110LP, B401	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	D2	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	S5500	2151(T)	B116LP, B406B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	5151	B116LP, B406B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2451	DH400	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	5451	B401, B401B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	5151	B401, B401B	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	5451	B116LP, B406B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100B	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100D	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100S	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100T	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100TB	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100TD	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2100TS	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	2W-B	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	1
Napco	S5500	2WT-B	N/A	10	S5500A, S5500B	MDL NO	B	2.2K	1
Napco	S5500	4451HT	B401, B401B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	4451HT	B116LP, B406B	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	DH100LP	N/A	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500	DH100P	N/A	8	S5500A, S5500B	MDL NO	B	2.2K	0
Napco	S5500 w/ PS3000	2451	DH400	10	S5500	B	B	2.2K	0
Napco	S5500 w/ PS3000	DH100LP	N/A	10	S5500	B	B	2.2K	0
Napco	S5500 w/ PS3000	DH100P	N/A	10	S5500	B	B	2.2K	0
Napco	S5500 w/wo PS3000	1151	B110LP, B401	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	1400	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	1451	B401B	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2151(T)	B110LP, B401	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	5151	B110LP, B401	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2400	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2451	B401B	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2100S	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2100TS	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2300B	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2300T	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2300TB	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2400TH	N/A	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2451TH	B401B	10	S5500	A	B	2.2K	0
Napco	S5500 w/wo PS3000	2W-B	N/A	10	S5500	A	B	2.2K	1
Napco	S5500 w/wo PS3000	2WT-B	N/A	10	S5500	A	B	2.2K	1
Napco	S5500 w/wo PS3000	D2	N/A	10	S5500	A	B	2.2K	0
Napco	SS P3200	1151	B110LP, B401	25	P3200	GEM-PS	B	2.2K	0
Napco	SS P3200	2151(T)	B110LP, B401	30	P3200	GEM-PS	B	2.2K	0
Napco	SS P3200	5151	B110LP, B401	30	P3200	GEM-PS	B	2.2K	0
Napco	SS P3200	2100AT	N/A	10	P3200	GEM-PS	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	SS P3200	2100S	N/A	30	P3200	GEM-PS	B	2.2K	0
Napco	SS P3200	2100TS	N/A	30	P3200	GEM-PS	B	2.2K	0
Napco	SS P3200	2W-B	N/A	30	P3200	GEM-PS	B	2.2K	1
Napco	SS P3200	2WT-B	N/A	30	P3200	GEM-PS	B	2.2K	1
Napco	SS P3200	D2	N/A	30	P3200	GEM-PS	B	2.2K	0
Napco	SS P9600	1151	B110LP, B401	25	P9600	GEM-PS	B	2.2K	0
Napco	SS P9600	2151(T)	B110LP, B401	30	P9600	GEM-PS	B	2.2K	0
Napco	SS P9600	5151	B110LP, B401	30	P9600	GEM-PS	B	2.2K	0
Napco	SS P9600	2100AT	N/A	10	P9600	GEM-PS	B	2.2K	0
Napco	SS P9600	2100S	N/A	30	P9600	GEM-PS	B	2.2K	0
Napco	SS P9600	2100TS	N/A	30	P9600	GEM-PS	B	2.2K	0
Napco	SS P9600	2W-B	N/A	30	P9600	GEM-PS	B	2.2K	1
Napco	SS P9600	2WT-B	N/A	30	P9600	GEM-PS	B	2.2K	1
Napco	SS P9600	D2	N/A	30	P9600	GEM-PS	B	2.2K	0
Napco	V2	1151	B110LP, B401	25	GEM-P816	N/A	B	2K	0
Napco	V2	2151(T)	B110LP, B401	30	GEM-P816	N/A	B	2K	0
Napco	V2	5151	B110LP, B401	30	GEM-P816	N/A	B	2K	0
Napco	V2	2100S	N/A	30	GEM-P816	N/A	B	2K	0
Napco	V2	2100TS	N/A	30	GEM-P816	N/A	B	2K	0
Napco	V2	2W-B	N/A	30	GEM-P816	N/A	B	2K	1
Napco	V2	2WT-B	N/A	30	GEM-P816	N/A	B	2K	1
Napco	V2	D2	N/A	30	GEM-P816	N/A	B	2K	0
Napco	V3	1151	B110LP, B401	25	GEM-P816	N/A	B	2K	0
Napco	V3	2151(T)	B110LP, B401	30	GEM-P816	N/A	B	2K	0
Napco	V3	5151	B110LP, B401	30	GEM-P816	N/A	B	2K	0
Napco	V3	2100S	N/A	30	GEM-P816	N/A	B	2K	0
Napco	V3	2100TS	N/A	30	GEM-P816	N/A	B	2K	0
Napco	V3	2W-B	N/A	30	GEM-P816	N/A	B	2K	1
Napco	V3	2WT-B	N/A	30	GEM-P816	N/A	B	2K	1
Napco	V3	D2	N/A	30	GEM-P816	N/A	B	2K	0
Napco	XP600	1151	B110LP, B401	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	1400	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	1451	B401, B401B	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2151(T)	B110LP, B401	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	5151	B110LP, B401	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2400	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2451	B401, B401B	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2100S	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2100TS	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2400TH	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2451TH	B401, B401B	25	GEM-P800, XP600	XP-S	B	2.2K	0
Napco	XP600	2W-B	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	1
Napco	XP600	2WT-B	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Napco	XP600	D2	N/A	25	GEM-P800, XP600	XP-S	B	2.2K	0
National Guardian	3100-0000	1100	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	1151	B110LP, B401	12	7433	C	B	2.2K	0
National Guardian	3100-0000	1151	B116LP, B406B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	2100	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2151(T)	B110LP, B401	15	7433	C	B	2.2K	0
National Guardian	3100-0000	5151	B110LP, B401	15	7433	C	B	2.2K	0
National Guardian	3100-0000	D2	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2151(T)	B116LP, B406B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	5151	B116LP, B406B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	2451	DH400	12	7433	C	B	2.2K	0
National Guardian	3100-0000	5451	B401, B401B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	5151	B401, B401B	15	7433	C	B	2.2K	0
National Guardian	3100-0000	5451	B116LP, B406B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	2100B	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2100D	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2100S	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2100T	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2100TB	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2100TD	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2100TS	N/A	15	7433	C	B	2.2K	0
National Guardian	3100-0000	2W-B	N/A	15	7433	C	B	2.2K	1
National Guardian	3100-0000	2WT-B	N/A	15	7433	C	B	2.2K	1
National Guardian	3100-0000	4451HT	B401, B401B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	4451HT	B116LP, B406B	12	7433	C	B	2.2K	0
National Guardian	3100-0000	DH100LP	N/A	12	7433	C	B	2.2K	0
National Guardian	3100-0000	DH100P	N/A	12	7433	C	B	2.2K	0
National Guardian	5200 Series	1100	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	1151	B110LP, B401	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	1151	B116LP, B406B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2151(T)	B110LP, B401	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	5151	B110LP, B401	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	D2	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2151(T)	B116LP, B406B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	5151	B116LP, B406B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2451	DH400	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	5451	B401, B401B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	5151	B401, B401B	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	5451	B116LP, B406B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100B	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100D	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100S	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
National Guardian	5200 Series	2100T	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100TB	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100TD	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2100TS	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	2W-B	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D*	2.2K / N/A	1
National Guardian	5200 Series	2WT-B	N/A	15	ZN-1, ZN-2, ZN-3	D	B, D*	2.2K / N/A	1
National Guardian	5200 Series	4451HT	B401, B401B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	4451HT	B116LP, B406B	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	DH100LP	N/A	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Guardian	5200 Series	DH100P	N/A	12	ZN-1, ZN-2, ZN-3	D	B, D	2.2K / N/A	0
National Time	7000	1151	B110LP, B401	30	7108	7018AA	B	7290	0
National Time	7000	1451	B401B	30	7108	7018AA	B	7290	0
National Time	7000	2151(T)	B110LP, B401	30	7108	7018AA	B	7290	0
National Time	7000	5151	B110LP, B401	30	7108	7018AA	B	7290	0
National Time	7000	2400	N/A	30	7108	7018AA	B	7290	0
National Time	7000	2451	B401B	30	7108	7018AA	B	7290	0
National Time	7000	2451	DH400	30	7108	7018AA	B	7290	0
National Time	7000	2100S	N/A	30	7108	7018AA	B	7290	0
National Time	7000	2100TS	N/A	30	7108	7018AA	B	7290	0
National Time	7000	2400TH	N/A	30	7108	7018AA	B	7290	0
National Time	7000	2451TH	B401B	30	7108	7018AA	B	7290	0
National Time	7000	2W-B	N/A	30	7108	7018AA	B	7290	1
National Time	7000	2WT-B	N/A	30	7108	7018AA	B	7290	1
National Time	7000	D2	N/A	30	7108	7018AA	B	7290	0
National Time	7000	DH100LP	N/A	30	7108	7018AA	B	7290	0
National Time	7000	DH100P	N/A	30	7108	7018AA	B	7290	0
Notifier	4800	1151	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	1400	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	1451	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2151(T)	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	5151	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2400	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2451	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2451	DH400	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2100S	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2100TS	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2400AIT	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2400AT	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2451TH	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	2W-B	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4800	2WT-B	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4800	D2	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4800	DH100LP	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	4800	DH100P	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	1151	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	1400	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	1451	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2151(T)	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	5151	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	D2	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2400	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2451	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2451	DH400	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2100S	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2100TS	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2400AIT	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2400AT	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2451TH	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	2W-B	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885	2WT-B	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885	DH100LP	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885	DH100P	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	1400	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	1451	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2400	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2451	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2451	DH400	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2100S	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2100TS	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2400AIT	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2400AT	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2451TH	B401B	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	2W-B	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885-1	2151(T)	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885-1	5151	B110LP, B401	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885-1	2WT-B	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885-1	D2	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	1
Notifier	4885-1	DH100LP	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	4885-1	DH100P	N/A	20	2Z2W-A/B, 4Z2W	A	B	401-1028	0
Notifier	AFC 90	1151	B110LP, B401	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	1400	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	1451	B401B	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2151(T)	B110LP, B401	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	5151	B110LP, B401	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2400	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2451	B401B	16	IZ424	A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	AFC 90	2451	DH400	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2100S	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2100TS	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2400TH	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2451TH	B401B	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	2W-B	N/A	16	IZ424	A	B, D*	3.9K / N/A	1
Notifier	AFC 90	2WT-B	N/A	16	IZ424	A	B, D*	3.9K / N/A	1
Notifier	AFC 90	D2	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	DH100LP	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFC 90	DH100P	N/A	16	IZ424	A	B, D	3.9K / N/A	0
Notifier	AFM-200	1151	B110LP, B401	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	1151	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	1400	N/A	24	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	1451	B401, B401B	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	1451	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2151(T)	B110LP, B401	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	5151	B110LP, B401	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	D2	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2151(T)	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	5151	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2400	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2451	B401, B401B	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2451	DH400	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	1451DH	DH400	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2100S	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2100TS	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2400AIT	N/A	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2400AT	N/A	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2400TH	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2451TH	B401, B401B	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2451TH	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	2W-B	N/A	20	MMX-2, M3-TW	A	B, D*	3.9K / N/A	1
Notifier	AFM-200	2WT-B	N/A	20	MMX-2, M3-TW	A	B, D*	3.9K / N/A	1
Notifier	AFM-200	DH100LP	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFM-200	DH100P	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	AFP-100	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-100	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-100	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-100	2WTA-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-100	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-100	D2	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-1010	1151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	1151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	AFP-1010	1400	N/A	24	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	1451	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	D2	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2400	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2451	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2451	DH400	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2100S	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2100TS	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2451TH	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	AFP-1010	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-1010	2WTA-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-1010	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	AFP-1010	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-1010	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-1010	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2WTA-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K	1
Notifier	AFP-200	1151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	1151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	1400	N/A	24	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	1451	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	D2	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2400	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2451	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2451	DH400	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2100S	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2100TS	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	AFP-200	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2451TH	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	AFP-200	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	AFP-200	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-200	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-200	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AFP-400	2WTA-B	N/A	20	N/A	A	B	3.9K	1
Notifier	AFP-400	2W-B	N/A	20	N/A	A	B	3.9K	1
Notifier	AFP-400	2151(T)	B110LP, B401	20	N/A	A	B	3.9K	1
Notifier	AFP-400	5151	B110LP, B401	20	N/A	A	B	3.9K	1
Notifier	AFP-400	2WT-B	N/A	20	N/A	A	B	3.9K	1
Notifier	AFP-400	D2	N/A	20	N/A	A	B	3.9K	1
Notifier	AFP-600	2WTA-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1
Notifier	AFP-600	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-600	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-600	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-600	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AFP-600	D2	N/A	20	MMX-2, FZM-1, XP6-MA	A	B	3.9K	1, 2
Notifier	AM 2020	1151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	1151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	1400	N/A	24	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	1451	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	D2	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2400	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2451	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2451	DH400	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2100S	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2100TS	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2451TH	B401, B401B	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	AM 2020	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	AM 2020	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	AM 2020	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	AM 2020	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA	A	B, D	3.9K / N/A	2
Notifier	FZM-1	1400	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1451	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1451	B401B	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1451	B116LP, B406B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1800	N/A	24	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2151(T)	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2151(T)	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	D2	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2151(T)	B116LP, B406B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2400	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451	B401B	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451	B116LP, B406B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451	DH400	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2800	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1100/D	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1451DH	DH400	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1851B	B101B	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1851B	B107B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	1851DH	DH1851DS	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2100/D/S	N/A	24	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2100T/D/S	N/A	24	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2151(T)	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2151(T)	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	5151	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2151(T)	B116LP, B406B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	5151	B116LP, B406B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2400AIT	N/A	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2400AT	N/A	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2400TH	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451TH	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451TH	B401B	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451TH	B116LP, B406B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2451TH	B110LP, B401	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2800TH	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2851B	B101B	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2851B	B107B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2851BTH	B101B	20	FZM-1	A	B, D	3.9K, N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	FZM-1	2851BTH	B107B	1	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2851DH	DH2851DC	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	2W-B	N/A	20	FZM-1	A	B, D*	3.9K / N/A	1, 2
Notifier	FZM-1	2WTA-B	N/A	5	FZM-1	A	B, D*	3.9K / N/A	1, 2
Notifier	FZM-1	2WT-B	N/A	20	FZM-1	A	B, D*	3.9K / N/A	1, 2
Notifier	FZM-1	DH100LP	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	FZM-1	DH100P	N/A	20	FZM-1	A	B, D	3.9K, N/A	2
Notifier	NFS2-3030(E)	1400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1800	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	D2	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2800	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1100/D	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	1851DH	DH1851DS	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2100/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2100T/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451TH	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2800TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NFS2-3030(E)	2851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2851BTH	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2851BTH	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2851DH	DH2851DC	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B,D*	3.9K, N/A	1
Notifier	NFS2-3030(E)	2WTA-B	N/A	5	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B,D*	3.9K, N/A	1
Notifier	NFS2-3030(E)	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D*	3.9K, N/A	1
Notifier	NFS2-3030(E)	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-3030(E)	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1800	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	D2	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2800	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1100/D	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	1851DH	DH1851DS	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2100/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2100T/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451TH	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NFS2-640(E)	2800TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2851BTH	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2851BTH	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2851DH	DH2851DC	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B,D*	3.9K, N/A	1
Notifier	NFS2-640(E)	2WTA-B	N/A	5	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B,D*	3.9K, N/A	1
Notifier	NFS2-640(E)	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D*	3.9K, N/A	1
Notifier	NFS2-640(E)	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS2-640(E)	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1800	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	D2	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2800	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1100/D	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	1851DH	DH1851DS	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2100/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2100T/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451TH	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NFS-3030	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2800TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2851BTH	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2851BTH	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2851DH	DH2851DC	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D*	3.9K	1, 2
Notifier	NFS-3030	2WTA-B	N/A	5	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D*	3.9K	1
Notifier	NFS-3030	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D*	3.9K	1
Notifier	NFS-3030	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-3030	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1800	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	D2	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2800	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1100/D	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	1851DH	DH1851DS	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2100/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2100T/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NFS-320	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451TH	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2800TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2851BTH	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2851BTH	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2851DH	DH2851DC	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B,D*	3.9K, N/A	1
Notifier	NFS-320	2WTA-B	N/A	5	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B,D*	3.9K, N/A	1
Notifier	NFS-320	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D*	3.9K, N/A	1
Notifier	NFS-320	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-320	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1800	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	5151	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	D2	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	5151	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2400	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2800	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1100/D	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1451DH	DH400	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	1851DH	DH1851DS	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2100/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2100T/D/S	N/A	24	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2151(T)	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2151(T)	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2400AIT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NFS-640	2400AT	N/A	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2400TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451TH	B401B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451TH	B116LP, B406B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2451TH	B110LP, B401	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2800TH	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2851B	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2851B	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2851BTH	B101B	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2851BTH	B107B	1	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2851DH	DH2851DC	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	2W-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B	3.9K	1
Notifier	NFS-640	2WTA-B	N/A	5	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B	3.9K	1
Notifier	NFS-640	2WT-B	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B	3.9K	1
Notifier	NFS-640	DH100LP	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NFS-640	DH100P	N/A	20	MMX-2, FZM-1, XP6-MA, NZM-100, NZM-100-6	A	B, D	3.9K, N/A	0
Notifier	NZM-100	1400	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1451	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1451	B401B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1451	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1800	N/A	24	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2151(T)	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	5151	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	D2	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2151(T)	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	5151	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2400	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451	B401B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451	DH400	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2800	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1100/D	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1451DH	DH400	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1851B	B101B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1851B	B107B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	1851DH	DH1851DS	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2100/D/S	N/A	24	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2100T/D/S	N/A	24	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2151(T)	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2151(T)	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NZM-100	2151(T)	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2400AIT	N/A	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2400AT	N/A	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2400TH	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451TH	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451TH	B401B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451TH	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2800TH	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2851B	B101B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2851B	B107B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2851BTH	B101B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2851BTH	B107B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2851DH	DH2851DC	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2W-B	N/A	20	NZM-100-6	A	B,D*	3.9K, N/A	1, 2
Notifier	NZM-100	2WTA-B	N/A	5	NZM-100-6	A	B,D*	3.9K, N/A	1, 2
Notifier	NZM-100	2WT-B	N/A	20	NZM-100-6	A	B, D*	3.9K, N/A	1, 2
Notifier	NZM-100	DH100LP	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	DH100P	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100	2451TH	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1400	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1451	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1451	B401B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1451	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1800	N/A	24	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2151(T)	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	5151	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	D2	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2151(T)	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	5151	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2400	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451	B401B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451	DH400	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2800	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1100/D	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1451DH	DH400	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1851B	B101B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1851B	B107B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	1851DH	DH1851DS	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2100/D/S	N/A	24	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2100T/D/S	N/A	24	NZM-100-6	A	B, D	3.9K, N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	NZM-100-6	2151(T)	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2151(T)	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2151(T)	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2400AIT	N/A	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2400AT	N/A	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2400TH	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451TH	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451TH	B401B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451TH	B116LP, B406B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2451TH	B110LP, B401	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2800TH	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2851B	B101B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2851B	B107B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2851BTH	B101B	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2851BTH	B107B	1	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2851DH	DH2851DC	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	2W-B	N/A	20	NZM-100-6	A	B, D*	3.9K / N/A	1, 2
Notifier	NZM-100-6	2WTA-B	N/A	5	NZM-100-6	A	B, D*	3.9K / N/A	1, 2
Notifier	NZM-100-6	2WT-B	N/A	20	NZM-100-6	A	B, D*	3.9K / N/A	1, 2
Notifier	NZM-100-6	DH100LP	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	NZM-100-6	DH100P	N/A	20	NZM-100-6	A	B, D	3.9K, N/A	2
Notifier	RP-1001	1151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	1151	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	1451	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	1451	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2151(T)	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	5151	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2451	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2451	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2451	DH400	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	1451DH	DH400	15	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2400AIT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2400AT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2400TH	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2451TH	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	2451TH	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	RP-1001	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	RP-1001	2WTA-B	N/A	20	N/A	A	B,D*	4.7K / N/A	1
Notifier	RP-1001	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	RP-1001	DH100LP	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1001	DH100P	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	1151	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	1451	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	1451	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2151(T)	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	5151	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2451	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2451	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2451	DH400	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	1451DH	DH400	15	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2400AIT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2400AT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2400TH	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2451TH	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2451TH	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	RP-1002	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	1
Notifier	RP-1002	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	1
Notifier	RP-1002	2WTA-B	N/A	20	N/A	A	B,D*	4.7K / N/A	1
Notifier	RP-1002	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	RP-1002	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	DH100LP	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-1002	DH100P	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	1151	B110LP, B116LP	16/1	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	1451	B401B, B406B	16/1	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	2151(T)	B110LP/B401	16	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	2151(T)	B116LP	1	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	5151	B110LP/B401	16	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	5151	B116LP	1	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	1451DH	DH400	16	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001	2W-B	N/A	16	N/A	A	B,D*	4.7K / N/A	1
Notifier	RP-2001	2WTA-B	N/A	20	N/A	A	B,D*	4.7K / N/A	1
Notifier	RP-2001	2WTAR-B	N/A	1	N/A	A	B,D*	4.7K / N/A	0
Notifier	RP-2001	2WT-B	N/A	16	N/A	A	B, D*	4.7K / N/A	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	RP-2001	D2	N/A	16	N/A	A	B, D	4.7K / N/A	0
Notifier	RP-2001E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2001E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2001E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2001E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2001E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2001E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2001E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Notifier	RP-2002	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2002	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2002	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2002E	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002E	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2002E	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	RP-2002E	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002E	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002E	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	RP-2002E	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Notifier	Sensiscan 2000	2451	DH400	20	IA-8F w/IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	DH100LP	N/A	20	IA-8F w/IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	1151	B110LP, B401	20	IZ-4F	A	B	4.7K	0
Notifier	Sensiscan 2000	2151(T)	B110LP, B401	20	IZ-4F	A	B	4.7K	0
Notifier	Sensiscan 2000	5151	B110LP, B401	20	IZ-4F	A	B	4.7K	0
Notifier	Sensiscan 2000	D2	N/A	20	IZ-4F	A	B	4.7K	0
Notifier	Sensiscan 2000	1151	B110LP, B401	20	IZ-4F w/ IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	2451	DH400	20	IZ-4F w/wo IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	DH100LP	N/A	20	IZ-4F w/wo IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	DH100P	N/A	20	IZ-4F w/wo IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	2451	DH400	20	IZ-4F, IZ-8F	A	B	4.7K	0
Notifier	Sensiscan 2000	2WTA-B	N/A	25	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Notifier	Sensiscan 2000	2WTR-B	N/A	1	IZ-4F, IZ-8F	A	B, D*	4.7K / N/A	1
Notifier	Sensiscan 2000	DH100LP	N/A	20	IZ-4F, IZ-8F	A	B	4.7K	0
Notifier	Sensiscan 2000	2151(T)	B110LP, B401	20	IZ-8F w/ IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	5151	B110LP, B401	20	IZ-8F w/ IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	D2	N/A	20	IZ-8F w/ IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	2451	DH400	20	IZ-8F w/o IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	DH100LP	N/A	20	IZ-8F w/o IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	DH100P	N/A	20	IZ-8F w/o IZE-AF	A	B	4.7K	0
Notifier	Sensiscan 2000	1151	B110LP, B401	20	IZ-8F w/wo IZE-AF	A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	Sensiscan 2000	2151(T)	B110LP, B401	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	5151	B110LP, B401	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	D2	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	2451	DH400	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	DH100LP	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Notifier	Sensiscan 2000	DH100P	N/A	20	IZ-8F w/wo IZE-AF	A	D	N/A	0
Notifier	SFP-1024	2W-B	N/A	20	CAC-10F	A	B, D*	4.7K	1
Notifier	SFP-1024	2151(T)	B110LP, B401	20	CAC-10F	A	B, D	4.7K	1
Notifier	SFP-1024	5151	B110LP, B401	20	CAC-10F	A	B, D	4.7K	1
Notifier	SFP-1024	2WTA-B	N/A	20	CAC-10F	A	B, D*	4.7K	1
Notifier	SFP-1024	2WT-B	N/A	20	CAC-10F	A	B, D*	4.7K	1
Notifier	SFP-1024	2WTR-B	N/A	1	CAC-10F	A	B, D*	4.7K	1
Notifier	SFP-1024	D2	N/A	20	CAC-10F	A	B, D	4.7K	1
Notifier	SFP-10UD	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UD	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-10UD	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-10UD	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UD	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UD	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UD	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Notifier	SFP-10UDC	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDC	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-10UDC	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-10UDC	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDC	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDC	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDC	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Notifier	SFP-10UDE	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDE	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-10UDE	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-10UDE	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDE	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDE	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-10UDE	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Notifier	SFP-2	1151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-2	1151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-2	1400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	1400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	1451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-2	1451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-2	2151(T)	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-2	5151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-2	D2	N/A	20	N/A	A	B	401-1028	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SFP-2	2151(T)	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-2	5151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-2	D2	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	2400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	2451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-2	2451	DH400	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2451	DH400	20	N/A	A	D	N/A	0
Notifier	SFP-2	2100S	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2100S	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	2100TS	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2100TS	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	2400AIT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2400AIT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	2400AT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2400AT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	2451TH	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-2	2451TH	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-2	2W-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-2	2W-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-2	2WT-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-2	2WT-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-2	DH100LP	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	DH100LP	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2	DH100P	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-2	DH100P	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-2402	2W-B	N/A	20	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2402	2151(T)	B110LP, B401	20	CAC-4	A	B, D	4.7K	1
Notifier	SFP-2402	5151	B110LP, B401	20	CAC-4	A	B, D	4.7K	1
Notifier	SFP-2402	2WTA-B	N/A	20	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2402	2WT-B	N/A	20	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2402	2WTR-B	N/A	1	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2402	D2	N/A	20	CAC-4	A	B, D	4.7K	1
Notifier	SFP-2402E	2W-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2402E	2151(T)	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Notifier	SFP-2402E	5151	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Notifier	SFP-2402E	2WTA-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2402E	2WT-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2402E	2WTR-B	N/A	1	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2402E	D2	N/A	20	N/A / CAC-4	A	B, D	4.7K / N/A	1, 2
Notifier	SFP-2404	2W-B	N/A	20	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2404	2151(T)	B110LP, B401	20	CAC-4	A	B, D	4.7K	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SFP-2404	5151	B110LP, B401	20	CAC-4	A	B, D	4.7K	1
Notifier	SFP-2404	2WTA-B	N/A	20	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2404	2WT-B	N/A	20	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2404	2WTR-B	N/A	1	CAC-4	A	B, D*	4.7K	1
Notifier	SFP-2404	D2	N/A	20	CAC-4	A	B, D	4.7K	1, 2
Notifier	SFP-2404E	2W-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2404E	2151(T)	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Notifier	SFP-2404E	5151	B110LP, B401	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Notifier	SFP-2404E	2WTA-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2404E	2WT-B	N/A	20	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2404E	2WTR-B	N/A	1	N/A / CAC-4	A	B, D*	4.7K / N/A	1
Notifier	SFP-2404E	D2	N/A	20	N/A / CAC-4	A	B, D	4.7K / N/A	1
Notifier	SFP-4	1151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-4	1151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-4	1400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	1400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	1451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-4	1451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-4	2151(T)	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-4	5151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-4	D2	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2151(T)	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-4	5151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-4	D2	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	2400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	2451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-4	2451	DH400	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2451	DH400	20	N/A	A	D	N/A	0
Notifier	SFP-4	2100S	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2100S	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	2100TS	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2100TS	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	2400AIT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2400AIT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	2400AT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2400AT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	2451TH	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-4	2451TH	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-4	2W-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-4	2W-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-4	2WT-B	N/A	20	N/A	A	B	401-1028	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SFP-4	2WT-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-4	DH100LP	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	DH100LP	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-4	DH100P	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-4	DH100P	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-400	1151	B110LP, B401	16	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	1151	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	1400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	1451	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	1451	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2151(T)	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	5151	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2400	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2451	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2451	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2451	DH400	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	1451DH	DH400	15	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2100TR	N/A	1	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2400AIT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2400AT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2400TH	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2451TH	B401, B401B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2451TH	B116LP, B406B	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	SFP-400	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Notifier	SFP-400	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	SFP-400	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Notifier	SFP-400	DH100LP	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400	DH100P	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	1151	B110LP, B401	16	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	1400	N/A	20	N/A	A	B	4.7K	0
Notifier	SFP-400B	1451	B401, B401B	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	1451	B116LP, B406B	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2151(T)	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	5151	B110LP, B401	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	2400	N/A	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2451	B401, B401B	15	N/A	A	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SFP-400B	2451	B116LP, B406B	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2451	DH400	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	1451DH	DH400	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2100AT	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	2100S	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	2100TR	N/A	1	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	2100TS	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	2400AIT	N/A	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2400AT	N/A	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2400TH	N/A	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2451TH	B401, B401B	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2451TH	B116LP, B406B	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	2W-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	SFP-400B	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Notifier	SFP-400B	2WT-B	N/A	20	N/A	A	B, D*	4.7K / N/A	1
Notifier	SFP-400B	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Notifier	SFP-400B	D2	N/A	20	N/A	A	B, D	4.7K / N/A	0
Notifier	SFP-400B	DH100LP	N/A	15	N/A	A	B	4.7K	0
Notifier	SFP-400B	DH100P	N/A	15	N/A	A	B	4.7K	0
Notifier	SFP-5UD	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UD	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UD	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UD	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UD	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UD	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UD	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1, 2
Notifier	SFP-5UDC	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDC	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UDC	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UDC	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDC	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDC	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDC	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UDE	2W-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDE	2151(T)	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UDE	5151	B110LP, B401	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-5UDE	2WTA-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDE	2WT-B	N/A	20	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDE	2WTR-B	N/A	1	N/A / CAC-5X	A	B, D*	4.7K / N/A	1
Notifier	SFP-5UDE	D2	N/A	20	N/A / CAC-5X	A	B, D	4.7K / N/A	1
Notifier	SFP-6	1151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-6	1151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-6	1400	N/A	20	N/A	A	B	401-1028	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SFP-6	1400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	1451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-6	1451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-6	2151(T)	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-6	5151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-6	D2	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2151(T)	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-6	5151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-6	D2	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	2400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	2451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-6	2451	DH400	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2451	DH400	20	N/A	A	D	N/A	0
Notifier	SFP-6	2100S	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2100S	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	2100TS	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2100TS	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	2400AIT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2400AIT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	2400AT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2400AT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	2451TH	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-6	2451TH	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-6	2W-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-6	2W-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-6	2WT-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-6	2WT-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-6	DH100LP	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	DH100LP	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-6	DH100P	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-6	DH100P	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	1151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-8	1151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-8	1400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	1400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	1451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-8	1451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-8	2151(T)	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-8	5151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SFP-8	D2	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2151(T)	B110LP, B401	20	N/A	A	D	N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SFP-8	5151	B110LP, B401	20	N/A	A	D	N/A	0
Notifier	SFP-8	D2	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	2400	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2400	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	2451	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2451	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-8	2451	DH400	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2451	DH400	20	N/A	A	D	N/A	0
Notifier	SFP-8	2100S	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2100S	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	2100TS	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2100TS	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	2400AIT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2400AIT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	2400AT	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2400AT	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	2451TH	B401B	20	N/A	A	B	401-1028	0
Notifier	SFP-8	2451TH	B401B	20	N/A	A	D	N/A	0
Notifier	SFP-8	2W-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-8	2W-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-8	2WT-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SFP-8	2WT-B	N/A	20	N/A	A	D*	N/A	1
Notifier	SFP-8	DH100LP	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	DH100LP	N/A	20	N/A	A	D	N/A	0
Notifier	SFP-8	DH100P	N/A	20	N/A	A	B	401-1028	0
Notifier	SFP-8	DH100P	N/A	20	N/A	A	D	N/A	0
Notifier	SGL-1000	1151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	1400	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	1451	B401B	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2151(T)	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	5151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2400	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2451	B401B	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2451	DH400	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2100S	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2100TS	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2400AIT	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2400AT	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2451TH	B401B	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	2W-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SGL-1000	2WT-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SGL-1000	D2	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-1000	DH100LP	N/A	20	N/A	A	B	401-1028	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	SGL-1000	DH100P	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-2000	2W-B	N/A	20	N/A	A	B	4.7K	1
Notifier	SGL-2000	2151(T)	B110LP, B401	20	N/A	A	B	4.7K	1
Notifier	SGL-2000	5151	B110LP, B401	20	N/A	A	B	4.7K	1
Notifier	SGL-2000	2WTA-B	N/A	20	N/A	A	B	4.7K	1
Notifier	SGL-2000	2WT-B	N/A	20	N/A	A	B	4.7K	1
Notifier	SGL-2000	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Notifier	SGL-2000	D2	N/A	20	N/A	A	B	4.7K	1
Notifier	SGL-4000	1151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	1400	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	1451	B401B	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2151(T)	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	5151	B110LP, B401	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2400	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2451	B401B	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2451	DH400	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2100S	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2100TS	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2400AIT	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2400AT	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2451TH	B401B	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	2W-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SGL-4000	2WT-B	N/A	20	N/A	A	B	401-1028	1
Notifier	SGL-4000	D2	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	DH100LP	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-4000	DH100P	N/A	20	N/A	A	B	401-1028	0
Notifier	SGL-404	2451	DH400	16	N/A	A	B	4.7K	0
Notifier	SGL-404	1451DH	DH400	16	N/A	A	B	4.7K	0
Notifier	SGL-404	DH100LP	N/A	16	N/A	A	B	4.7K	0
Notifier	SGL-404	DH100P	N/A	16	N/A	A	B	4.7K	0
Notifier	System 500	CP-651	B616LP	1	1Z4, 1Z8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	SD-651	B616LP	1	1Z4, 1Z8, 1ZE	A	B, D	4.7K / N/A	0
Notifier	System 500	1151	B110LP, B401	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	1151	B116LP, B406B	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	1400	N/A	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	1451	B401, B401B	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	1451	B116LP, B406B	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2151(T)	B110LP, B401	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	5151	B110LP, B401	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	D2	N/A	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2151(T)	B116LP, B406B	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	5151	B116LP, B406B	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2400	N/A	25	IMZ-8, 1ZE-A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	System 500	2451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2451	DH400	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2100S	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2100TS	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2400AIT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2400AT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2400TH	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2451TH	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2451TH	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	2W-B	N/A	25	IMZ-8, IZE-A	A	B, D*	4.7K / N/A	1
Notifier	System 500	2WT-B	N/A	25	IMZ-8, IZE-A	A	B, D*	4.7K / N/A	1
Notifier	System 500	DH100LP	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	DH100P	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 500	1151	B110LP, B401	20	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	2151(T)	B110LP, B401	25	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	5151	B110LP, B401	25	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	D2	N/A	25	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	2100AT	N/A	25	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	2100S	N/A	25	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	2100TR	N/A	1	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	2100TS	N/A	25	IZ4, IZ8	A	B, D	4.7K / N/A	0
Notifier	System 500	2W-B	N/A	25	IZ4, IZ8	A	B, D*	4.7K / N/A	1
Notifier	System 500	2WTA-B	N/A	25	IZ4, IZ8	A	B, D*	4.7K / N/A	1
Notifier	System 500	2WT-B	N/A	25	IZ4, IZ8	A	B, D*	4.7K / N/A	1
Notifier	System 500	2451	DH400	16	IZ-F, IZ-8	A	B, D	4.7K / N/A	0
Notifier	System 500	DH100LP	N/A	16	IZ-F, IZ-8	A	B, D	4.7K / N/A	0
Notifier	System 500	DH100P	N/A	16	IZ-F, IZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	1151	B110LP, B401	20	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2151(T)	B110LP, B401	25	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	5151	B110LP, B401	25	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	D2	N/A	25	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2100AT	N/A	25	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2100S	N/A	25	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2100TR	N/A	1	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2100TS	N/A	25	IMZ-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2W-B	N/A	25	IMZ-8	A	B, D*	4.7K / N/A	1
Notifier	System 5000	2WT-B	N/A	25	IMZ-8	A	B, D*	4.7K / N/A	1
Notifier	System 5000	1151	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	1151	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	1400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	1451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	1451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	System 5000	2151(T)	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	5151	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	D2	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2151(T)	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	5151	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2451	DH400	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2100S	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2100TS	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2400AIT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2400AT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2400TH	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2451TH	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2451TH	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2W-B	N/A	25	IMZ-8, IZE-A	A	B, D*	4.7K / N/A	1
Notifier	System 5000	2WT-B	N/A	25	IMZ-8, IZE-A	A	B, D*	4.7K / N/A	1
Notifier	System 5000	DH100LP	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	DH100P	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Notifier	System 5000	2451	DH400	16	IZM-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	1451DH	DH400	16	IZM-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	2WTA-B	N/A	20	IZM-8	A	B, D*	4.7K / N/A	1
Notifier	System 5000	2WTR-B	N/A	1	IZM-8	A	B, D*	4.7K / N/A	1
Notifier	System 5000	DH100LP	N/A	16	IZM-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	DH100P	N/A	16	IZM-8	A	B, D	4.7K / N/A	0
Notifier	System 5000	1151	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	1400	N/A	24	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	1451	B401, B401B	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	1451	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2151(T)	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	5151	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2400	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2451	B401, B401B	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2451	DH400	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	1451DH	DH400	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2400AIT	N/A	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2400AT	N/A	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2400TH	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2451TH	B401, B401B	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	2451TH	B116LP, B406B	1	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	DH100LP	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0
Notifier	System 5000	DH100P	N/A	20	MMX-2, M3-TW	A	B, D	3.9K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	XP Transponder	1151	B110LP, B401	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	1151	B116LP, B406B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	1400	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	1451	B401, B401B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	1451	B116LP, B406B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2151(T)	B110LP, B401	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	5151	B110LP, B401	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	D2	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2151(T)	B116LP, B406B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	5151	B116LP, B406B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2400	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2451	B401, B401B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2451	B116LP, B406B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2451	DH400	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	1451DH	DH400	30	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2100S	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2100TS	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2400TH	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2451TH	B401, B401B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2451TH	B116LP, B406B	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	2W-B	N/A	36	XPM-8	A	B, D*	2.2K / N/A	1
Notifier	XP Transponder	2WTA-B	N/A	36	XPM-8	A	B, D*	2.2K	1
Notifier	XP Transponder	2WT-B	N/A	36	XPM-8	A	B, D*	2.2K / N/A	1
Notifier	XP Transponder	DH100LP	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP Transponder	DH100P	N/A	36	XPM-8	A	B, D	2.2K / N/A	0
Notifier	XP6-MA	1400	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1451	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1451	B401B	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1451	B116LP, B406B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1800	N/A	24	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2151(T)	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	5151	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	D2	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2151(T)	B116LP, B406B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	5151	B116LP, B406B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2400	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451	B401B	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451	B116LP, B406B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451	DH400	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2800	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1100/D	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Notifier	XP6-MA	1451DH	DH400	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1851B	B101B	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1851B	B107B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	1851DH	DH1851DS	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2100/D/S	N/A	24	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2100T/D/S	N/A	24	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2151(T)	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2151(T)	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2151(T)	B116LP, B406B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2400AIT	N/A	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2400AT	N/A	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2400TH	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451TH	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451TH	B401B	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451TH	B110LP, B401	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2451TH	B116LP, B406B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2800TH	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2851B	B101B	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2851B	B107B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2851BTH	B101B	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2851BTH	B107B	1	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2851DH	DH2851DC	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	2W-B	N/A	20	XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	XP6-MA	2WTA-B	N/A	5	XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	XP6-MA	2WT-B	N/A	20	XP6-MA	A	B, D*	3.9K / N/A	1, 2
Notifier	XP6-MA	DH100LP	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
Notifier	XP6-MA	DH100P	N/A	20	XP6-MA	A	B, D	3.9K, N/A	2
OnQ	HS Model 800 or 364245-01	2W-B	N/A	10	N/A	A	A	1503A0011	1
OnQ	HS Model 800 or 364245-01	2151(T)	B110LP, B401	10	N/A	A	A	1503A0011	1
OnQ	HS Model 800 or 364245-01	5151	B110LP, B401	10	N/A	A	A	1503A0011	1
OnQ	HS Model 800 or 364245-01	2WT-B	N/A	10	N/A	A	A	1503A0011	1
OnQ	HS Model 800 or 364245-01	D2	N/A	10	N/A	A	A	1503A0011	1
Optex Morse	G824	1100	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	1151	B110LP, B401	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	1151	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2151(T)	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	5151	B110LP, B401	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	D2	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2151(T)	B116LP, B406B	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	5151	B116LP, B406B	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2451	DH400	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	5451	B401, B401B	8	N/A	MDL NO	B	2.2K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Optex Morse	G824	5151	B401, B401B	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	5451	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100B	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100D	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100S	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100T	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100TB	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100TD	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2100TS	N/A	10	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	2W-B	N/A	10	N/A	MDL NO	B	2.2K	1
Optex Morse	G824	2WT-B	N/A	10	N/A	MDL NO	B	2.2K	1
Optex Morse	G824	4451HT	B401, B401B	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	4451HT	B116LP, B406B	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	DH100LP	N/A	8	N/A	MDL NO	B	2.2K	0
Optex Morse	G824	DH100P	N/A	8	N/A	MDL NO	B	2.2K	0
Pem-All Fire	PEM-5000	1151	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	1151	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	1400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	1451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	1451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2151(T)	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	5151	B110LP, B401	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	D2	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2151(T)	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	5151	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2400	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2451	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2451	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2100S	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2100TS	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2400AIT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2400AT	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2400TH	N/A	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2451TH	B401, B401B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2451TH	B116LP, B406B	25	IMZ-8, IZE-A	A	B, D	4.7K / N/A	0
Pem-All Fire	PEM-5000	2W-B	N/A	25	IMZ-8, IZE-A	A	B, D*	4.7K / N/A	1
Pem-All Fire	PEM-5000	2WT-B	N/A	25	IMZ-8, IZE-A	A	B, D*	4.7K / N/A	1
Potter	PFC-100	1100	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	1151	B110LP, B401	20	N/A	A	B	5.1K	0
Potter	PFC-100	1151	B116LP, B406B	20	N/A	A	B	5.1K	0
Potter	PFC-100	1400	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	1451	B401B	15	N/A	A	B	3004022	0
Potter	PFC-100	2151(T)	B110LP, B401	15	N/A	A	B	5.1K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	PFC-100	5151	B110LP, B401	15	N/A	A	B	5.1K	0
Potter	PFC-100	D2	N/A	15	N/A	A	B	5.1K	0
Potter	PFC-100	2151(T)	B116LP, B406B	20	N/A	A	B	5.1K	0
Potter	PFC-100	5151	B116LP, B406B	20	N/A	A	B	5.1K	0
Potter	PFC-100	2451	B401, B401B	15	N/A	A	B	3004022	0
Potter	PFC-100	2451	DH400	15	N/A	A	B	3004022	0
Potter	PFC-100	5451	B401, B401B	15	N/A	A	B	5.1K	0
Potter	PFC-100	5151	B401, B401B	15	N/A	A	B	5.1K	0
Potter	PFC-100	5451	B116LP, B406B	15	N/A	A	B	5.1K	0
Potter	PFC-100	2100D	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	2100S	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	2100TD	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	2100TS	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	2451TH	B401, B401B	15	N/A	A	B	3004022	0
Potter	PFC-100	2W-B	N/A	15	N/A	A	B	3004022	1
Potter	PFC-100	2WT-B	N/A	15	N/A	A	B	3004022	1
Potter	PFC-100	4451HT	B401, B401B	20	N/A	A	B	5.1K	0
Potter	PFC-100	4451HT	B116LP, B406B	20	N/A	A	B	5.1K	0
Potter	PFC-100	DH100LP	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100	DH100P	N/A	15	N/A	A	B	3004022	0
Potter	PFC-100 R	1151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	1151	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	1451	B401BR	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	2151(T)	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	5151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	D2	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	2151(T)	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	5151	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	2451	B401BR	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	2451	DH400	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	5451	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	5151	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	5451	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	2451TH	B401BR	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	4451HT	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	4451HT	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	DH100LP	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 R	DH100P	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	1151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	1400	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	1451	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2151(T)	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	5151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	PFC-100 RC	2400	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2451	B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2451	DH400	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2100S	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2100TS	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2400TH	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2451TH	B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	2W-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-100 RC	2WT-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-100 RC	D2	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	DH100LP	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-100 RC	DH100P	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	1100	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	1151	B110LP, B401	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	1151	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	1400	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	1451	B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2151(T)	B110LP, B401	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	5151	B110LP, B401	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	D2	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2151(T)	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	5151	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2451	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2451	DH400	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	5451	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	5151	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	5451	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2100D	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2100S	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2100TD	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2100TS	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2300B	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2300T	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2300TB	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2451TH	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	2W-B	N/A	25	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-2000	2WT-B	N/A	25	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-2000	4451HT	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	4451HT	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	DH100LP	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000	DH100P	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	1100	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	1151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	PFC-2000R	1151	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	1400	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	1451	B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2151(T)	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	5151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	D2	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2151(T)	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	5151	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2400	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2451	B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2451	DH400	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	5451	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	5151	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	5451	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2100D	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2100S	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2100TD	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2100TS	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2300B	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2300T	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2300TB	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2400TH	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2451TH	B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	2W-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-2000R	2WT-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-2000R	4451HT	B401, B401B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	4451HT	B116LP, B406B	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	DH100LP	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-2000R	DH100P	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	1100	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	1151	B110LP, B401	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	1151	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	1400	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	1451	B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2151(T)	B110LP, B401	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	5151	B110LP, B401	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	D2	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2151(T)	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	5151	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2451	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2451	DH400	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	5451	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	5151	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	PFC-4000	5451	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2100D	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2100S	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2100TD	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2100TS	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2300B	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2300T	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2300TB	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2451TH	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	2W-B	N/A	25	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-4000	2WT-B	N/A	25	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-4000	4451HT	B401, B401B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	4451HT	B116LP, B406B	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	DH100LP	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4000	DH100P	N/A	25	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4410	1400	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4410	2400	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4410	2100S	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4410	2100TS	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4410	2400TH	N/A	20	N/A	A	B, D	5.1K / N/A	0
Potter	PFC-4410	2W-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-4410	2151(T)	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	1
Potter	PFC-4410	5151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	1
Potter	PFC-4410	2WT-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-4410	D2	N/A	20	N/A	A	B, D	5.1K / N/A	1
Potter	PFC-4410-RC	2W-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-4410-RC	2151(T)	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	1
Potter	PFC-4410-RC	5151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	1
Potter	PFC-4410-RC	2WT-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Potter	PFC-4410-RC	D2	N/A	20	N/A	A	B, D	5.1K / N/A	1
Potter	System One/15B	1100	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	1151	B110LP, B401	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	1151	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2151(T)	B110LP, B401	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5151	B110LP, B401	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	D2	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2151(T)	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5151	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2451	DH400	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5451	B401, B401B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5151	B401, B401B	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5451	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	System One/15B	2100B	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100D	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100S	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100T	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100TB	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100TD	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100TS	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2W-B	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15B	2WT-B	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15B	4451HT	B401, B401B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	4451HT	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	DH100LP	N/A	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	DH100P	N/A	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	1100	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	1151	B110LP, B401	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	1151	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2151(T)	B110LP, B401	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5151	B110LP, B401	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	D2	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2151(T)	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5151	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2451	DH400	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5451	B401, B401B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5151	B401, B401B	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	5451	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100B	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100D	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100S	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100T	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100TB	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100TD	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2100TS	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	2W-B	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15B	2WT-B	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15B	4451HT	B401, B401B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	4451HT	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	DH100LP	N/A	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15B	DH100P	N/A	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	1100	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	1151	B110LP, B401	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	1151	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	System One/15V	2151(T)	B110LP, B401	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B110LP, B401	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	D2	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2151(T)	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2451	DH400	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5451	B401, B401B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B401, B401B	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5451	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100B	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100D	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100S	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100T	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100TB	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100TD	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100TS	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2W-B	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15V	2WT-B	N/A	15	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15V	4451HT	B401, B401B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	4451HT	B116LP, B406B	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	DH100LP	N/A	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	DH100P	N/A	12	2AI, 2AIX, 2BI, 2BIX	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	1100	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	1151	B110LP, B401	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	1151	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2151(T)	B110LP, B401	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B110LP, B401	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	D2	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2151(T)	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2451	DH400	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5451	B401, B401B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5151	B401, B401B	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	5451	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100B	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100D	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100S	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100T	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100TB	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100TD	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	2100TS	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Potter	System One/15V	2W-B	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15V	2WT-B	N/A	15	AIN, AIXN, BIN, BIXN	MDL NO	B, D*	2.2K / N/A	1
Potter	System One/15V	4451HT	B401, B401B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	4451HT	B116LP, B406B	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	DH100LP	N/A	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Potter	System One/15V	DH100P	N/A	12	AIN, AIXN, BIN, BIXN	MDL NO	B, D	2.2K / N/A	0
Protectowire	ACR-160	1100	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	1100	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	1151	B110LP, B401	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	1151	B110LP, B401	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	1151	B116LP, B406B	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	1151	B116LP, B406B	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2151(T)	B110LP, B401	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	5151	B110LP, B401	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	D2	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2151(T)	B110LP, B401	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	5151	B110LP, B401	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	D2	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2151(T)	B116LP, B406B	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	5151	B116LP, B406B	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2151(T)	B116LP, B406B	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	5151	B116LP, B406B	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2451	DH400	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2451	DH400	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	5451	B401, B401B	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	5151	B401, B401B	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	5451	B401, B401B	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	5151	B401, B401B	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100B	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100B	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100D	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100D	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100S	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100S	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100T	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100T	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100TB	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100TB	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100TD	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	2100TD	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2100TS	N/A	10	ZM-2200	MDL NO	A	ELR-1A	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Protectowire	ACR-160	2100TS	N/A	10	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	2W-B	N/A	10	ZM-2200	MDL NO	A	ELR-1A	1
Protectowire	ACR-160	2W-B	N/A	10	ZM-2200	MDL NO	D*	N/A	1
Protectowire	ACR-160	2WT-B	N/A	10	ZM-2200	MDL NO	A	ELR-1A	1
Protectowire	ACR-160	2WT-B	N/A	10	ZM-2200	MDL NO	D*	N/A	1
Protectowire	ACR-160	4451HT	B401, B401B	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	4451HT	B401, B401B	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	DH100LP	N/A	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	DH100LP	N/A	8	ZM-2200	MDL NO	D	N/A	0
Protectowire	ACR-160	DH100P	N/A	8	ZM-2200	MDL NO	A	ELR-1A	0
Protectowire	ACR-160	DH100P	N/A	8	ZM-2200	MDL NO	D	N/A	0
Reliable Automatic Sprinkler	PFC-4410A-RC	2W-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Reliable Automatic Sprinkler	PFC-4410A-RC	2151(T)	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	1
Reliable Automatic Sprinkler	PFC-4410A-RC	5151	B110LP, B401	20	N/A	A	B, D	5.1K / N/A	1
Reliable Automatic Sprinkler	PFC-4410A-RC	2WT-B	N/A	20	N/A	A	B, D*	5.1K / N/A	1
Reliable Automatic Sprinkler	PFC-4410A-RC	D2	N/A	20	N/A	A	B, D	5.1K / N/A	1
Safetech	2000	1100	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	1151	B110LP, B401	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	1151	B116LP, B406B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2151(T)	B110LP, B401	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	5151	B110LP, B401	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	D2	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2151(T)	B116LP, B406B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	5151	B116LP, B406B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2451	DH400	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	5451	B401, B401B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	5151	B401, B401B	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	5451	B116LP, B406B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100B	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100D	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100S	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100T	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100TB	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100TD	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2100TS	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	2W-B	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D*	900A / N/A	1
Safetech	2000	2WT-B	N/A	20	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D*	900A / N/A	1
Safetech	2000	4451HT	B401, B401B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	4451HT	B116LP, B406B	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	DH100LP	N/A	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Safetech	2000	DH100P	N/A	16	CCA-1, CCA-3/DZM, CCA-3/DZS	ST01, ST01A	B, D	900A / N/A	0
Scantronic	AV9000 Series	1100	N/A	10	FM2000	H.F.	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Scantronic	AV9000 Series	1151	B110LP, B401	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	1151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2151(T)	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	5151	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	D2	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2151(T)	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	5151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2451	DH400	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	5451	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	5151	B401, B401B	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	5451	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100B	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100D	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100S	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100T	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100TB	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100TD	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2100TS	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	2W-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	AV9000 Series	2WT-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	AV9000 Series	4451HT	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	4451HT	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	DH100LP	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	AV9000 Series	DH100P	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	1100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	1151	B110LP, B401	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	1151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2151(T)	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	5151	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	D2	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2151(T)	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	5151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2451	DH400	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	5451	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	5151	B401, B401B	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	5451	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100B	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100D	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100S	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100T	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100TB	N/A	10	FM2000	H.F.	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Scantronic	EL16	2100TD	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2100TS	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	2W-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	EL16	2WT-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	EL16	4451HT	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	4451HT	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	DH100LP	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL16	DH100P	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	1100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	1151	B110LP, B401	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	1151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2151(T)	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	5151	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	D2	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2151(T)	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	5151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2451	DH400	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	5451	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	5151	B401, B401B	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	5451	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100B	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100D	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100S	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100T	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100TB	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100TD	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2100TS	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	2W-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	EL8	2WT-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	EL8	4451HT	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	4451HT	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	DH100LP	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	EL8	DH100P	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	1100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	1151	B110LP, B401	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	1151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2151(T)	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	5151	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	D2	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2151(T)	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	5151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Scantronic	SC1600	2451	DH400	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	5451	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	5151	B401, B401B	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	5451	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100B	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100D	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100S	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100T	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100TB	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100TD	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2100TS	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	2W-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	SC1600	2WT-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	SC1600	4451HT	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	4451HT	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	DH100LP	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC1600	DH100P	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	1100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	1151	B110LP, B401	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	1151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2151(T)	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	5151	B110LP, B401	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	D2	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2151(T)	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	5151	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2451	DH400	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	5451	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	5151	B401, B401B	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	5451	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100B	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100D	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100S	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100T	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100TB	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100TD	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2100TS	N/A	10	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	2W-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	SC800	2WT-B	N/A	10	FM2000	H.F.	B	4.7K	1
Scantronic	SC800	4451HT	B401, B401B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	4451HT	B116LP, B406B	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	DH100LP	N/A	8	FM2000	H.F.	B	4.7K	0
Scantronic	SC800	DH100P	N/A	8	FM2000	H.F.	B	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Securiplex	1010	DH100P	N/A	10	CCA-02878-000	N/A	B, D	6.8K	0
Securiplex	1010	DH100LP	N/A	10	CCA-02878-000	N/A	B, D	6.8K	0
Securiplex	1010	1451	B401, B110LP, B401B	10	1010	N/A	B, D	6.8K	0
Securiplex	1010	2151(T)	B110LP, B401	10	1010	N/A	B, D	6.8K	0
Securiplex	1010	5151	B110LP, B401	10	1010	N/A	B, D	6.8K	0
Securiplex	1010	D2	N/A	10	1010	N/A	B, D	6.8K	0
Securiplex	1010	2451	B401, B110LP, B401B	10	1010	N/A	B, D	6.8K	0
Securiplex	1010	2451TH	B401, B110LP, B401B	10	1010	N/A	B, D	6.8K	0
Securiplex	PRO-2000	1151	B110LP, B401	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	1400	N/A	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	1451	B401B	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2151(T)	B110LP, B401	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	5151	B110LP, B401	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2400	N/A	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2451	B401B	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2451	DH400	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2100S	N/A	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2100TS	N/A	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	2W-B	N/A	20	N/A	N/A	B	6.8K	1
Securiplex	PRO-2000	2WT-B	N/A	20	N/A	N/A	B	6.8K	1
Securiplex	PRO-2000	D2	N/A	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	DH100LP	N/A	20	N/A	N/A	B	6.8K	0
Securiplex	PRO-2000	DH100P	N/A	20	N/A	N/A	B	6.8K	0
Secutron	MR-2300	1400	N/A	25	FA-300	A	B, D	3.9K	0
Secutron	MR-2300	1451	B401B	25	FA-300	A	B, D	3.9K	0
Secutron	MR-2300	2400	N/A	25	FA-300	A	B, D	3.9K	0
Secutron	MR-2300	2451	B401B	25	FA-300	A	B, D	3.9K	0
Secutron	MR-2300	2W-B	N/A	30	FA-300	A	B, D*	3.9K	1
Secutron	MR-2300	2151(T)	B110LP, B401	30	FA-300	A	B, D	3.9K	1
Secutron	MR-2300	5151	B110LP, B401	30	FA-300	A	B, D	3.9K	1
Secutron	MR-2300	D2	N/A	30	FA-300	A	B, D	3.9K	1
Secutron	MR-2602	2100AT	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2100S	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2100TS	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2100AT	N/A	20	N/A	1	A	4.7K	0
Secutron	MR-2602	2100S	N/A	20	N/A	1	A	4.7K	0
Secutron	MR-2602	2100TS	N/A	20	N/A	1	A	4.7K	0
Secutron	MR-2602	2WTA-B	N/A	30	N/A	A	B	4.7K	1
Secutron	MR-2602	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Secutron	MR-2602	1151	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	1151	B110LP, B401	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	1451	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	1451	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Secutron	MR-2602	2151(T)	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	5151	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2151(T)	B110LP, B401	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	5151	B110LP, B401	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	D2	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2400	N/A	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2451	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2451	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2100TR	N/A	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2400TH	N/A	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2451TH	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2451TH	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2602	2W-B	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	1
Secutron	MR-2602	2WT-B	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	1
Secutron	MR-2605	2100AT	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2100S	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2100TS	N/A	20	MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2100AT	N/A	20	N/A	1	A	4.7K	0
Secutron	MR-2605	2100S	N/A	20	N/A	1	A	4.7K	0
Secutron	MR-2605	2100TS	N/A	20	N/A	1	A	4.7K	0
Secutron	MR-2605	2WTA-B	N/A	30	N/A	A	B	4.7K	1
Secutron	MR-2605	2WTR-B	N/A	1	N/A	A	B	4.7K	1
Secutron	MR-2605	1151	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	1151	B110LP, B401	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	1451	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	1451	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2151(T)	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	5151	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2151(T)	B110LP, B401	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	5151	B110LP, B401	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	D2	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2400	N/A	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2451	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2451	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2100TR	N/A	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2400TH	N/A	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2451TH	B116LP, B406B	1	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2451TH	B401, B110LP, B401B	16	N/A, MR-2602A, MR-2605A	1	A	4.7K	0
Secutron	MR-2605	2W-B	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	1
Secutron	MR-2605	2WT-B	N/A	20	N/A, MR-2602A, MR-2605A	1	A	4.7K	1
Secutron	MR-2608	1100	N/A	30	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	1151	B110LP, B401	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	1400	N/A	30	MR-2600	MDL NO	B	MRD-2904	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Secutron	MR-2608	1451	B401, B401B	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2151(T)	B110LP, B401	30	MR-2600	MDL NO	B	MRD-2904	1
Secutron	MR-2608	5151	B110LP, B401	30	MR-2600	MDL NO	B	MRD-2904	1
Secutron	MR-2608	2400	N/A	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2451	B401, B401B	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2451	DH400	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2100S	N/A	30	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2100TS	N/A	30	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2300T	N/A	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2300TB	N/A	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2400TH	N/A	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2451TH	B401, B401B	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	2W-B	N/A	30	MR-2600	MDL NO	B	MRD-2904	1
Secutron	MR-2608	2WT-B	N/A	30	MR-2600	MDL NO	B	MRD-2904	1
Secutron	MR-2608	D2	N/A	30	MR-2600	MDL NO	B	MRD-2904	1
Secutron	MR-2608	DH100LP	N/A	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2608	DH100P	N/A	25	MR-2600	MDL NO	B	MRD-2904	0
Secutron	MR-2616	1100	N/A	8	N/A	12A	B	7628	0
Secutron	MR-2616	2100S	N/A	8	N/A	12A	B	7628	0
Secutron	MR-2616	2100TS	N/A	8	N/A	12A	B	7628	0
Secutron	MR-2616	2W-B	N/A	8	N/A	12A	B	7628	1
Secutron	MR-2616	2151(T)	B110LP, B401	8	N/A	12A	B	7628	1
Secutron	MR-2616	5151	B110LP, B401	8	N/A	12A	B	7628	1
Secutron	MR-2616	2WTA-B	N/A	30	N/A	1	B	4.7K	1
Secutron	MR-2616	2WT-B	N/A	8	N/A	12A	B	7628	1
Secutron	MR-2616	2WTR-B	N/A	1	N/A	1	B	4.7K	1
Secutron	MR-2616	D2	N/A	8	N/A	12A	B	7628	1
Secutron	MR-2900	1151	B110LP, B401	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	1400	N/A	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	1451	B401, B401B	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2151(T)	B110LP, B401	25	MR-2928	A	B, C	MRD-2904	1
Secutron	MR-2900	5151	B110LP, B401	25	MR-2928	A	B, C	MRD-2904	1
Secutron	MR-2900	2400	N/A	25	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2451	B401, B401B	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2451	DH400	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2100S	N/A	25	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2100TS	N/A	25	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2300T	N/A	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2300TB	N/A	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2400TH	N/A	25	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2451TH	B401, B401B	20	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2W-B	N/A	25	MR-2928	A	B, C	MRD-2904	1
Secutron	MR-2900	2WT-B	N/A	25	MR-2928	A	B, C	MRD-2904	1

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Secutron	MR-2900	D2	N/A	25	MR-2928	A	B, C	MRD-2904	1
Secutron	MR-2900	DH100LP	N/A	25	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	DH100P	N/A	25	MR-2928	A	B, C	MRD-2904	0
Secutron	MR-2900	2WTA-B	N/A	25	MR-2938	MDL	D*	N/A	1
Secutron	MR-2900	2WTA-B	N/A	25	MR-2938	MDL	B, C	N/A	1
Secutron	MR-2900	2WTR-B	N/A	1	MR-2938	MDL	D*	N/A	1
Secutron	MR-2900	2WTR-B	N/A	1	MR-2938	MDL	B, C	N/A	1
Silent Knight	2400	2451	DH400	10	A	24C	B	7628	0
Silent Knight	2400	DH100P	N/A	10	A	24C	B	7628	0
Silent Knight	2820	1100	N/A	10	7181	B	A	4.7K	0
Silent Knight	2820	1400	N/A	8	7181	B	A	4.7K	0
Silent Knight	2820	2100D	N/A	10	7181	B	A	4.7K	0
Silent Knight	2820	2100S	N/A	10	7181	B	A	4.7K	0
Silent Knight	2820	2100TD	N/A	10	7181	B	A	4.7K	0
Silent Knight	2820	2100TS	N/A	10	7181	B	A	4.7K	0
Silent Knight	2820	2W-B	N/A	10	7181	B	A	4.7K	1
Silent Knight	2820	2151(T)	B110LP, B401	10	7181	B	A	4.7K	1
Silent Knight	2820	5151	B110LP, B401	10	7181	B	A	4.7K	1
Silent Knight	2820	2WT-B	N/A	10	7181	B	A	4.7K	1
Silent Knight	2820	D2	N/A	10	7181	B	A	4.7K	1
Silent Knight	4720	1100	N/A	10	7181	B	A	4.7K	0
Silent Knight	4720	1400	N/A	8	7181	B	A	4.7K	0
Silent Knight	4720	2100D	N/A	10	7181	B	A	4.7K	0
Silent Knight	4720	2100S	N/A	10	7181	B	A	4.7K	0
Silent Knight	4720	2100TD	N/A	10	7181	B	A	4.7K	0
Silent Knight	4720	2100TS	N/A	10	7181	B	A	4.7K	0
Silent Knight	4720	2W-B	N/A	10	7181	B	A	4.7K	1
Silent Knight	4720	2151(T)	B110LP, B401	10	7181	B	A	4.7K	1
Silent Knight	4720	5151	B110LP, B401	10	7181	B	A	4.7K	1
Silent Knight	4720	2WT-B	N/A	10	7181	B	A	4.7K	1
Silent Knight	4720	D2	N/A	10	7181	B	A	4.7K	1
Silent Knight	5204	1151	B110LP, B401	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	1151	B110RLP	12	N/A	24C	A	7628	0
Silent Knight	5204	1151	B116LP, B406B	12	N/A	24C	A	7628	0
Silent Knight	5204	2451	DH400	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	2151(T)	B110LP, B401	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	5151	B110LP, B401	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	2151(T)	B110RLP	12	N/A	24C	A	7628	0
Silent Knight	5204	5151	B110RLP	12	N/A	24C	A	7628	0
Silent Knight	5204	D2	N/A	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	1451DH	DH400	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	2300B	N/A	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	2300TB	N/A	12-Oct	N/A	12C, 24C	A	7628	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Silent Knight	5204	2400	N/A	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	2400AIT	N/A	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5204	2400AT	N/A	12-Oct	N/A	12C, 24C	A	7628	0
Silent Knight	5207	1151	B110RLP	8	5210	24A	B	7628	0
Silent Knight	5207	2151(T)	B110RLP	8	5210	24A	B	7628	0
Silent Knight	5207	5151	B110RLP	8	5210	24A	B	7628	0
Silent Knight	5207	D2	N/A	8	5210	24A	B	7628	0
Silent Knight	5207	2151(T)	B110RLP	8	5210	24A	B	7628	0
Silent Knight	5207	1400	N/A	8	7181	B	A	4.7K	0
Silent Knight	5207	1400	N/A	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	1451	B401B	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	1451	B116LP, B406B	8	5210, N/A	24A	B	7628	0
Silent Knight	5207	2400	N/A	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	2451	B401B	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	2451	B116LP, B406B	8	5210, N/A	24A	B	7628	0
Silent Knight	5207	2451	DH400	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	2400AIT	N/A	8	5210, N/A	24A	B	7628	0
Silent Knight	5207	2400AT	N/A	8	5210, N/A	24A	B	7628	0
Silent Knight	5207	2400TH	N/A	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	2451TH	B401B	8	5210, N/A	12A, 24A	B	7628	0
Silent Knight	5207	2451TH	B116LP, B406B	8	5210, N/A	24A	B	7628	0
Silent Knight	5207	1151	B110LP, B401	12-Oct	N/A	12B, 24B	A	7628	0
Silent Knight	5207	1151	B110RLP	15-Dec	N/A	24B, 24D	A	7628	0
Silent Knight	5207	1400	N/A	16	N/A	24B	A	7628	0
Silent Knight	5207	1451	B401B	16	N/A	24B	A	7628	0
Silent Knight	5207	1451	B116LP, B406B	16	N/A	24B	A	7628	0
Silent Knight	5207	2151(T)	B110LP, B401	12-Oct	N/A	12B, 24B	A	7628	0
Silent Knight	5207	D2	N/A	12-Oct	N/A	12B, 24B	A	7628	0
Silent Knight	5207	2151(T)	B110RLP	12	N/A	24B	A	7628	0
Silent Knight	5207	5151	B110RLP	12	N/A	24B	A	7628	0
Silent Knight	5207	2151(T)	B110RLP	15	N/A	24D	B	7628	0
Silent Knight	5207	5151	B110RLP	15	N/A	24D	B	7628	0
Silent Knight	5207	D2	N/A	15	N/A	24D	B	7628	0
Silent Knight	5207	2151(T)	B116LP, B406B	12	N/A	24D	B	7628	0
Silent Knight	5207	5151	B116LP, B406B	12	N/A	24D	B	7628	0
Silent Knight	5207	2400	N/A	16	N/A	24B	A	7628	0
Silent Knight	5207	2451	B401B	16	N/A	24B	A	7628	0
Silent Knight	5207	2451	B116LP, B406B	16	N/A	24B	A	7628	0
Silent Knight	5207	2451	DH400	16-Aug	N/A	12B, 24B	A	7628	0
Silent Knight	5207	1451DH	DH400	16-Aug	N/A	12B, 24B	A	7628	0
Silent Knight	5207	2151(T)	B110LP, B401	12-Oct	N/A	12B, 24B	A	7628	0
Silent Knight	5207	5151	B110LP, B401	12-Oct	N/A	12B, 24B	A	7628	0
Silent Knight	5207	2151(T)	B110RLP	12	N/A	24B	A	7628	0

Manufacturer	Model	Detector Model	Base Model	Max Detectors	Zone Model	Zone ID	Style	EOL	Note ID
Silent Knight	5207	2151(T)	B110RLP	15	N/A	24D	B	7628	0
Silent Knight	5207	2151(T)	B116LP, B406B	15	N/A	24D	B	7628	0
Silent Knight	5207	2300TH	N/A	16	N/A	24B	A	7628	0
Silent Knight	5207	2400AIT	N/A	10	N/A	12B	A	7628	0
Silent Knight	5207	2400AT	N/A	10	N/A	12B	A	7628	0
Silent Knight	5207	2400TH	N/A	16	N/A	24B	A	7628	0
Silent Knight	5207	2451TH	B401B	16	N/A	24B	A	7628	0
Silent Knight	5207	2451TH	B116LP, B406B	16	N/A	24B	A	7628	0
Silent Knight	5204 12 Volt	1400	N/A	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	1451	B401B	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2400	N/A	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2451	B401B	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2451	DH400	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2300B	N/A	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2300T	N/A	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2300TB	N/A	12	N/A	N/A	A	7628	0
Silent Knight	5204 12 Volt	2400TH	N/A	12	N/A	N/A	A	7628	0