

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
Aspiration	8100	The FAAST XM 8100 is UL-approved for use in Class I, Division 2, Groups A, B, C, and D Hazardous Locations. Conventional aspirating smoke detector with Modbus.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	7100X	FAAST XS aspirating smoke detectors deliver highly accurate Very Early Warning Fire Detection over a wide coverage area and offer extensive communication capabilities.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	9400X	The FAAST XT is UL-approved for use in Class I, Division 2, Groups A, B, C, and D Hazardous Locations. The FAAST XT aspirating smoke detectors deliver highly accurate.Very Early Warning Fire Detection over a wide coverage area.	
Aspiration	9440X	The FAAST XT Pro aspirating smoke detectors deliver highly accurate Very Early Warning fire detection over a wide coverage area. Each pipe inlet on the FAAST XT Pro has a unique sensor to determine which pipe inlet is sensing smoke.	
Aspiration	F-A3384-000	FAAST Air Filter.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-COUPLING	P-COUPLING pipe.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-ELB-45	45 degree pipe elbow.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-ELB-90	90 degree elbow.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-ENDCAP	End Cap.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-LABEL-P	Sampling Point Labels.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-LABEL-T	Pipe Label.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-PIPE-210	CPVC aspiration pipe made from BlazeMaster® resin has been investigated by UL (c-UL-US) for listings in the United States and Canada, per the requirements of UL1887.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-SAMP-KTC/P-SAMP-KTF	Sampling point kits with conical or flush sampling points.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-TEE	Tee.FAAST could possibly still be offered in other regions for a limited time.	
Aspiration	P-UNION	Union.FAAST could possibly still be offered in other regions for a limited time.	
AV	BBS-2	The SpectrAlert Advance BBS-2 is a red back box skirt for wall installations.	SBBR
AV	BBSC	The SpectrAlert BBSC is a red back box skirt for ceiling installations.	SBBCR
AV	BBSC-2	The SpectrAlert Advance BBSC-2 is a red back box skirt for ceiling installations.	SBBCR
AV	BBS-CHSR	The SpectrAlert BBS-CHSR is a red back box skirt for the red chime/strobe.	SBBR
AV	BBS-CHSW	The SpectrAlert BBS-CHSW is a white back box skirt for the white chime/strobe.	SBBW
AV	BBSCW	The SpectrAlert BBSCW is a white back box skirt for ceiling installations.	SBBCW
AV	BBSCW-2	The SpectrAlert Advance BBSCW-2 is a white back box skirt for ceiling installations.	SBBCW
AV	BBSW	White Wall Back Box Skirt.	SBBW
AV	BBSW-2	The SpectrAlert Advance BBSW-2 is a white back box skirt for wall installations.	SBBW
AV	CH1224	The SpectrAlert CH1224 is a red 12/24 volt electronic chime.	CHR
AV	CH1224W	The SpectrAlert CH1224W is a white 12/24 volt electronic chime.	CHW
AV	CH24110	The SpectrAlert CH24110 is a red 24 volt electronic chime with built-in 110 candela strobe.	CHSR
AV	CH24110W	The SpectrAlert CH24110W is a white 24 volt electronic chime with built-in 110 candela strobe.	CHSW
AV	CH2415	The SpectrAlert CH2415 is a red 24 volt electronic chime with built-in 15 candela strobe.	CHSR
AV	CH241575	The SpectrAlert CH241575 is a red 24 volt electronic chime with built-in 15/75 candela strobe.	CHSR
AV	CH241575W	The SpectrAlert CH241575W is a white 24 volt electronic chime with built-in 15/75 candela strobe.	CHSW
AV	CH2415W	The SpectrAlert CH2415W is a white 24 volt electronic chime with built-in 15 candela strobe.	CHSW
AV	CH2475	The SpectrAlert CH2475 is a red 24 volt electronic chime with built-in 75 candela strobe.	CHSR
AV	CH2475W	The SpectrAlert CH2475W is a white 24 volt electronic chime with built-in 75 candela strobe.	CHSW
AV	CH24MC	The SpectrAlert CH24MC is a red 24 volt electronic chime with built-in Selectable Output Strobe.	CHSR
AV	CH24MCW	The SpectrAlert CH24MCW is a white 24 volt electronic chime with built-in Selectable Output Strobe.	CHSW
AV	CHR	The SpectrAlert Advance CHR is a red chime for ceiling or wall installation.	CHRL
AV	CHSR	The SpectrAlert Advance CHSR is a red chime/strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110, and 115 cd for ceiling or wall installation.	CHSRL
AV	CHSW	The SpectrAlert Advance CHSW is a white chime/strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110, and 115 cd for ceiling or wall installation.	CHSWL
AV	CHW	The SpectrAlert Advance CHW is a white chime for ceiling or wall installation.	CHWL
AV	D-MP	Wide wall mounting plate red.	

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	D-MPW	Wide wall mounting plate white.	
AV	DS2475RAR	The SpectrAlert DS2475RAR is a red 24 volt 75 candela dual strobe with amber and red lenses.	
AV	DS2475WAR	The SpectrAlert DS2475WAR is a white 24 volt 75 candela dual strobe with amber and red lenses.	
AV	H12/24	The SpectrAlert H12/24 is a red 12/24 volt horn.	HR
AV	H12/24K	The SpectrAlert H12/24K is an outdoor red 12/24 volt horn.	HRK
AV	H12/24W	The SpectrAlert H12/24W is a white 12/24 volt horn.	HW
AV	HR	The SpectrAlert Advance HR is a red, 12/24 volt horn for ceiling or wall installation.	HRL
AV	HW	The SpectrAlert Advance HW is a white, 12/24-volt horn for ceiling or wall installation.	HWL
AV	KBS-10-120	10", 120VAC alarm bell	SSV120-10
AV	KBS-6-120	6", 120VAC alarm bell	SSV120-6
AV	KBS-8-120	8", 120VAC alarm bell	SSV120-8
AV	KMS-10-24	10", 24VDC alarm bell	SSM24-10
AV	KMS-6-24	6", 24VDC alarm bell	SSM24-6
AV	KMS-8-24	8", 24VDC alarm bell	SSM24-8
AV	MA12 24D	Multi-Alert sounder, 12/24VDC	H12 24
AV	MAEH121575ADA	ADA Sounder with Electromechanical Tone and Signaling Strobe, 15/75cd	
AV	MAEH1215ADA	ADA Sounder with Electromechanical Tone and Signaling Strobe, 15cd	
AV	MAEH24110ADA	ADA Sounder with Electromechanical Tone and Signaling Strobe, 110cd	
AV	MAEH241575ADA	ADA Sounder with Electromechanical Tone and Signaling Strobe, 15/75cd	
AV	MAEH241575ADAS	ADA Sounder with Sync-Circuit, Electromechanical Tone and Signaling Strobe, 15/75cd	
AV	MAEH2415ADA	ADA Sounder with Electromechanical Tone and Signaling Strobe, 15cd	
AV	MAEH2415ADAS	ADA Sounder with Sync-Circuit, Electromechanical Tone and Signaling Strobe, 15cd	
AV	MAEH2475ADA	ADA Sounder with Electromechanical Tone and Signaling Strobe, 75cd	
AV	MASS121575ADA	ADA Sounder with Signaling Strobe, 15/75cd	P1224MC
AV	MASS1215ADA	ADA Sounder with Signaling Strobe, 15cd	P1224MC
AV	MASS24110ADA	ADA Sounder with Signaling Strobe, 110cd	P1224MC
AV	MASS241575ADA	ADA Sounder with Signaling Strobe, 15/75cd	P1224MC
AV	MASS241575ADAS	ADA Sounder with Sync-Circuit and Signaling Strobe, 15/75cd	P2R, P4R
AV	MASS2415ADA	ADA Sounder with Signaling Strobe, 15cd	P1224MC
AV	MASS2415ADAS	ADA Sounder with Sync-Circuit and Signaling Strobe, 15cd	P2R
AV	MASS2475ADA	ADA Sounder with Signaling Strobe, 75cd	P1224MC
AV	MASS24LO	Multi-Alert sounder/strobe, 24VDC	P1224MC
AV	MASS24LOLA	Multi-Alert sounder/strobe, 24VDC, FUEGO lens	P2R-P
AV	MASS24M	Multi-Alert sounder/strobe, 24VDC	P1224MC
AV	MDL	The SpectrAlert MDL is a red, 12/24 volt Sync-Circuit module.	MDL3R
AV	MDLW	The SpectrAlert MDLW is a white, 12/24 volt Sync-Circuit module.	MDL3W
AV	MP-2W-20BP	The SpectrAlert Advance MP-2W-20BP is a bulk pack of 20 2-wire mounting plates.	
AV	MPK-2W-20BP	The SpectrAlert Advance MPK-2W-20BP is a bulk pack of 20 2-wire, outdoor mounting plates.	
AV	P12015K	The SpectrAlert P12015K is a red, 120 VAC horn with a built-in 15-candela strobe intended for outdoor use.	P2RHK-120
AV	P121575	The SpectrAlert P121575 is a red, 12-volt horn with a built-in 15/75-candela strobe.	P2R
AV	P121575K	The SpectrAlert P121575K is a weatherproof, red, 12-volt horn with a built-in 15/75-candela strobe.	P2RK

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	P121575W	The SpectrAlert P121575W is a white, 12-volt horn with a built-in 15/75-candela strobe.	P2W
AV	P1215W	The SpectrAlert P1215W is a white, 12-volt horn with a built-in 15-candela strobe.	P2W
AV	P1224MC	The SpectrAlert P1224MC is a red, selectable-output horn strobe that self-adjusts for either 12- or 24-volt operation.	P2R
AV	P1224MCK	The SpectrAlert P1224MCK is an outdoor, red, selectable-output horn strobe that self-adjusts for either 12- or 24-volt operation.	P2RK
AV	P1224MCP	The SpectrAlert P1224MCP is a red, selectable-output horn strobe (unmarked housing) that self-adjusts for either 12- or 24-volt operation.	P2R-P
AV	P1224MCPW	The SpectrAlert P1224MCPW is a white, selectable-output horn strobe (unmarked housing) that self-adjusts for either 12- or 24-volt operation.	P2W-P
AV	P1224MCSP	The SpectrAlert P1224MCSP is a red, selectable-output horn strobe ("FUEGO" housing) that self-adjusts for either 12- or 24-volt operation.	P2R-SP
AV	P1224MCW	The SpectrAlert P1224MCW is a white, selectable-output horn strobe that self-adjusts for either 12- or 24-volt operation.	P2W
AV	P24110	The SpectrAlert P24110 is a red, 24-volt horn with a built-in 110-candela strobe.	P2R
AV	P24110K	The SpectrAlert P24110K is a weatherproof, red, 24-volt horn with a built-in 110-candela strobe.	P2RK
AV	P24110W	The SpectrAlert P24110W is a white, 24-volt horn with a built-in 110-candela strobe.	P2W
AV	P2415	The SpectrAlert P2415 is a red, 24-volt horn with a built-in 15-candela strobe.	P2R
AV	P241575	The SpectrAlert P241575 is a red, 24-volt horn with a built-in 15/75-candela strobe.	P2R, P4R
AV	P241575F	The SpectrAlert P241575F is a red, 24-volt horn with built-in 15/75-candela strobe and "FUEGO" lettering.	P2R-SP
AV	P241575K	The SpectrAlert P241575K is a weatherproof, red, 24-volt horn with a built-in 15/75-candela strobe.	P2RK
AV	P241575P	The SpectrAlert P241575P is a blank, red, 24-volt horn with a built-in 15/75-candela strobe.	P2R-P
AV	P241575PW	The SpectrAlert P241575PW is a blank, white, 24-volt horn with a built-in 15/75-candela strobe.	P2W-P
AV	P241575W	The SpectrAlert P241575W is a white, 24-volt horn with a built-in 15/75-candela strobe.	P2W
AV	P2415W	The SpectrAlert P2415W is a white, 24-volt horn with a built-in 15-candela strobe.	P2W
AV	P2430	The SpectrAlert P2430 is a red, 24-volt horn with a built-in 30-candela strobe.	P2R
AV	P2430W	The SpectrAlert P2430W is a white, 24-volt horn with a built-in 30-candela strobe.	P2W
AV	P2475ALP	SpectrAlert horn strobe with amber lens	
AV	P2475BLP	SpectrAlert horn strobe with blue lens	
AV	P2475GLP	SpectrAlert horn strobe with green lens	
AV	P2475K	The SpectrAlert P2475K is a weatherproof, red, 24-volt horn with a built-in 75-candela strobe.	P2RK
AV	P2475RLP	SpectrAlert horn strobe with red lens	
AV	P2475W	The SpectrAlert P2475W is a white, 24-volt horn with a built-in 75-candela strobe.	P2W
AV	P2R	The SpectrAlert Advance P2R is a red, two-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P2RL
AV	P2RH	The SpectrAlert Advance P2RH is a red, two-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P2RL
AV	P2RHK-R	The SpectrAlert Advance P2RHK-R (replacement model) is a red, two-wire, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only - no back box included.	P2RHK
AV	P2RH-P	The SpectrAlert Advance P2RH-P is an unmarked, red, two-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P2RH
AV	P2RH-SP	Marked with "FUEGO", the SpectrAlert Advance P2RH-SP is a red, two-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P2R-SP
AV	P2RK-SP	Marked with "FUEGO", the SpectrAlert Advance P2RK-SP is a red, two-wire, outdoor horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd. Outdoor back box included.	
AV	P2R-P	The SpectrAlert Advance P2R-P is an unmarked, red, two-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P2RL-P
AV	P2R-SP	Marked with "FUEGO", the SpectrAlert Advance P2R-SP is a red, two-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P2RL-SP
AV	P2WH	The SpectrAlert Advance P2WH is a white, two-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P2WL
AV	P2WHK-R	The SpectrAlert Advance P2WHK-R is a white, two-wire, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only- no back box included.	P2WHK
AV	P2WHK-SP	Marked with "FUEGO," the SpectrAlert Advance P2WHK-SP is a white, two-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	
AV	P2WH-P	The SpectrAlert Advance P2WH-P is an unmarked, white, two-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P2WL-P

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	P2WK-R	The SpectrAlert Advance P2WK-R is a white, two-wire, outdoor horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd. Offers mounting plate only, back box NOT included.	P2WK
AV	P2W-P	The SpectrAlert Advance P2W-P is an unmarked, white, two-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P2WL-P
AV	P4R	The SpectrAlert Advance P4R is a red, four-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P4RL
AV	P4RH	The SpectrAlert Advance P4RH is a red, four-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P4RL
AV	P4RHK	The SpectrAlert Advance P4RHK is a red, four-wire, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P4RK
AV	P4RHK-R	The SpectrAlert Advance P4RHK-R (replacement model) is a red, four-wire, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only - no back box included.	P4RK
AV	P4RH-P	The SpectrAlert Advance P4RH-P is an unmarked, red, four-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P4RH
AV	P4R-P	The SpectrAlert Advance P4R-P is an unmarked, red, four-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	
AV	P4W	The SpectrAlert Advance P4W is a white, four-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P4WL
AV	P4WH	The SpectrAlert Advance P4WH is a white, four-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P4W
AV	P4WH-P	The SpectrAlert Advance P4WH-P is an unmarked, white, four-wire horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	P4WH
AV	P4W-P	The SpectrAlert Advance P4W-P is an unmarked, white, four-wire horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	P4WL
AV	PA400B	The PA400B is a beige 12/24 volt sounder.	MHW
AV	PA400R	The PA400R is a red 12/24 volt sounder.	MHR
AV	PA400W	The PA400W is a white 12/24 volt sounder.	MHW
AV	PC24115	The SpectrAlert PC24115 is a red, ceiling-mount, 24-volt horn with a built-in 115-candela strobe.	PC2R
AV	PC24115W	The SpectrAlert PC24115W is a white, ceiling-mount, 24-volt horn with a built-in 115-candela strobe.	PC2W
AV	PC2415	The SpectrAlert PC2415 is a red, ceiling-mount, 24-volt horn with a built-in 15-candela strobe.	PC2R
AV	PC241575	The SpectrAlert PC241575 is a red, ceiling-mount, 24-volt horn with a built-in 15/75-candela strobe.	PC2R
AV	PC241575P	The SpectrAlert PC241575P is a plain, red, ceiling-mount, 24-volt horn with a built-in 15/75-candela strobe.	PC2R-P
AV	PC241575PW	The SpectrAlert PC241575PW is a plain, white, ceiling-mount, 24-volt horn with a built-in 15/75-candela strobe.	PC2W-P
AV	PC241575W	The SpectrAlert PC241575W is a white, ceiling-mount, 24-volt horn with a built-in 15/75-candela strobe.	PC2W
AV	PC2415W	The SpectrAlert PC2415W is a white, ceiling-mount, 24-volt horn with a built-in 15-candela strobe.	PC2W
AV	PC24177	The SpectrAlert PC24177 is a red, ceiling-mount, 24-volt horn with a built-in 177-candela strobe.	PC2RH
AV	PC24177W	The SpectrAlert PC24177W is a white, ceiling-mount, 24-volt horn with a built-in 177-candela strobe.	PC2WH
AV	PC2430	The SpectrAlert PC2430 is a red, ceiling-mount, 24-volt horn with a built-in 30-candela strobe.	PC2R
AV	PC2430W	The SpectrAlert PC2430W is a white, ceiling-mount, 24-volt horn with a built-in 30-candela strobe.	PC2W
AV	PC2475	The SpectrAlert PC2475 is a red, ceiling-mount, 24-volt horn with a built-in 75-candela strobe.	PC2R
AV	PC2475W	The SpectrAlert PC2475W is a white, ceiling-mount, 24-volt horn with a built-in 75-candela strobe.	PC2W
AV	PC2495	The SpectrAlert PC2495 is a red, ceiling-mount, 24-volt horn with a built-in 95-candela strobe.	PC2R
AV	PC2495W	The SpectrAlert PC2495W is a white, ceiling-mount, 24-volt horn with a built-in 95-candela strobe.	PC2W
AV	PC2R	The SpectrAlert Advance PC2R is a red, two-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC2RL
AV	PC2RH	The SpectrAlert Advance PC2RH is a red, two-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	PC2RL
AV	PC2RHK-R	The SpectrAlert Advance PC2RHK-R (replacement model) is a red, two-wire, ceiling-mount, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only - no back box included.	
AV	PC2RH-P	The SpectrAlert Advance PC2RH-P is an unmarked, red, two-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	PC2RH
AV	PC2RK-R	The SpectrAlert Advance PC2RK-R (replacement model) is a red, two-wire, ceiling-mount, outdoor horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd. Offers mounting plate only - no back box included.	
AV	PC2R-P	The SpectrAlert Advance PC2R-P is an unmarked, red, two-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC2RL-P
AV	PC2W	The SpectrAlert Advance PC2W is a white, two-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC2WL

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	PC2WH	The SpectrAlert Advance PC2WH is a white, two-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	PC2WL
AV	PC2WH-P	The SpectrAlert Advance PC2WH-P is an unmarked, white, two-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	
AV	PC2WH-SP	Marked with "FUEGO", the SpectrAlert Advance PC2WH-SP is a white, two-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	PC2W
AV	PC2W-P	The SpectrAlert Advance PC2W-P is an unmarked, white, two-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	
AV	PC2W-SP	Marked with "FUEGO", the SpectrAlert Advance PC2W-SP is a white, two-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC2WL
AV	PC4R	The SpectrAlert Advance PC4R is a red, four-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC4RL
AV	PC4RH	The SpectrAlert Advance PC4RH is a red, four-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	PC4RL
AV	PC4RHK	The SpectrAlert Advance PC4RHK is a red, four-wire, ceiling-mount, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Outdoor back box included.	PC4R
AV	PC4RHK-R	The SpectrAlert Advance PC4RHK-R (replacement model) is a red, four-wire, ceiling-mount, outdoor horn strobe with selectable high-candela strobe settings of 135, 150, 177, and 185 cd. Offers mounting plate only - no back box included.	PC4R
AV	PC4RK	The SpectrAlert Advance PC4RK is a red, four-wire, ceiling-mount, outdoor horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC4R
AV	PC4RK-R	The SpectrAlert Advance PC4RK-R (replacement model) is a red, four-wire, ceiling-mount, outdoor horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd. Offers mounting plate only - no back box included.	PC4R
AV	PC4W	The SpectrAlert Advance PC4W is a white, four-wire, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	PC4WL
AV	PC4WH	The SpectrAlert Advance PC4WH is a white, four-wire, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	PC4W
AV	PC4WHK	The SpectrAlert Advance PC4WHK is a white, four-wire, outdoor, ceiling-mount horn strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Outdoor back box included.	PC4WK
AV	PC4WK	The SpectrAlert Advance PC4WK is a white, four-wire, outdoor, ceiling-mount horn strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd. Outdoor back box included.	P4WK
AV	PF24	ExitPoint Directional Sounder	PF24V
AV	PF24V	ExitPoint153 Directional Sounder with Voice Messaging	
AV	PS121575ADA	Signaling strobe sounder, 15/75 cd	P2R
AV	PS1215ADA	Signaling strobe sounder, 15 cd	P2R
AV	PS24110ADA	Signaling strobe sounder, 110 cd	P2R
AV	PS241575ADA	Signaling strobe sounder, 15/75 cd	P2R
AV	PS2415ADA	Signaling strobe sounder, 15 cd	P2R
AV	PS2475ADA	Signaling strobe sounder, 75 cd	P2R
AV	RP121575ADA	ADA strobe retrofit plate, 15/75 cd	P2R
AV	RP1215ADA	ADA strobe retrofit plate, 15 cd	
AV	RP24110ADA	ADA strobe retrofit plate, 110 cd	
AV	RP241575ADA	ADA strobe retrofit plate, 15/75 cd	
AV	RP2415ADA	ADA strobe retrofit plate, 15 cd	
AV	RP2475ADA	ADA strobe retrofit plate, 75 cd	
AV	S1215	The SpectrAlert S1215 is a red, 12-volt 15-candela strobe.	SR
AV	S121575	The SpectrAlert S121575 is a red, 12-volt 15/75-candela strobe.	SR
AV	S121575K	The SpectrAlert S121575K is a weatherproof, red, 12-volt 15/75-candela strobe.	SRK
AV	S121575W	The SpectrAlert S121575W is a white, 12-volt 15/75-candela strobe.	SW
AV	S1215W	The SpectrAlert S1215W is a white, 12-volt 15-candela strobe.	SW
AV	S1224MC	The SpectrAlert S1224MC is a red, selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SR
AV	S1224MCK	The SpectrAlert S1224MCK is an outdoor, red, selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SPK

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	S1224MCP	The SpectrAlert S1224MCP is a red, selectable-output strobe (unmarked housing) that self-adjusts for either 12- or 24-volt operation.	SR-P
AV	S1224MCPW	The SpectrAlert S1224MCPW is a white, selectable-output strobe (unmarked housing) that self-adjusts for either 12- or 24-volt operation.	SW-P
AV	S1224MCSP	The SpectrAlert S1224MCSP is a red, selectable-output strobe (FUEGO housing) that self-adjusts for either 12- or 24-volt operation.	SR-SP
AV	S1224MCW	The SpectrAlert S1224MCW is a white, selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SW
AV	S24110	The SpectrAlert S24110 is a red, 24-volt 110-candela strobe.	SR
AV	S24110K	The SpectrAlert S24110K is a weatherproof, red, 24-volt 110-candela strobe.	SRK
AV	S24110W	The SpectrAlert S24110W is a white, 24-volt 110-candela strobe.	SW
AV	S2415	The SpectrAlert S2415 is a red, 24-volt 15-candela strobe.	SR
AV	S241575	The SpectrAlert S241575 is a red, 24-volt 15/75-candela strobe.	SR
AV	S241575F	The SpectrAlert S241575F is a red, 24-volt 15/75-candela strobe with "FUEGO" lettering.	SR-SP
AV	S241575K	The SpectrAlert S241575K is a weatherproof, red, 24-volt 15/75-candela strobe.	SRK
AV	S241575P	The SpectrAlert S241575P is a blank, red, 24-volt 15/75-candela strobe.	SR-P
AV	S241575PW	The SpectrAlert S241575PW is a blank, white, 24-volt 15/75-candela strobe.	SW-P
AV	S241575W	The SpectrAlert S241575W is a white, 24-volt 15/75-candela strobe.	SW
AV	S2415W	The SpectrAlert S2415W is a white, 24-volt 15-candela strobe.	SW
AV	S2430	The SpectrAlert S2430 is a red, 24-volt 30-candela strobe.	SR
AV	S2430W	The SpectrAlert S2430W is a white, 24-volt 30-candela strobe.	SW
AV	S2475	The SpectrAlert S2475 is a red, 24-volt 75-candela strobe.	SR
AV	S2475ALP	SpectrAlert strobe with amber lens	
AV	S2475BLP	SpectrAlert strobe with blue lens	
AV	S2475GLP	SpectrAlert strobe with green lens	
AV	S2475K	The SpectrAlert S2475K is a weatherproof, red, 24-volt 110-candela strobe.	SRK
AV	S2475RLP	SpectrAlert strobe with red lens	
AV	S2475W	The SpectrAlert S2475W is a white, 24-volt 75-candela strobe.	SW
AV	SBBCR	The SpectrAlert Advance SBBCR is a red surface mount back box for ceiling installations.	SBBCRL
AV	SBBCW	The SpectrAlert Advance SBBCR is a white surface mount back box for ceiling installations.	SBBCWL
AV	SBBSPR	The SpectrAlert Advance SBBSPR is a red surface mount back box for wall installations.	SBBSPRL
AV	SC24115	The SpectrAlert SC24115 is a red, ceiling-mount, 24-volt 115-candela strobe.	SCR
AV	SC24115W	The SpectrAlert SC24115W is a white, ceiling-mount, 24-volt 115-candela strobe.	SCW
AV	SC2415	The SpectrAlert SC2415 is a red, ceiling-mount, 24-volt 15-candela strobe.	SCR
AV	SC241575	The SpectrAlert SC241575 is a red, ceiling-mount, 24-volt 15/75-candela strobe.	SCR
AV	SC241575P	The SpectrAlert SC241575P is a plain, red, ceiling-mount, 24-volt 15/75-candela strobe.	SCR-P
AV	SC241575PW	The SpectrAlert SC241575PW is a plain, white, ceiling-mount, 24-volt 15/75-candela strobe.	SCW-P
AV	SC241575W	The SpectrAlert SC241575W is a white, ceiling-mount, 24-volt 15/75-candela strobe.	SCW
AV	SC2415W	The SpectrAlert SC2415W is a white, ceiling-mount, 24-volt 15-candela strobe.	SCW
AV	SC24177	The SpectrAlert SC24177 is a red, ceiling-mount, 24-volt 177-candela strobe.	SCRH
AV	SC24177W	The SpectrAlert SC24177W is a white, ceiling-mount, 24-volt 177-candela strobe.	SCWH
AV	SC2430	The SpectrAlert SC2430 is a red, ceiling-mount, 24-volt 30-candela strobe.	SCR
AV	SC2430W	The SpectrAlert SC2430W is a white, ceiling-mount, 24-volt 30-candela strobe.	SCW
AV	SC2475	The SpectrAlert SC2475 is a red, ceiling-mount, 24-volt 75-candela strobe.	SCR
AV	SC2475W	The SpectrAlert SC2475W is a white, ceiling-mount, 24-volt 75-candela strobe.	SCW
AV	SC2495	The SpectrAlert SC2495 is a red, ceiling-mount, 24-volt 95-candela strobe.	SCR
AV	SC2495W	The SpectrAlert SC2495W is a white, ceiling-mount, 24-volt 95-candela strobe.	SCW
AV	SCR	The SpectrAlert Advance SCR is a red, ceiling-mount strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SCRL

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	SCRH	The SpectrAlert Advance SCRH is a red, ceiling-mount strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SCR
AV	SCRHK-R	The SpectrAlert Advance SCRHK-R (replacement model) is a red, ceiling-mount, outdoor strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only - no back box included.	
AV	SCRH-P	The SpectrAlert Advance SCRH-P is an unmarked, red, ceiling-mount strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SCRH
AV	SCRK-R	The SpectrAlert Advance SCRK-R (replacement model) is a red, ceiling-mount, outdoor strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd. Offers mounting plate only - no back box included.	
AV	SCR-P	The SpectrAlert Advance SCR-P is an unmarked, red, ceiling-mount strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SCR
AV	SCW	The SpectrAlert Advance SCW is a white, ceiling-mount strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SCWL
AV	SCW-CLR-ALERT	The SpectrAlert Advance SCW-CLR-ALERT is a white strobe with standard cd and a clear lens designed for mass notification applications.	SCWL-CLR-ALERT
AV	SCWH	The SpectrAlert Advance SCWH is a white, ceiling-mount strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SCWL
AV	SCWH-P	The SpectrAlert Advance SCWH-P is an unmarked, white, ceiling-mount strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SCWH
AV	SCWH-SP	Marked with "FUEGO", the SpectrAlert Advance SCWH-SP is a white, ceiling-mount strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SCWH
AV	SCW-SP	Marked with "FUEGO", the SpectrAlert Advance SCW-SP is a white, ceiling-mount strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SCW
AV	SEP-BBSW	The SpectrAlert Advance SEP-BBSW is a White Strobe Expander Plate.	SPSEP-BBSWL
AV	SEP-SPSW	The SpectrAlert Advance SEP-SPSW is a White Speaker Strobe Expander Plate with a Standard Candela.	SEP-SPSWL
AV	SEP-SPSW-P	The SpectrAlert Advance SEP-SPSW-P is a Plain, Clear Lens, White Speaker Strobe Expander Plate with a Standard Candela.	SEP-SPSWL-P
AV	SEP-SW	The SpectrAlert Advance SEP-SW is a White Strobe Expander Plate with a Standard Candela	SEP-SPSWL
AV	SEP-SW-P	The SpectrAlert Advance SEP-SW-P is a Plain, Clear Lens, White Strobe Expander Plate with a Standard Candela.	SEP-SPSWL-P
AV	S-MP	Narrow wall mounting plate red.	
AV	S-MPW	Narrow wall mounting plate white.	
AV	SP100W	Round, white speaker, 5-inch grille	SPCW
AV	SP101R	Square, red speaker, 5-inch grille	SPR
AV	SP101W	Square, white speaker, 5-inch grille	SPW
AV	SP1R24110ADA	SP100 Series speaker with ADA signaling strobe, 110 cd	SPSR
AV	SP1R241575ADA	SP100 Series speaker with ADA signaling strobe, 15/75 cd	SPSR
AV	SP1R2415ADA	SP100 Series speaker with ADA signaling strobe, 15 cd	SPSR
AV	SP1R2475ADA	SP100 Series speaker with ADA signaling strobe, 75 cd	SPSR
AV	SP1W24110ADA	SP100 Series speaker with ADA signaling strobe, 110 cd	SPSW
AV	SP1W241575ADA	SP100 Series speaker with ADA signaling strobe, 15/75 cd	SPSW
AV	SP1W2415ADA	SP100 Series speaker with ADA signaling strobe, 15 cd	SPSW
AV	SP1W2475ADA	SP100 Series speaker with ADA signaling strobe, 75 cd	SPSW
AV	SP200W	The SpectrAlert SP200W is a round, white, 25.0/70.7 Vrms speaker.	SPCW
AV	SP201K	The SpectrAlert SP201K is a square, red speaker suitable for outdoor applications.	SPRK
AV	SP201R	The SpectrAlert SP201R is a square, red, 25.0/70.7 Vrms speaker.	SPR
AV	SP201W	The SpectrAlert SP201W is a square, white, 25.0/70.7 Vrms speaker.	SPW
AV	SP2C24115	The SpectrAlert SP2C24115 is a white, ceiling-mount speaker with a built-in 24-volt, 110-candela strobe.	SPSCW
AV	SP2C2415	The SpectrAlert SP2C2415 is a white, ceiling-mount speaker with a built-in 24-volt, 15-candela strobe.	SPSCW
AV	SP2C241575	The SpectrAlert SP2C241575 is a white, ceiling-mount speaker with a built-in 24-volt, 15/75-candela strobe.	SPSCW
AV	SP2C24177	The SpectrAlert SP2C24177 is a white, ceiling-mount speaker with a built-in 24-volt, 177-candela strobe.	SPSCWH
AV	SP2C2430	The SpectrAlert SP2C2430 is a white, ceiling-mount speaker with a built-in 24-volt, 30-candela strobe.	SPSCW
AV	SP2C2475	The SpectrAlert SP2C2475 is a white, ceiling-mount speaker with a built-in 24-volt, 75-candela strobe.	SPSCW

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	SP2C2495	The SpectrAlert SP2C2495 is a white, ceiling-mount speaker with a built-in 24-volt, 95-candela strobe.	SPSCW
AV	SP2R1224MC	The SpectrAlert SP2R1224MC is a red, wall-mount speaker with a built-in selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SPSR
AV	SP2R1224MCK	The SpectrAlert SP2R1224MCK is a red, wall-mount speaker with a built-in selectable-output strobe that is suitable for outdoor applications.	SPSRK
AV	SP2R24110	The SpectrAlert SP2R24110 is a red, wall-mount speaker with a built-in 24-volt, 110-candela strobe.	SPSR
AV	SP2R2415	The SpectrAlert SP2R2415 is a red, wall-mount speaker with a built-in 24-volt, 15-candela strobe.	SPSR
AV	SP2R241575	The SpectrAlert SP2R241575 is a red, wall-mount speaker with a built-in 24-volt, 15/75-candela strobe.	SPSR
AV	SP2R2430	The SpectrAlert SP2R2430 is a red, wall-mount speaker with a built-in 24-volt, 30-candela strobe.	SPSR
AV	SP2R2475	The SpectrAlert SP2R2475 is a red, wall-mount speaker with a built-in 24-volt, 75-candela strobe.	SPSR
AV	SP2W1224MC	The SpectrAlert SP2W1224MC is a white, wall-mount speaker with a built-in selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SPSW
AV	SP2W24110	The SpectrAlert SP2W24110 is a white, wall-mount speaker with a built-in 24-volt, 110-candela strobe.	SPSW
AV	SP2W2415	The SpectrAlert SP2W2415 is a white, wall-mount speaker with a built-in 24-volt, 15-candela strobe.	SPSW
AV	SP2W241575	The SpectrAlert SP2W241575 is a white, wall-mount speaker with a built-in 24-volt, 15/75-candela strobe.	SPSW
AV	SP2W2430	The SpectrAlert SP2W2430 is a white, wall-mount speaker with a built-in 24-volt, 30-candela strobe.	SPSW
AV	SP2W2475	The SpectrAlert SP2W2475 is a white, wall-mount speaker with a built-in 24-volt, 75-candela strobe.	SPSW
AV	SP300W	The SpectrAlert SP300W is a high-SPL, round, white, 25.0/70.7 Vrms speaker.	SPCWV
AV	SP301R	The SpectrAlert SP301R is a high-SPL, square, red, 25.0/70.7 Vrms speaker.	SPRV
AV	SP301W	The SpectrAlert SP301W is a high-SPL, square, white, 25.0/70.7 Vrms speaker.	SPWV
AV	SP3R1224MC	The SpectrAlert SP3R1224MC is a high-SPL, red, wall-mount speaker with a built-in selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SPSRV
AV	SP3W1224MC	The SpectrAlert SP3W1224MC is a high-SPL, white, wall-mount speaker with a built-in selectable-output strobe that self-adjusts for either 12- or 24-volt operation.	SPSWV
AV	SPBBS	The SpectrAlert Advance SPBBS is a red wall mounted Back Box Skirt.	SBBSPR
AV	SPBBSC	The SpectrAlert Advance SPBBSC is a red ceiling mounted Back Box Skirt.	SBBCR
AV	SPBBSCW	The SpectrAlert Advance SPBBSCW is a white ceiling mounted Back Box Skirt.	SBBCW
AV	SPBBSW	The SpectrAlert Advance SPBBSW is a white wall mounted Back Box Skirt.	SBBSPW
AV	SPCR	The SpectrAlert Advance SPCR is a red speaker for ceiling installation.	SPCRL
AV	SPCRV	The SpectrAlert Advance SPCRV is a red speaker for ceiling installation offering a high dB speaker.	SPCRL
AV	SPCW	The SpectrAlert Advance SPCW is a white speaker for ceiling installation.	SPCWL
AV	SPCWV	The SpectrAlert Advance SPCWV is a white speaker for ceiling installation offering a high dB speaker.	SPCWL
AV	SPH-15R	The SPH-15R is a red supervised horn loudspeaker operating at 25.0/70.7 Vrms.	
AV	SPR	The SpectrAlert Advance SPR is a red speaker for wall installation.	SPRL
AV	SPRV	The SpectrAlert Advance SPRV is a red speaker for wall installation offering a high dB speaker.	SPRL
AV	SPSCR	The SpectrAlert Advance SPSCR is a red speaker strobe for ceiling installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSCRL
AV	SPSCRH	The SpectrAlert Advance SPSCRH is a red speaker strobe for ceiling installations with selectable strobe settings of 135, 150, 177 and 185 cd.	SPSCRL
AV	SPSCRV	The SpectrAlert Advance SPSCRV is a red speaker strobe for ceiling installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd, as well as a high dB speaker.	SPSCRL
AV	SPSCRVH	The SpectrAlert Advance SPSCRVH is a red speaker strobe for ceiling installations with selectable strobe settings of 135, 150, 177 and 185 cd, as well as a high dB speaker.	SPSCRL
AV	SPSCW	The SpectrAlert Advance SPSCW is a white speaker strobe for ceiling installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSCWL
AV	SPSCW-CLR-ALERT	The SpectrAlert Advance SPSCW-CLR-ALERT is a white speaker strobe with standard cd and a clear lens designed for mass notification applications.	SPSCWL-CLR-ALERT
AV	SPSCWH	The SpectrAlert Advance SPSCWH is a white speaker strobe for ceiling installations with selectable strobe settings of 135, 150, 177 and 185 cd.	SPSCWL
AV	SPSCWHK-R	The SpectrAlert Advance SPSCWHK-R (replacement model) is a white, outdoor speaker strobe for ceiling installation with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only - no back box included.	
AV	SPSCWH-P	The SpectrAlert Advance SPSCWH-P is an unmarked, white speaker strobe for ceiling installations with selectable strobe settings of 135, 150, 177 and 185 cd.	SPSCWL-P
AV	SPSCW-P	The SpectrAlert Advance SPSCW-P is an unmarked, white speaker strobe for ceiling installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSCWL-P
AV	SPSCWV	The SpectrAlert Advance SPSCWV is a white speaker strobe for ceiling installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd, as well as a high dB speaker.	SPSCWL

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	SPSCWVH	The SpectrAlert Advance SPSCWVH is a white speaker strobe for ceiling installations with selectable strobe settings of 135, 150, 177 and 185 cd, as well as a high dB speaker.	SPSCWL
AV	SPSCWVH-P	The SpectrAlert Advance SPSCWVH-P is an unmarked, white speaker strobe for ceiling installations with selectable strobe settings of 135, 150, 177 and 185 cd, as well as a high dB speaker.	SPSCWV-P
AV	SPSCWV-P	The SpectrAlert Advance SPSCWV-P is an unmarked, white speaker strobe for ceiling installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSCWL-P
AV	SPSEP-BBSW	The SpectrAlert Advance SPSEP-BBSW is a White Speaker Strobe Expander Plate Back Box Skirt	SPSEP-BBSWL
AV	SPSR	The SpectrAlert Advance SPSR is a red speaker strobe for wall installation with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSRL
AV	SPSRH	The SpectrAlert Advance SPSRH is a red speaker strobe for wall installation with selectable strobe settings of 135, 150, 177 and 185 cd.	SPSRL
AV	SPSRH-P	The SpectrAlert Advance SPSRH-P is an unmarked, red speaker strobe for wall installation with selectable strobe settings of 135, 150, 177 and 185 cd.	SPSR-P
AV	SPSR-P	The SpectrAlert Advance SPSR-P is an unmarked, red speaker strobe for wall installation with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSRL-P
AV	SPSRV	The SpectrAlert Advance SPSRV is a red speaker strobe for wall installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd, as well as a high dB speaker.	SPSRL
AV	SPSRV-P	The SpectrAlert Advance SPSRV-P is an unmarked, red speaker strobe for wall installations with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd, as well as a high dB speaker.	SPSR-P
AV	SPSW	The SpectrAlert Advance SPSW is a white speaker strobe for wall installation with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSWL
AV	SPSW-ALERT	The SpectrAlert Advance SPSW-ALERT is a white speaker strobe with standard cd and an amber lens designed for mass notification applications.	SPSWL-ALERT
AV	SPSW-CLR-ALERT	The SpectrAlert Advance SPSW-CLR-ALERT is a white speaker strobe with standard cd and a clear lens designed for mass notification applications.	SPSWL-CLR-ALERT
AV	SPSW-P	The SpectrAlert Advance SPSW-P is an unmarked, white speaker strobe for wall installation with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SPSWL-P
AV	SPSWV	The SpectrAlert Advance SPSWV is a white speaker strobe for wall installations with selectable strobe setting of 15, 15/75, 30, 75, 95, 110 and 115 cd, as well as a high dB speaker.	SPSWL
AV	SPSWV-P	The SpectrAlert Advance SPSWV-P is an unmarked, white speaker strobe for wall installations with selectable strobe setting of 15, 15/75, 30, 75, 95, 110 and 115 cd, as well as a high dB speaker.	SPSWV
AV	SPW	The SpectrAlert Advance SPW is a white speaker for wall installation.	SPWL
AV	SPWK-R	The SpectrAlert Advance SPWK-R (replacement model) is a white, outdoor, wall-mount speaker. Offers mounting plate only, no back box included.	SPWK
AV	SPWV	The SpectrAlert Advance SPWV is a white speaker for wall installation offering a high dB speaker.	SPWL
AV	SR	The SpectrAlert Advance SR is a red strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SRL
AV	SRH	The SpectrAlert Advance SRH is a red strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SRL
AV	SRHK-R	The SpectrAlert Advance SRHK-R (replacement model) is a red, outdoor strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only - no back box included.	SRHK
AV	SRH-P	The SpectrAlert Advance SRH-P is an unmarked, red strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SR-P
AV	SRH-SP	Marked with "FUEGO" the SpectrAlert Advance SRH-SP is a red strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SRH
AV	SR-P	The SpectrAlert Advance SR-P is an unmarked, red strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SRL-P
AV	SR-SP	Marked with "FUEGO" the SpectrAlert Advance SR-SP is a red strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SRL-SP
AV	SS121575ADA	ADA signaling strobe, 15/75 cd	SR
AV	SS1215ADA	ADA signaling strobe, 15 cd	SR
AV	SS24110ADA	ADA signaling strobe, 110 cd	SR
AV	SS241575ADA	ADA signaling strobe, 15/75 cd	SR
AV	SS241575ADAS	ADA signaling strobe with sync-circuit, 15/75 cd	SR
AV	SS2415ADA	ADA signaling strobe, 15 cd	SR
AV	SS2415ADAS	ADA signaling strobe with sync-circuit, 15 cd	SR
AV	SS2475ADA	ADA signaling strobe, 75 cd	SR
AV	SS24LO	Multi-alert strobe, 24 VDC	SR
AV	SS24LOLA	Multi-alert strobe, 24 VDC, FUEGO lens	SR-SP
AV	SS24M	Multi-alert strobe, 24 VDC	SR
AV	SW	The SpectrAlert Advance SW is a white strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SWL
AV	SW-ALERT	The SpectrAlert Advance SW-ALERT is a white strobe with standard cd and an amber lens designed for mass notification applications.	SWL-ALERT
AV	SW-CLR-ALERT	The SpectrAlert Advance SW-CLR-ALERT is a white strobe with standard cd and a clear lens designed for mass notification applications.	SWL-CLR-ALERT
AV	SWH	The SpectrAlert Advance SWH is a white strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SWL
AV	SWH-ALERT	The SpectrAlert Advance SWH-ALERT is a white strobe with high cd and an amber lens designed for mass notification applications.	SWL-ALERT

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
AV	SWHK-R	The SpectrAlert Advance SWHK-R is a white, outdoor strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd. Offers mounting plate only- no back box included.	SWHK
AV	SWH-P	The SpectrAlert Advance SWH-P is an unmarked, white strobe with selectable high-candela strobe settings of 135, 150, 177 and 185 cd.	SWL-P
AV	SW-P	The SpectrAlert Advance SW-P is an unmarked, white strobe with selectable strobe settings of 15, 15/75, 30, 75, 95, 110 and 115 cd.	SWL-P
AV	TR	The SpectrAlert Advance TR is a red wall mounted Trim Ring. Provides additional space in backbox.	TR-2
AV	TRC	The SpectrAlert Advance TRC is a red ceiling mounted Trim Ring. Provides additional space in backbox.	TRC-2
AV	TRC-HS	The SpectrAlert Advance TRC-HS is a red trim ring for use with ceiling mounted devices. Allows 4-wire devices to mount to a single gang back box.	
AV	TRCW	The SpectrAlert Advance TRCW is a white ceiling mounted Trim Ring. Provides additional space in backbox.	TRC-2W
AV	TRCW-HS	The SpectrAlert Advance TRCW-HS is a white trim ring for ceiling mounted devices. Allows 4-wire devices to mount to a single gang back box.	
AV	TRW	The SpectrAlert Advance TRW is a white wall mounted Trim Ring. Provides additional space in backbox.	TR-2W
AV	TRW-HS	The SpectrAlert Advance TRW-HS is a white trim ring for use with wall mounted devices. Allows 4-wire devices to mount to a single gang back box.	
AV	V400B	Beige, red speaker, 4-inch grille	SP201W
AV	V400R	Square, red speaker, 4-inch grille	SP201R
AV	V400W	White, red speaker, 4-inch grille	SP201W
AV	V4R24110ADA	V400 Series speaker with ADA signaling strobe, 110 cd	SP2R1224MC
AV	V4R241575ADA	V400 Series speaker with ADA signaling strobe, 15/75 cd	SP2R1224MC
AV	V4R2415ADA	V400 Series speaker with ADA signaling strobe, 15 cd	SP2R1224MC
AV	V4R2475ADA	V400 Series speaker with ADA signaling strobe, 75 cd	SP2R1224MC
Beam	6424	The 6424 is a 4-wire infrared beam smoke detector that includes both a transmitter and a receiver.	BEAM1224
Beam	RA400Z	Remote annunciator for duct and beam detectors	RA100Z
Beam	RTS451	Magnetic remote test and reset station for duct and beam detector	RTS151
Beam	RTS451KEY	Key remote test and reset station for duct and beam detector	RTS151KEY
CO	CO1224	The C01224 is a 12/24 volt 4-wire Carbon Monoxide detector equipped with a sounder and a trouble relay.	CO1224T
HVAC	2451		2151
HVAC	7251DH	High Sensitivity Laser Duct Smoke Detector designed to provide very early warning fire protection in interior duct applications serving spaces with high velocity, high volume air changes.	DNRHS
HVAC	A5052	Replacement Ionization Detector Board	
HVAC	A5061	Replacement 2-wire Power Board	
HVAC	A5064	Replacement 4-wire Power Board	
HVAC	A5180	Replacement 2-wire Photoelectric Detector Board	
HVAC	A5190	Replacement 4-wire Photoelectric Detector Board	
HVAC	APA451	Annunciator with Piezo Alarm	APA151
HVAC	CD100DH	Duct Housing for the CD100VC	
HVAC	CD100M	Hand-held CO 2 and Temperature Monitor	
HVAC	CD100VC	Hand-held CO 2 Ventilation Controller	
HVAC	DH100ACDCI	Conventional 4-Wire Ionization Duct Smoke Detector [Should I use a photoelectric detector?]	
HVAC	DH100ACDCLP	Conventional 4-Wire Photoelectronic Duct Smoke Detector with Low-Flow Technology	D4120
HVAC	DH100ACDCLWP	Conventional 4-Wire Photoelectronic Watertight NEMA 4 Rated Smoke Duct Detector with Low-Flow Technology	D4120W
HVAC	DH100LP	Conventional 2-Wire Photoelectronic Duct Smoke Detector with Low-Flow Technology	D2
HVAC	DH1851AC	Ionization Duct Smoke Detector, 120VAC	
HVAC	DH1851DC	Ionization Duct Smoke Detector, 20/24VDC	
HVAC	DH200PL	Intelligent Low-Flow Duct Smoke Detector (non-relay)	DNR
HVAC	DH200RPL	Intelligent Low-Flow Duct Smoke Detector (with relay)	DNR
HVAC	DH2851AC	Photoelectronic Duct Smoke Detector, 120VAC	
HVAC	DH2851DC	Photoelectronic Duct Smoke Detector, 20/24VDC	

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
HVAC	DH400ACDCI	4-Wire Ionization Duct Smoke Detector	DH100ACDCI
HVAC	DH400ACDCIHT	Conventional 4-Wire Ionization High-Temperature Duct Smoke Detector	D4120
HVAC	DH500	Intelligent Duct Smoke Sensor Housing	DH200PL
HVAC	DH500ACDC	Intelligent Duct Smoke Sensor Housing with Auxiliary Relays	DH200RPL
HVAC	PA400	Remote Sounder	MHW
HVAC	PS12/24SLENSC	Ceiling-mount "SMOKE" lens	
HVAC	PS12/24SLENSW	"SMOKE" Strobe Lens for use with PS24LOW	
HVAC	PS24LO	Mini-Alert add-on strobe (red)	
HVAC	PS24LOW	Mini-Alert Add-on Strobe for use with PA400W or SSK451	
HVAC	RA400Z	Remote annunciator for duct and beam detectors	RA100Z
HVAC	RTC	Remote test coil for use with 2451	RTC100
HVAC	RTC100	The RTC100 is a remote test coil kit for use with the low-profile B114LP bases.	
HVAC	RTS451	Magnetic remote test and reset station for duct and beam detector	RTS151
HVAC	RTS451KEY	Key remote test and reset station for duct and beam detector	RTS151KEY
HVAC	SSK451	Multi-Signaling Accessory	
Modules	2W-MOD2	The 2W-MOD2 is a two-wire loop test and maintenance module for use with i3 Series detectors. (Replaces Model No. 2W-MOD)	MOD2W
Modules	M500CH	Control Module	M500S
Modules	M500DR	Dual Audio Riser Module	
Modules	MB500	Module Panel	
Modules	SMB500	The SMB500 surface mount box may be used with certain System Sensor modules when flush or recessed mounting are not possible.	SMB500-WH
Relays	A77-716B		EOLR-1
Spot	1151	The 1151 is a low profile, plug-in ionization smoke detector.	2W-B
Spot	1251	Ionization Smoke Detector	1251B
Spot	1400	The 1400 is a 2-wire, ionization smoke detector.	
Spot	1424	The 1424 is a 4-wire, ionization smoke detector with auxiliary Form C relay.	
Spot	1451	The 1451 is a plug-in ionization smoke detector.	2151
Spot	1800	Ionization Detector, 2-wire, surface mount	
Spot	1806	Ionization Detector, 6VDC, surface mount	
Spot	1812	Ionization Detector, 12VDC, surface mount	
Spot	1824	Ionization Detector, 24VDC, surface mount	
Spot	2100		
Spot	2251	Photoelectric Smoke Detector	2251B
Spot	2400	The 2400 is a 2-wire, photoelectric smoke detector.	2W-B
Spot	2424	The 2424 is a 4-wire, photoelectric smoke detector with auxiliary Form C relay. Use replacement model 4WTR-B when a relay is required or 4W-B when a relay is not required.	4W-B
Spot	2451		2151
Spot	2551	Photoelectric Smoke Detector	2251B
Spot	2800	Photoelectronic Detector, 2-wire, surface mount	
Spot	2806	Photoelectronic Detector, 6VDC	
Spot	2812	Photoelectronic Detector, 12VDC	4W-B
Spot	2824	Photoelectronic Detector, 24VDC	4W-B
Spot	3251	OmniSensor Low-Profile Intelligent Combination Smoke Detector	2251TMB
Spot	5451	The 5451 is a combination fixed and rate-of-rise, plug-in heat detector.	5151
Spot	5551	Fixed Temperature Thermal Detector	5251B
Spot	5601	135°F Fixed Temp/Rate-of-Rise, Single-Circuit Mechanical Heat Detector	

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
Spot	7251	Pinnacle is a high-sensitivity laser smoke detector for detection of incipient fires.	7351
Spot	1012B	The 1012B is a direct-wire ionization smoke detector with built-in relay and horn	
Spot	1251B	Ionization Smoke Detector	
Spot	1412B	The 1412B is a 4-wire, ionization smoke detector with auxiliary Form C relay.	
Spot	1551B	Ionization Smoke Detector	1251B
Spot	1851B	Ionization Detector	
Spot	2001DCRI	9 VDC Battery-operated photoelectronic multiple-station smoke detector with relay	
Spot	2001LVRI	12 VDC Photoelectronic multiple-station smoke detector with relay	
Spot	2012B	The 2012B is a direct-wire photoelectronic smoke detector with built-in relay and horn	
Spot	2012H	The 2012H is a direct-wire smoke detector with built-in relay and horn, manufactured by System Sensor China and from our distributors in Canada and Australia.	
Spot	2100AT	The 2100AT is a low profile, 2-wire, photoelectric smoke detector with a built-in sounder.	2WTA-B
Spot	2100D		2W-B
Spot	2100S		2W-B
Spot	2100T		2WT-B
Spot	2100TD		2WT-B
Spot	2100TR	The 2100TR is a low profile, 2-wire, photoelectric smoke detector with a 135°F thermal sensor.	2WTR-B
Spot	2100TS		2WT-B
Spot	2112/24AITR	The 2112/24AITR is a low profile, 4-wire, photoelectric smoke detector with an isolated 135°F thermal sensor, built-in sounder, and auxiliary Form C relay.	4WITAR-B
Spot	2112/24AT	The 2112/24AT is a low profile, 4-wire, photoelectric smoke detector with a 135°F thermal sensor and built-in sounder.	4WTA-B
Spot	2112/24ATR	The 2112/24ATR is a low profile, 4-wire, photoelectric smoke detector with a 135°F thermal sensor, built-in sounder, and auxiliary Form C relay.	4WTAR-B
Spot	2112/24B		4W-B
Spot	2112/24D		4W-B
Spot	2112/24R	The 2112/24R is a low profile, 4-wire, photoelectric smoke detector with an auxiliary Form C relay.	4WTR-B
Spot	2112/24S		4W-B
Spot	2112/24TB		4WT-B
Spot	2112/24TD		4WT-B
Spot	2112/24TR	The 2112/24TR is a low profile, 4-wire, photoelectric smoke detector with a 135°F thermal sensor and auxiliary Form C relay.	4WTR-B
Spot	2112/24TS		4WT-B
Spot	2112/24TSRB		4WTR-B
Spot	2251T	Photoelectric Smoke Detector with Thermal	2251TB
Spot	2251TM	Acclimate is a multi-criteria detector, combining photoelectric and 135°F thermal sensor signals to provide earliest warning of fire and reject nuisance alarms.	2251TMB
Spot	2300B	2-wire Photoelectronic Detector	2W-B
Spot	2300T	2-wire Photoelectronic Detector with 135°F Thermal	2WT-B
Spot	2300TB	2-wire Photoelectronic Detector with 135°F Thermal	2WT-B
Spot	2312/24B	4-wire Photoelectronic Detector	4W-B
Spot	2312/24T	4-wire Photoelectronic Detector with 135°F Thermal	4WT-B
Spot	2312/24TB	4-wire Photoelectronic Detector with 135°F Thermal	4WT-B
Spot	2400AIT	2-wire, photoelectric smoke detector with integrated isolated thermal sensor and sounder	
Spot	2400AT	2-wire, photoelectric smoke detector with integrated thermal sensor and sounder	2WTA-B
Spot	2400TH	The 2400TH is a 2-wire, photoelectric smoke detector with a 135°F thermal sensor.	2WT-B
Spot	2412AT	4-wire, photoelectric smoke detector with integrated thermal sensor and sounder	4WTA-B
Spot	2412B	The 2412B is a 4-wire, photoelectric smoke detector with auxiliary Form C relay. Use replacement model 4WTR-B when a relay is required or 4W-B when a relay is not required.	4W-B
Spot	2412THB	The 2412THB is a 4-wire, photoelectric smoke detector with a 135°F thermal sensor and auxiliary Form C relay.	4WT-B
Spot	2424AIT	4-wire, photoelectric smoke detector with integrated isolated thermal sensor and sounder	4WITAR-B
Spot	2424AT	4-wire, photoelectric smoke detector with integrated thermal sensor and sounder	4WTA-B
Spot	2424TH	The 2424TH is a 4-wire, photoelectric smoke detector with a 135°F thermal sensor and auxiliary Form C relay.	4WT-B

Discontinued Products

Product Category	Discontinued Model	Discontinued Model Description	Replacement Model
Spot	2451TH	The 2451TH is a plug-in photoelectric smoke detector with a 135°F thermal sensor.	2151
Spot	2551HR	Photoelectric Smoke Detector	2251B
Spot	2551T	Photoelectric Smoke Detector with Thermal	2251TB
Spot	2551THR	Photoelectric Smoke Detector with Thermal	2251TB
Spot	2851B	Photoelectronic Detector	
Spot	2851BTH	Photoelectronic Detector with 135 degree heat sensor	
Spot	2W-MOD2	The 2W-MOD2 is a two-wire loop test and maintenance module for use with i3 Series detectors. (Replaces Model No. 2W-MOD)	MOD2W
Spot	4451HT	The 4451HT is a high-temperature plug-in heat detector.	
Spot	5251P	Fixed Temperature Thermal Detector	5251B
Spot	5251RP	Rate-of-Rise Thermal Detector	5251RB
Spot	5551B	Fixed Temperature Thermal Detector	5251B
Spot	5551R	Rate-of-Rise Thermal Detector	5251RB
Spot	A77-AB	The A77-AB Adapter Bracket allows installers to retrofit applications where a larger diameter detector was previously installed.	A77-AB2
Spot	B401B	The B401B is a 2-wire base for use with 400 Series smoke detectors.	
Spot	B401BH	The B401BH sounder base is intended for use with 400 Series plug-in sensor heads in conventional 2-wire systems.	
Spot	B401BH-2	Model B401BH-2 sounder base is intended for use with System Sensor 400 Series plug-in sensor heads in conventional 2-wire plug-in systems, this model meets UL 864 requirements.	
Spot	B401BR	The B401BR is a 2-wire base with current limiting resistor, for use with 400 Series smoke detectors.	
Spot	B401R	The B401R is a 2-wire base with current limiting resistor, for use with 400 Series smoke detectors.	
Spot	B402B	The B402B is a 4-wire base with current limiting resistor and Form A&C relay contacts, for use with 400 Series smoke detectors.	
Spot	B404B	The B404B is a 4-wire base with current limiting resistor, Form A & C relay contacts, and Form A Supervisory contact, for use with 400 Series smoke detectors.	B114LP
Spot	B406B	The B406B is a 2-wire base with Form C relay contact, for use with 400 Series smoke detectors.	
Spot	B501BH	Intelligent Sounder Base	B200SR
Spot	B501BH-2	Intelligent Sounder Base - UL 9th Edition compliant	B200SR
Spot	B501BHT	Intelligent Temporal Tone Sounder Base	B200SR
Spot	B501BHT-2	Intelligent Temporal Tone Sounder Base - UL 9th Edition compliant	B200SR
Spot	B524BI	Intelligent Isolator Base	B224BI
Spot	B524RB	Intelligent Relay Base	B224RB
Spot	FTX-P1	Filtrex & trade aspirated smoke detector for dusty and dirty environments	8100
Spot	MOD400R	The MOD400R is used to check the sensitivity of System Sensor 100, 200, 400, and 500 Series smoke detectors, and DH100, DH200, DH400, and DH500 Series duct smoke detectors.	
Spot	Protectorwire Linear Heat detector		
Spot	RA400Z	Remote annunciator for duct and beam detectors	RA100Z
Spot	RMK400	The RMK400 Recessed Mounting Kit is for use with System Sensor 100, 200, 400, and 500 Series plug-in detectors.	
Spot	RR1	Polarity reversing relay module intended for use with 2- and 4-wire detectors with built-in sounder	
Spot	RR2	The RR2 allows all detectors on a loop to sound when one goes into alarm.	
Spot	RT	The RT is an installation/removal tool for use with i3 Series detectors.	
Spot	SMK400	The SMK400 flangeless surface mounting kit may be used with certain System Sensor smoke detectors when flush or recessed mounting are not possible.	